acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Eugenol, extra pure

article number: **7292**Version: **3.0 en**date of compilation: 2019-09-19
Revision: 2022-10-10

Replaces version of: 2022-09-15

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **Eugenol**, extra pure

Article number 7292

EC number 202-589-1 CAS number 97-53-0

Alternative name(s) 4-Allyl-2-methoxyphenol

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	Skin sensitisation	1B	Skin Sens. 1B	H317

United Kingdom (en) Page 1 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

#### Labelling

Signal word Warning

#### **Pictograms**

GHS07



#### **Hazard statements**

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Eugenol Molecular formula  $C_{10}H_{12}O_2$  Molar mass  $164,2\,^{9}/_{mol}$  CAS No 97-53-0 EC No 202-589-1

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

United Kingdom (en) Page 2 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Eugenol, extra pure

article number: 7292

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water.

United Kingdom (en) Page 3 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Eugenol, extra pure

article number: 7292



#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a cool place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Protect against external exposure, such as

contact with air/oxygen

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**


This information is not available.

#### **Human health values**

Relevant DN	Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	21,2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	

United Kingdom (en) Page 4 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 7292



#### **Environmental values**

#### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	1,13 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0,113 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	0,081 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0,008 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0,015 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### Splash protection - Protective gloves

• type of material: NBR (Nitrile rubber)

material thickness: 0,3 mm

• breakthrough times of the glove material: >30 minutes (permeation: level 2)

United Kingdom (en) Page 5 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - light yellow

Odour characteristic

Melting point/freezing point -7,5 °C at 1.013 hPa (ECHA) 248 °C at 1.006 hPa (ECHA)

Boiling point or initial boiling point and boiling

range

**Flammability** this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

124 °C at 1.013 hPa (ECHA) Flash point Auto-ignition temperature 380 °C at 985 hPa (ECHA)

Decomposition temperature not relevant

not determined pH (value) not determined Kinematic viscosity

8,39 mPa s at 25 °C Dynamic viscosity

Solubility(ies)

1,154 <sup>g</sup>/<sub>l</sub> at 20 °C (poorly soluble) (ECHA) Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,83 (pH value: 5,5, 30 °C) (ECHA)

0,04 hPa at 25 °C Vapour pressure

Density and/or relative density

 $1,06 - 1,07 \, {}^{9}/_{cm^{3}}$  at 20 °C Density

United Kingdom (en) Page 6 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Eugenol, extra pure

article number: 7292

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Refractive index 1,54 – 1,542 (20 °C)

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

different plastics

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

United Kingdom (en) Page 7 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

#### • If on skin

May produce an allergic reaction, pruritis, localised redness

#### Other information

none

#### 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

United Kingdom (en) Page 8 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	13 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	1,05 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	24 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

#### **Biodegradation**

The substance is readily biodegradable.

#### 12.2 Process of degradability

Theoretical Oxygen Demand:  $2,338 \frac{mg}{mg}$ Theoretical Carbon Dioxide:  $2,68 \frac{mg}{mg}$ 

### **Process of degradability**

Process	Degradation rate	Time
biotic/abiotic	82 %	28 d
oxygen depletion	50 %	7 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,83 (pH value: 5,5, 30 °C) (ECHA)
---------------------------	------------------------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

United Kingdom (en) Page 9 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Eugenol, extra pure

article number: 7292



#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

HP 13 sensitising

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

**14.1 UN number or ID number** not subject to transport regulations

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

United Kingdom (en) Page 10 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

#### **Deco-Paint Directive**

VOC content	100 % 1.070 <sup>g</sup> / <sub>l</sub>
	1.070 3/

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

**Water Framework Directive (WFD)** 

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

Dangerous substances with restrictions (GR REACH Anney 17)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

# Restrictions according to GB REACH, Annex 17

bungerous substances with restrictions (ab Reach, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Eugenol	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 11 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ Inventory of Chemical Substances
INVENTOR I

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes

United Kingdom (en) Page 12 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Eugenol, extra pure

article number: **7292** 



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval

United Kingdom (en) Page 13 / 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Eugenol, extra pure

article number: 7292

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14