
acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594 date of compilation: 2016-03-15 Version: **3.0 en** 

Replaces version of: 2020-06-05

Version: (2)



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Mercury** ≥99,9 %

Article number 7594

EC number 231-106-7 CAS number 7439-97-6

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into contact with foodstuffs. Do not use for private purposes (house-

hold).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

Classification acc. to GHS

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	1	Acute Tox. 1	H330
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	4.1A Hazardous to the aquatic environment - acute hazard		Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS06, GHS08, GHS09







#### **Hazard statements**

H330 Fatal if inhaled

H360D May damage the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P260 Do not breathe mist/vapours/spray P273 Avoid release to the environment

#### **Precautionary statements - response**

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 Immediately call a POISON CENTER/doctor

#### **Precautionary statements - storage**

P405 Store locked up

For professional users only

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### **Substances**

Name of substance Mercury Molecular formula

Molar mass 200,6 g/mol CAS No 7439-97-6 EC No 231-106-7

#### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	>0,0133 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: vapour

Hq

## **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### Most important symptoms and effects, both acute and delayed 4.2

Diarrhoea, Abdominal pain, Nausea, Vomiting, Breathing difficulties, Effects on special senses (such as sight, hearing and sense of smell), Impaired memory function, Renal impairment, Cardiac arrhythmias, Blood pressure drop, Circulatory collapse

#### Indication of any immediate medical attention and special treatment needed 4.3

none

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Mercury ≥99,9 %

article number: 7594



# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Take up mechanically. For example: Mercurisorb-Roth® Art.9461. Observe instructions for use.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Mercury ≥99,9 %

article number: 7594



# **SECTION 7: Handling and storage**

#### **Precautions for safe handling** 7.1

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Provide adequate ventilation as well as local exhaustion at critical locations. Clear contaminated areas thoroughly. Avoid: Aerosol or mist formation.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep only in original container.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### **Consideration of other advice:**

Store locked up.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	mercury	7439-97- 6	IOELV		0,02						2022/ 431/EU
GB	mercury	7439-97- 6	WEL		0,02						EH40/ 2005

Notation

TWA


Ceiling value is a limit value above which exposure should not occur Ceiling-C STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 7594



#### **Biological limit values**

Coun	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	mercury	7439-97- 6	mercury	crea	BMGV	20 µmol/ mol	urine	EH40/ 2005

Notation

crea Creatinine

#### **Human health values**

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	0,02 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		

#### **Environmental values**

#### Relevant PNECs and other threshold levels **Threshold Organism** End-**Environmental com-Exposure time** point level partment **PNEC** $0,057 \, ^{\mu g}/_{I}$ aquatic organisms freshwater short-term (single instance) $0,067 \, ^{\mu g}/_{I}$ **PNEC** aquatic organisms marine water short-term (single instance) 2,25 <sup>µg</sup>/<sub>I</sub> **PNEC** sewage treatment plant aquatic organisms short-term (single instance) (STP) **PNEC** $9,3 \frac{mg}{kg}$ aquatic organisms freshwater sediment short-term (single instance) 9,3 <sup>mg</sup>/<sub>kg</sub> **PNEC** aquatic organisms marine sediment short-term (single instance) **PNEC** $22 \, ^{\mu g}/_{kg}$ terrestrial organisms soil short-term (single instance)

#### 8.2 Exposure controls

Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### **Skin protection**





United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: Hg (against mercury vapour, colour code: Red). Type: Hg-P3 (combined filters against mercury vapour and particles, colour code: Red/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid
Colour metallic
Odour odourless

Melting point/freezing point -38,48 °C at 1.013 hPa (ECHA)

Boiling point or initial boiling point and boiling

range

356,8 °C at 1.013 hPa (ECHA)

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not determined

United Kingdom (en) Page 7 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Kinematic viscosity

#### Mercury ≥99,9 %

article number: 7594

0,1144 mm²/<sub>s</sub> at 20 °C

Dynamic viscosity 1,55 mPa s at 20 °C

Solubility(ies)

Water solubility (practically insoluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): 0,62 (exp. Lit.)

Vapour pressure 0,003 hPa at 25 °C

Density and/or relative density

Density  $13,55 \, {}^{9}/_{cm^3}$  at 20 °C (ECHA)

Relative vapour density 6,93 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** Metals, Oxygen,

Dangerous/dangerous reactions with: Nitric acid,

Violent reaction with: Acetylene, Alkali metals, Aluminium, Amines, Ammonia (NH3), Perchlorates,

=> Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

aluminium, lead, copper, zinc, tin

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Mercury ≥99,9 %

article number: 7594



# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Fatal if inhaled.

_		_		• -
$\Lambda c$	ute	to	/ic	·itv
$\Delta c$	ute	LU/	vic	ıιςγ

Exposure route	Endpoint	Value	Species	Method	Source
inhalation: vapour	LC50	>26,6 <sup>mg</sup> / <sub>m³</sub> /1h	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

May damage the unborn child.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

diarrhoea, abdominal pain, nausea, vomiting

#### • If in eyes

risk of serious damage to eyes

#### • If inhaled

poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

#### • If on skin

risk of absorption via the skin

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



#### Other information

Other adverse effects: Circulatory collapse, Blood pressure drop, Cardiac arrhythmias, Renal impairment, Effects on special senses (such as sight, hearing and sense of smell)

#### 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,62 (Exp. Lit.)
---------------------------	------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

United Kingdom (en) Page 10 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 2809
IMDG-Code UN 2809
ICAO-TI UN 2809

#### 14.2 UN proper shipping name

ADRRID MERCURY
IMDG-Code MERCURY
ICAO-TI Mercury

#### 14.3 Transport hazard class(es)

ADRRID 8 (6.1)

IMDG-Code 8 (6.1)

ICAO-TI 8 (6.1)

#### 14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

#### **14.5 Environmental hazards** hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name MERCURY

Particulars in the transport document UN2809, MERCURY, 8 (6.1), III, (E), environment-

ally hazardous

Classification code CT1

Danger label(s) 8+6.1, "Fish and tree"



United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 365

Excepted quantities (EQ) E0

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 86

Emergency Action Code 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code 8

Danger label(s) 8+6.1

Fish and tree





Environmental hazards Yes

Hazardous to water

Special provisions (SP) 365

Excepted quantities (EQ) E0

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Hazard identification No 86

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name MERCURY

Particulars in the shipper's declaration UN2809, MERCURY, 8 (6.1), III, MARINE POLLUT-

ANT

F-A, S-B

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1, "Fish and tree"

**EmS** 





Special provisions (SP) 365
Excepted quantities (EQ) E0
Limited quantities (LQ) 5 kg

Stowage category B

**Segregation group** 7 - Heavy metals and their salts

11 - Mercury and mercury compounds

United Kingdom (en) Page 12 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Mercury

Particulars in the shipper's declaration UN2809, Mercury, 8 (6.1), III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8+6.1





Excepted quantities (EQ) E0

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes		
H1	acute toxic (cat. 1)	5	20	40)		

#### Notation

#### **Deco-Paint Directive**

C content	0 % 0 <sup>9</sup> / <sub>I</sub>
-----------	--------------------------------------

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

# Hazardous substances in electrical and electronic equipment (RoHS) Name acc. to inventory Maximum concentration values tolerated by weight in homogeneous materials mercury 0,1 % Hg

United Kingdom (en) Page 13 / 18

<sup>40)</sup> Category 1, all exposure routes

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: 7594



#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

#### Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Mercury	7439-97-6	(8)	10

#### Legend

All metals shall be reported as the total mass of the element in all chemical forms present in the release

#### Water Framework Directive (WFD)

## List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Mercury	mercury	7439-97-6	b)	HAZ
Mercury	mercury compounds		b)	HAZ
Mercury	mercury compounds	7439-97-6	c)	
Mercury	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Mercury	Metals and their compounds		a)	

#### Legend

A) B) C) HAZ Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Mercury	mercury	7439-97-6		

#### Regulation on persistent organic pollutants (POP)

not listed

#### National regulations(GB)

United Kingdom (en) Page 14 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### **Mercury ≥99,9 %**

article number: 7594



#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

#### Restrictions according to GB REACH, Annex 17

#### Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Mercury	Mercury	7439-97-6	18a
Mercury	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Mercury	toxic for reproduction		30

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Mercury ≥99,9 %

article number: 7594



# **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev-
			ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

#### Abbreviations and acronyms

Abbreviations and acronyms		
Abbr.	Descriptions of used abbreviations	
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### **Mercury ≥99,9 %**

article number: 7594



Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Mercury ≥99,9 %

article number: **7594** 



Code	Text
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18