acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748 date of compilation: 2016-07-13 Version: **3.0 en** Revision: 2022-07-18

Replaces version of: 2021-05-28

Version: (2)



Product identifier 1.1

Identification of the substance ROTIPHORESE®Gel A-40, gas-stabilized

Article number 7748

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sicherheit@carlroth.de

sheet:

1.4

e-mail (competent person): **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317

United Kingdom (en) Page 1 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	2	Repr. 2	H361f
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08





Hazard statements

H301	Toxic if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H340	May cause genetic defects
H350	May cause cancer
H361f	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P201 Obtain special instructions before use
P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

P314 Get medical advice/attention if you feel unwell

For professional users only

Hazardous ingredients for labelling: Acrylamide

United Kingdom (en) Page 2 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Acrylamide	CAS No 79-06-1 EC No 201-173-7	25 - < 41	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Muta. 1B / H340 Carc. 1B / H350 Repr. 2 / H361f STOT RE 1 / H372		D GHS-HC IOELV

Notes

D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/FC Appex VI)

2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Acrylamide	CAS No 79-06-1 EC No 201-173-7	-	-	100 ^{mg} / _{kg} 1.141 ^{mg} / _{kg} 1,5 ^{mg} / _I /4h	oral dermal inhalation: dust/ mist

Substance of Very High Concern (SVHC)

Name of substance	of substance Name acc. to invent- ory		EC No	Listed in	Remarks
Acrylamide	acrylamide	79-06-1	201-173-7	Candidate list	Carc. A57a Muta. A57b

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a) Muta. A57b Mutagenic (article 57b)

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 3 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 4 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Use extractor hood (laboratory). Avoid exposure. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly. Do not dry up the product. Measures to prevent aerosol and dust generation.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

high temperatures, UV-radiation/sunlight

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

United Kingdom (en) Page 5 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acrylamide	79-06-1	IOELV		0,1						2017/ 2398/EU
GB	acrylamide	79-06-1	WEL		0,1						EH40/ 2005

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Acrylamide	79-06-1	DNEL	120 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Acrylamide	79-06-1	DNEL	120 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Acrylamide	79-06-1	DNEL	3 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Acrylamide	79-06-1	PNEC	0,032 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Acrylamide	79-06-1	PNEC	2 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Acrylamide	79-06-1	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

8.2 **Exposure controls**

United Kingdom (en) Page 6 / 19



7.3

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - colourless

Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling ~100 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant pH (value) 5-7 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density 1,031 ^g/_{cm³} at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

United Kingdom (en) Page 8 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



SECTION 10: Stability and reactivity

10.1 Reactivity

Unstabilized product can polymerize spontaneously.

If heated

Danger of polymerisation.

If exposed to light

Danger of polymerisation.

10.2 Chemical stability

Reactivity if exposed to light. Reactivity if heated.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Peroxides, Reducing agents, Acids, Caustic solutions

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Acrylamide	79-06-1	oral	100 ^{mg} / _{kg}
Acrylamide	79-06-1	dermal	1.141 ^{mg} / _{kg}
Acrylamide	79-06-1	inhalation: dust/mist	1,5 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance CAS No		Exposure route	Endpoint	Value	Species
Acrylamide	79-06-1	oral	LD50	354 ^{mg} / _{kg}	rat
Acrylamide	79-06-1	dermal	LD50	1.141 ^{mg} / _{kg}	rabbit

United Kingdom (en) Page 9 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

Loss of righting reflex, and ataxia, Disorientation, Impaired memory function

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 10 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (a	Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Acrylamide	79-06-1	EC50	98 ^{mg} / _l	aquatic invertebrates	48 h	

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Acrylamide	79-06-1	biotic/abiotic	100 %	28 d	geschlossene Flasche	
Acrylamide	79-06-1	oxygen deple- tion	7,4 %	5 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture					
Name of substance CAS No BCF Log KOW BOD5/COD					
Acrylamide	79-06-1		-0,9 (pH value: ~7, 20 °C)		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 11 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN	numl	ber or	ID	number

ADRRID	UN 3426
IMDG-Code	UN 3426
ICAO-TI	UN 3426

14.2 UN proper shipping name

ADRRID	ACRYLAMIDE SOLUTION
IMDG-Code	ACRYLAMIDE SOLUTION
ICAO-TI	Acrylamide solution

14.3 Transport hazard class(es)

ADRRID	6.1
IMDG-Code	6.1
ICAO-TI	6.1

14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazardsnon-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

United Kingdom (en) Page 12 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ACRYLAMIDE SOLUTION

Particulars in the transport document UN3426, ACRYLAMIDE SOLUTION, 6.1, III, (E)

Classification code T1
Danger label(s) 6.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60
Emergency Action Code 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code T1

Danger label(s) 6.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2
Hazard identification No 60

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ACRYLAMIDE SOLUTION

Particulars in the shipper's declaration UN3426, ACRYLAMIDE SOLUTION, 6.1, III

Marine pollutant -

Danger label(s) 6.1



Special provisions (SP) 223
Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

United Kingdom (en) Page 13 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748

EmS F-A, S-A

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Acrylamide solution

Particulars in the shipper's declaration UN3426, Acrylamide solution, 6.1, III

Danger label(s) 6.1



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

Deco-Paint Directive

VOC content	38,8 % 1.089 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom (en) Page 14 / 19



acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Acrylamide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
Acrylamide	79-06-1	Candidate list	Carc. A57a Muta. A57b

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (Article 57a) Muta. A57b Mutagenic (Article 57b)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
ROTIPHORESE®Gel A-40	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Acrylamide	Acrylamide	79-06-1	60
Acrylamide	carcinogenic		28
Acrylamide	germ cell mutagenic (mutagenic)		29

United Kingdom (en) Page 15 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS FLINCS NISCO

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes

United Kingdom (en) Page 16 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40 , gas-stabilized

article number: 7748



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Acrylamide		yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)

United Kingdom (en) Page 17 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40 , gas-stabilized

article number: 7748



EINECS European Inventory of Existing Commercial Chemical Substances EINCS European List of Notified Chemical Substances Ems Emergency Schedule Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HSE Health and Safety Executive IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IDELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NoL-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Registration, Evaluation, Authorisation and Restriction of Chemicals Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Skin Sens. Skin sensitisation Skin First. Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative Workplace exposure limit WEL	Abbr.	Descriptions of used abbreviations
EmS Emergency Schedule Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HSE Health and Safety Executive IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity Rip Règlement concernant le transport International Carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Sens. Skin sensitisation Skin Sens. Skin sensitisation Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	EINECS	European Inventory of Existing Commercial Chemical Substances
Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, S1 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HSE Health and Safety Executive IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LDSO Lethal Dose S0 %: the LDS0 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity Nul-P PBT Persistent, Bioaccumulative and Toxic Predicted No-Effect Concentration Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average Vooc Volatile Organic Compounds Very Persistent and very Bioaccumulative	ELINCS	European List of Notified Chemical Substances
Eye Irrit. Irritant to the eye GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HSE Health and Safety Executive IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time internal log KOW Muta. Germ cell mutagenicity NUP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration PPME Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Sens. Skin sensitisation SKin Sens. Skin sensitisation SKIN Sens. Skin sensitisation Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	EmS	Emergency Schedule
GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HSE Health and Safety Executive IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-IT Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code IMDG-Code International Maritime Dangerous Goods Code IMDG-Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Skin Irrit. Irritant to skin Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	Eye Dam.	Seriously damaging to the eye
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations HSE Health and Safety Executive IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	Eye Irrit.	Irritant to the eye
HSE Health and Safety Executive LATA International Air Transport Association LATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International Carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations Concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit, Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	GHS	
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VevB Very Persistent and very Bioaccumulative	HSE	Health and Safety Executive
ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VevB Very Persistent and very Bioaccumulative	IATA	International Air Transport Association
ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	ICAO	International Civil Aviation Organization
IMDG-Code International Maritime Dangerous Goods Code IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IOELV Indicative occupational exposure limit value LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	IMDG	International Maritime Dangerous Goods Code
Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval log KOW n-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Stin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	IMDG-Code	International Maritime Dangerous Goods Code
Iog KOW In-Octanol/water Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. RED Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	IOELV	Indicative occupational exposure limit value
Muta. Germ cell mutagenicity NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	log KOW	n-Octanol/water
PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	Muta.	Germ cell mutagenicity
PNEC Predicted No-Effect Concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	NLP	No-Longer Polymer
Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	PBT	Persistent, Bioaccumulative and Toxic
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	PNEC	Predicted No-Effect Concentration
Repr. Reproductive toxicity RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	ppm	Parts per million
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
tions concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	Repr.	Reproductive toxicity
Skin Irrit. Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	RID	
Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	Skin Corr.	Corrosive to skin
STEL Short-term exposure limit STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	Skin Irrit.	Irritant to skin
STOT RE Specific target organ toxicity - repeated exposure TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	Skin Sens.	Skin sensitisation
TWA Time-weighted average VOC Volatile Organic Compounds VPvB Very Persistent and very Bioaccumulative	STEL	Short-term exposure limit
VOC Volatile Organic Compounds VPvB Very Persistent and very Bioaccumulative	STOT RE	Specific target organ toxicity - repeated exposure
vPvB Very Persistent and very Bioaccumulative	TWA	Time-weighted average
	VOC	Volatile Organic Compounds
WEL Workplace exposure limit	vPvB	Very Persistent and very Bioaccumulative
	WEL	Workplace exposure limit

United Kingdom (en) Page 18 / 19

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTIPHORESE®Gel A-40, gas-stabilized

article number: 7748



Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 19 / 19