acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966 date of compilation: 2019-02-08 Version: 2.0 en Revision: 2022-06-27

Replaces version of: 2019-02-08

Version: (1)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Propylene glycol methyl ether acetate** ≥99 %,

pure

Article number 7966

EC number 203-603-9 CAS number 108-65-6

Alternative name(s) 1-Methoxy-2-propyl acetate

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

Competent person responsible for the safety data :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS02



Hazard statements

H226 Flammable liquid and vapour

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P243 Take action to prevent static discharges

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Propylene glycol methyl ether acetate

Molecular formula $C_6H_{12}O_3$ Molar mass $132,2\,^g/_{mol}$ CAS No 108-65-6 EC No 203-603-9

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness, Unconsciousness, Narcotic effects

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Methods and material for containment and cleaning up 6.3

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

patible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

When using do not smoke.

Conditions for safe storage, including any incompatibilities

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

No information available.

United Kingdom (en) Page 4 / 17



6.2

Keep away from drains, surface and ground water. Danger of explosion.

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incom-

7.1 Precautions for safe handling

Provision of sufficient ventilation.



Take precautionary measures against static discharge.

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2

Keep container tightly closed.

Ventilation requirements

Use local and general ventilation.

7.3 Specific end use(s)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	2-methoxy-1-methyl- ethyl acetate	108-65-6	IOELV	50	275	100	550			Н	2000/39/ EC
GB	1-methoxy-2-propyl acetate	108-65-6	WEL	50	274	100	548				EH40/ 2005

Notation

Ceiling-C

H STEL

Ceiling value is a limit value above which exposure should not occur
Absorbed through the skin
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	275 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	550 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
DNEL	796 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,329 ^{mg} / _{cm³}	unknown	marine sediment	intermittent release
PNEC	0,0635 ^{mg} / _{cm³}	unknown	marine water	intermittent release
PNEC	6,35 ^{mg} / _{cm³}	unknown	air	intermittent release
PNEC	3,29 ^{mg} / _{cm³}	unknown	freshwater sediment	intermittent release
PNEC	0,635 ^{mg} / _{cm³}	unknown	freshwater	intermittent release
PNEC	100 ^{mg} / _{cm³}	unknown	sewage treatment plant (STP)	intermittent release
PNEC	0,29 ^{mg} / _{cm³}	unknown	soil	intermittent release
PNEC	0,635 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,064 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 7966



Relevant PNECs and other threshold levels **Threshold Organism Environmental com-Exposure time** point level partment **PNEC** 100 ^{mg}/₁ aquatic organisms sewage treatment plant short-term (single instance) (STP) **PNEC** 3,29 mg/kg freshwater sediment aquatic organisms short-term (single instance) **PNEC** 0,329 mg/kg marine sediment aquatic organisms short-term (single instance) 0,29 mg/kg **PNEC** terrestrial organisms soil short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

0.7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour like esters

Melting point/freezing point -66 °C at 1.013 hPa (ECHA)

Boiling point or initial boiling point and boiling

range

145,8 °C at 1.013 hPa (ECHA)

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 1,5 vol% (LEL) - 7 vol% (UEL)

Flash point 45,5 °C at 1.013 hPa

Auto-ignition temperature 333 °C at 1.013 hPa (ECHA) (auto-ignition temper-

ature (liquids and gases))

Decomposition temperature not relevant

pH (value) 4 (in aqueous solution: $200 \, ^{9}/_{1}$, $20 \, ^{\circ}$ C)

Kinematic viscosity $1,13 \, \text{mm}^2/_s \text{ at } 25 \, ^\circ\text{C}$ Dynamic viscosity $1,2 \, \text{mPa s at } 20 \, ^\circ\text{C}$

Solubility(ies)

Water solubility 198 $^{9}/_{1}$ at 20 $^{\circ}$ C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,2 (pH value: 6,8, 20 °C) (ECHA)

Vapour pressure 3,599 hPa at 20 °C

Density and/or relative density

Density $0.965 - 0.97 \, ^{9}/_{cm^{3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Information with regard to physical hazard

classes:

Other safety characteristics:

There is no additional information.

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	6.190 – 10.000 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

United Kingdom (en) Page 8 / 17



9.2 Other information

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Narcosis, Dizziness, Drowsiness, Unconsciousness, Cyanosis (blue coloured blood), Liver and kidney damage

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acu	ute)			
Endpoint	Value	Species	Source	Exposure time
LC50	180 ^{mg} / _l	fish	ECHA	96 h
EC50	>500 ^{mg} / _I	aquatic invertebrates	ECHA	48 h
ErC50	>1.000 ^{mg} / _l	algae	ECHA	96 h

United Kingdom (en) Page 9 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)



Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	63,5 ^{mg} / _l	fish	ECHA	14 d
EC50	>100 ^{mg} / _I	aquatic invertebrates	ECHA	21 d

Biodegradation

The substance is readily biodegradable.

12.2 Process of degradability

Theoretical Oxygen Demand: 1,816 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 1,998 $^{\rm mg}/_{\rm mg}$

Process of degradability

Process	Degradation rate	Time
biotic/abiotic	100 %	8 d
carbon dioxide generation	90 %	28 d
oxygen depletion	60 %	5,9 d
DOC removal	99 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,2 (pH value: 6,8, 20 °C) (ECHA)
---------------------------	-----------------------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

United Kingdom (en) Page 10 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3272 IMDG-Code UN 3272 ICAO-TI UN 3272

14.2 UN proper shipping name

ADRRID ESTERS, N.O.S. IMDG-Code ESTERS, N.O.S. ICAO-TI Esters, n.o.s.

Technical name Propylene glycol methyl ether acetate

14.3 Transport hazard class(es)

ADRRID 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ESTERS, N.O.S.

Particulars in the transport document UN3272, ESTERS, N.O.S., (Propylene glycol methyl

ether acetate), 3, III, (D/E)

Classification code F1 3 Danger label(s)



Special provisions (SP) 274, 601

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L 3 Transport category (TC) Tunnel restriction code (TRC) D/E Hazard identification No 30 **3**Y **Emergency Action Code**

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1 Danger label(s) 3



Special provisions (SP) 274, 601

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L **Transport category (TC)** 3 **Hazard identification No** 30

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ESTERS, N.O.S.

UN3272, ESTERS, N.O.S., (Propylene glycol methyl ether acetate), 3, III, 45,5°C c.c. Particulars in the shipper's declaration

Marine pollutant Danger label(s) 3



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1 5 L Limited quantities (LQ)

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966

EmS F-E, S-D

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Esters, n.o.s.

Particulars in the shipper's declaration UN3272, Esters, n.o.s., (Propylene glycol methyl

ether acetate), 3, III

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E1

10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower a quiren		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

Deco-Paint Directive

VOC content 100 % 970 9/ _I	100 % 970 ⁹ / _I
---------------------------------------	------------------------------------------

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	970 ⁹ / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

United Kingdom (en) Page 13 / 17

⁵¹⁾ Flammable liquids, categories 2 or 3 not covered by P5a and P5b

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966



Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Propylene glycol methyl ether acetate	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Propylene glycol methyl ether acetate	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966

Country	Inventory	Status
US	TSCA	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR CSCL-ENCS DSL ECSI

Domestic Substances List (DSL)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) IECSC INSQ ISHA-ENCS

KECI NZIoC PICCS

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Propylene glycol methyl ether acetate ≥99 %, pure

article number: **7966**



ADN Accord européen relation intérieures (Européen relation in	re establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC atif au transport international des marchandises dangereuses par voies de navigapean Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) sport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) ervice (service that maintains the most comprehensive list of chemical substances) Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
ADR Accord relatif au trans CAS Chemical Abstracts Section Ceiling-C DGR DNEL EC50 Effective Concentration 50 % chemical Abstracts Section EC No The EC Inventory (EINE fier of	pean Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) sport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) ervice (service that maintains the most comprehensive list of chemical substances) Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
CAS Chemical Abstracts Secondaria Contracts Secondaria Contracts Secondaria Contracts Secondaria Contracts	ring the International Carriage of Dangerous Goods by Road) ervice (service that maintains the most comprehensive list of chemical substances) Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
Ceiling-C DGR DNEL EC50 Effective Concentration 50 % ch EC No The EC Inventory (EINE fier of	Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
DGR DNEL EC50 Effective Concentration 50 % ch EC No The EC Inventory (EINE fier of	Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
DNEL EC50 Effective Concentration 50 % characteristics EC No The EC Inventory (EINE fier of	Derived No-Effect Level on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
EC50 Effective Concentration 50 % characteristics EC No The EC Inventory (EINE fier of	on 50 %. The EC50 corresponds to the concentration of a tested substance causing hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
EC No The EC Inventory (EINE fier of	hanges in response (e.g. on growth) during a specified time interval ECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi-
fier of	
EH40/2005 EH40/2005 Workplan	substances commercially available within the EU (European Union)
	ce exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS Eu	rropean Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
	od, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH The REACH et	tc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS "Globally Harmonized	d System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR D	angerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI Techi	nical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50 Lethal Concentration 5	50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50 Lethal Dose 50 %: the	LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Propylene glycol methyl ether acetate ≥99 %, pure

article number: 7966

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17