

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**  
Version: **2.0 en**  
Replaces version of: 2016-06-09  
Version: (1)

date of compilation: 2016-06-09  
Revision: 2022-01-31

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub></b>
Article number	8248
Registration number (REACH)	not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

### Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS05, GHS07,  
GHS08



#### Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H350i	May cause cancer by inhalation
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

#### Precautionary statements

##### Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

#### Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### Hazardous ingredients for labelling:

Nickel dinitrate, Cobalt dinitrate, Nitric acid ...% [C ≤ 70 %]

### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H350i May cause cancer by inhalation.  
H412 Harmful to aquatic life with long lasting effects.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
EUH071 Corrosive to the respiratory tract.  
contains: Nickel dinitrate, Cobalt dinitrate, Nitric acid ...% [C ≤ 70 %]

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2  Index No 007-030-00-3  REACH Reg. No 01-2119487297- 23-xxxx	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
Boric acid	CAS No 10043-35-3  EC No 233-139-2  Index No 005-007-00-2  REACH Reg. No 01-2119486683- 25-xxxx	0,28	Repr. 1B / H360FD		GHS-HC

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
nickel dinitrate	CAS No 13138-45-9  EC No 236-068-5  Index No 028-012-00-1	0,16	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
cobalt dinitrate	CAS No 10141-05-6  EC No 233-402-1  Index No 027-009-00-2	0,155	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) GHS-HC
Ammonium monovanadate	CAS No 7803-55-6  EC No 232-261-3  REACH Reg. No 01-2119983501-37-xxxx	0,11	Acute Tox. 3 / H301 Acute Tox. 4 / H332 Eye Irrit. 2 / H319 Repr. 2 / H361fd STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		

### Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2  Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 mg/l/4h	inhalation: vapour
nickel dinitrate	CAS No 13138-45-9  EC No 236-068-5  Index No 028-012-00-1	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	-	1.620 mg/kg 1,5 mg/l/4h	oral inhalation: dust/ mist
cobalt dinitrate	CAS No 10141-05-6  EC No 233-402-1  Index No 027-009-00-2	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10.0 M-factor (chronic) = 10.0	-	

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ammonium monovanadate	CAS No 7803-55-6  EC No 232-261-3	-	-	218,1 mg/kg 2,61 mg/l/4h	oral inhalation: dust/ mist

### Substance of Very High Concern (SVHC)

Name of substance	Name acc. to inventory	CAS No	EC No	Listed in	Remarks
Boric acid	boric acid	10043-35-3	233-139-2	Candidate list	Repr. A57c
cobalt dinitrate	cobalt dinitrate	10141-05-6	233-402-1	Candidate list	Carc. A57a Repr. A57c

#### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
Carc. A57a Carcinogenic (article 57a)  
Repr. A57c Toxic for reproduction (article 57c)

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>**

article number: **8248**

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	nitric acid	7697-37-2	IOELV			1	2,6				2006/15/EC
GB	cobalt compounds		WEL		0,1					Co	EH40/2005
GB	nickel, soluble compounds	13138-45-9	WEL		0,1					Ni	EH40/2005
GB	nitric acid	7697-37-2	WEL			1	2,6				EH40/2005

##### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur  
Co Calculated as Co (cobalt)  
Ni Calculated as Ni (nickel)  
STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)  
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Boric acid	10043-35-3	DNEL	8,3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ammonium monovanadate	7803-55-6	DNEL	0,64 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ammonium monovanadate	7803-55-6	DNEL	0,18 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Ammonium monovanadate	7803-55-6	DNEL	0,92 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Boric acid	10043-35-3	PNEC	2,9 mg/l	aquatic organisms	freshwater	short-term (single instance)
Boric acid	10043-35-3	PNEC	2,9 mg/l	aquatic organisms	marine water	short-term (single instance)
Boric acid	10043-35-3	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Boric acid	10043-35-3	PNEC	5,7 mg/kg	terrestrial organisms	soil	short-term (single instance)
Ammonium monovanadate	7803-55-6	PNEC	6,93 µg/l	aquatic organisms	water	intermittent release
Ammonium monovanadate	7803-55-6	PNEC	7,6 µg/l	aquatic organisms	freshwater	short-term (single instance)
Ammonium monovanadate	7803-55-6	PNEC	2,5 µg/l	aquatic organisms	marine water	short-term (single instance)
Ammonium monovanadate	7803-55-6	PNEC	450 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ammonium monovanadate	7803-55-6	PNEC	240 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Ammonium monovanadate	7803-55-6	PNEC	79 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Ammonium monovanadate	7803-55-6	PNEC	7,2 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection





# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

Use safety goggles with side protection. Wear face protection.

### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless - light yellow
Odour	stinging
Melting point/freezing point	~0 °C at 1.013 hPa
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	~1 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

**9.2 Other information**

Information with regard to physical hazard classes:

Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Substance or mixture corrosive to metals.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH<sub>3</sub>), Metals, Strong alkali, strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### 10.5 Incompatible materials

different metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 mg/l/4h
nickel dinitrate	13138-45-9	oral	1.620 mg/kg
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 mg/l/4h
Ammonium monovanadate	7803-55-6	oral	218,1 mg/kg
Ammonium monovanadate	7803-55-6	inhalation: dust/mist	2,61 mg/l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	LC50	>2,65 mg/l/4h	rat
Boric acid	10043-35-3	oral	LD50	3.450 mg/kg	rat
Boric acid	10043-35-3	dermal	LD50	>2.000 mg/kg	rabbit
nickel dinitrate	13138-45-9	oral	LD50	1.620 mg/kg	rat
Ammonium monovanadate	7803-55-6	oral	LD50	218,1 mg/kg	rat
Ammonium monovanadate	7803-55-6	inhalation: dust/mist	LC50	2,61 mg/l/4h	rat
Ammonium monovanadate	7803-55-6	dermal	LD50	>2.500 mg/kg	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

May cause cancer by inhalation.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, May produce an allergic reaction, localised redness, oedema, pruritis and/or pain

#### • Other information

This information is based upon the present state of our knowledge.

## 11.2 Endocrine disrupting properties

Endocrine disrupting chemicals (EDC)				
Name of substance	CAS No	Combined category	Human health category	Wildlife category
Boric acid	10043-35-3	CAT1	CAT1	CAT2

#### Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals  
CAT2 Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

## 11.3 Information on other hazards

There is no additional information.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### SECTION 12: Ecological information

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

##### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ammonium monovanadate	7803-55-6	LC50	9.005 µg/l	fish	24 h
Ammonium monovanadate	7803-55-6	ErC50	2.907 µg/l	algae	72 h
Ammonium monovanadate	7803-55-6	EC50	989,4 µg/l	algae	72 h

##### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ammonium monovanadate	7803-55-6	LC50	44.000 µg/l	fish	24 h
Ammonium monovanadate	7803-55-6	EC50	>100 mg/l	microorganisms	3 h

#### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

##### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Boric acid	10043-35-3		-1,09 (pH value: 7,5, 22 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Endocrine disrupting chemicals (EDC)				
Name of substance	CAS No	Combined category	Human health category	Wildlife category
Boric acid	10043-35-3	CAT1	CAT1	CAT2

### Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals  
CAT2 Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID/ADN	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

### 14.2 UN proper shipping name

ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
Technical name (hazardous ingredients)	Nitric acid ...% [C ≤ 70 %], Ammonium monovanadate

### 14.3 Transport hazard class(es)


# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

ADR/RID/ADN	8
IMDG-Code	8
ICAO-TI	8
<b>14.4 Packing group</b>	
ADR/RID/ADN	II
IMDG-Code	II
ICAO-TI	II
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	
The cargo is not intended to be carried in bulk.	
<b>14.8 Information for each of the UN Model Regulations</b>	
<b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information</b>	
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Ammonium monovanadate), 8, II, (E)
Classification code	C1
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
<b>Emergency Action Code</b>	2X
<b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>	
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Ammonium monovanadate), 8, II
Marine pollutant	-
Danger label(s)	8

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	B
<b>Segregation group</b>	1 - Acids

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C ≤ 70 %], Ammonium monovanadate), 8, II
Danger label(s)	8



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Multi-Element	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Boric acid	toxic for reproduction		R28-30	30
Boric acid	substances in tattoo inks and permanent make-up		R75	75
cobalt dinitrate	carcinogenic		R28-30	28
cobalt dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	carcinogenic		R28-30	28
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds		R27	27
Nitric acid ...% [C ≤ 70 %]	substances in tattoo inks and permanent make-up		R75	75



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Ammonium monovanadate	substances in tattoo inks and permanent make-up		R75	75

### Legend

- R27 1. Shall not be used:
- (a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 µg/cm<sup>2</sup>/week (migration limit);
  - (b) in articles intended to come into direct and prolonged contact with the skin such as:
    - earrings,
    - necklaces, bracelets and chains, anklets, finger rings,
    - wrist-watch cases, watch straps and tighteners,
    - rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm<sup>2</sup>/week.
  - (c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm<sup>2</sup>/week for a period of at least two years of normal use of the article.
2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirements set out in that paragraph.
3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2.
- R28-30 1. Shall not be placed on the market, or used,
- as substances,
  - as constituents of other substances, or,
  - in mixtures,
- for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
  - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
- 'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
- (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
  - (b) cosmetic products as defined by Directive 76/768/EEC;
  - (c) the following fuels and oil products:
    - motor fuels which are covered by Directive 98/70/EC,
    - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
    - fuels sold in closed systems (e.g. liquid gas bottles);
  - (d) artists' paints covered by Directive 1999/45/EC;
  - (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
  - (f) devices covered by Regulation (EU) 2017/745.
- R3 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and
  - present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
  - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
  - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

### Legend

- R75 1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
- (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
  - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
    - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
    - (ii) 0,01 % by weight, in all other cases;
  - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
  - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
    - (i) "Rinse-off products";
    - (ii) "Not to be used in products applied on mucous membranes";
    - (iii) "Not to be used in eye products";
  - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
  - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:  
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);  
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:  
(a) the statement "Mixture for use in tattoos or permanent make-up";  
(b) a reference number to uniquely identify the batch;  
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;  
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;  
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;  
(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;  
(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.  
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.  
Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.  
Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)						
Name acc. to inventory	CAS No	Listed in	Remarks	Latest application date	Sunset date	Date of inclusion
boric acid	10043-35-3	Candidate list	Repr. A57c			2010-06-18
cobalt dinitrate	10141-05-6	Candidate list	Carc. A57a Repr. A57c			2010-12-15

### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
Carc. A57a Carcinogenic (article 57a)  
Repr. A57c Toxic for reproduction (article 57c)

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

### Deco-Paint Directive

VOC content	0 % , 0 g/l
-------------	----------------

### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content Water content was discounted	0 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Boric acid	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
cobalt dinitrate	Metals and their compounds		A)	
nickel dinitrate	nickel compounds		B)	
nickel dinitrate	nickel compounds	7440-02-0	C)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
nickel dinitrate	Metals and their compounds		A)	
Ammonium monovanadate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	
Ammonium monovanadate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
Ammonium monovanadate	Metals and their compounds		A)	

#### Legend

- A) Indicative list of the main pollutants
- B) List of priority substances in the field of water policy
- C) Environmental Quality Standards for Priority Substances and certain other pollutants

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid ...% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

#### Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### Regulation on drug precursors

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Country	Inventory	Status
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-statements: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: 8248

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	Hazardous ingredients for labelling: nickel dinitrate, cobalt dinitrate, Nitric acid	Hazardous ingredients for labelling: Nickel dinitrate, Cobalt dinitrate, Nitric acid ...% [C ≤ 70 %]	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Cobalt dinitrate, Nitric acid	contains: Nickel dinitrate, Cobalt dinitrate, Nitric acid ...% [C ≤ 70 %]	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution A ROTI®Star 24 Elemente in 5 % HNO<sub>3</sub>

article number: **8248**

Code	Text
H360D	May damage the unborn child.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.