

### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

article number: **8254** Version: **4.0 en** Replaces version of: 2020-10-21 Version: (3)

date of compilation: 2016-10-20 Revision: 2021-11-25

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Product identifier	
	Identification of the substance	<b>Titanium(IV) oxide</b> (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm
	Article number	8254
	Registration number (REACH)	It is not required to list the identified uses be- cause the substance is not subject to registration according to REACH (< 1 t/a).
	EC number	215-280-1
	CAS number	1317-70-0
	Alternative name(s)	Titanium dioxide
	Form	Nanoform
1 2	Pelevant identified uses of the substance or	mixture and uses advised against

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

according to Regulation (EC) No. 1907/2006 (REACH)





### article number: 8254

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class		Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation		Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
-------------	--------

### **Pictograms**

GHS05



### **Hazard statements**

H314

Causes severe skin burns and eye damage

### **Precautionary statements**

### Precautionary statements - prevention

P260	Do not breathe dust
P280	Wear protective gloves/eye protection/face protection

### **Precautionary statements - response**

P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin<br/>with water [or shower]P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing<br/>IF INHALED: Remove person to fresh air and keep comfortable for breathing<br/>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact<br/>lenses, if present and easy to do. Continue rinsing<br/>Immediately call a POISON CENTER/doctor

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H314

Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

### article number: 8254

D2C0	De ant han other direct
P260	Do not breathe dust.
P280	Wear protective gloves/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	Titanium(IV) oxide
Molecular formula	TiO <sub>2</sub>
Molar mass	79,9 <sup>g</sup> / <sub>mol</sub>
CAS No	1317-70-0
EC No	215-280-1
Form	Nanoform

#### To stabilise:

Name of substance	Identifier	Wt%
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	≤ 30
	EC No 231-714-2	
	Index No 007-030-00-3	

For full text of abbreviations: see SECTION 16 Contains: Nanomaterial

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



### **General notes**

Take off immediately all contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.



#### article number: 8254

### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### **4.2 Most important symptoms and effects, both acute and delayed** Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

conosion, hisk of bindress, dustric perioration, hisk of schous duringe to cycs

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

### Advice on how to clean up a spill

Take up mechanically. Control of dust.



Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

article number: 8254

### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur
 Inhalable fraction
 r Respirable fraction
 STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
 TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



according to Regulation (EC) No. 1907/2006 (REACH)

#### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

article number: 8254

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection. Wear face protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH)

### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

### article number: 8254

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties			
	Physical state	solid		
	Form	nanoparticle		
	Colour	white - light yellow		
	Odour	odourless		
	Melting point/freezing point	1.825 °C		
	Boiling point or initial boiling point and boiling range	not determined		
	Flammability	non-combustible		
	Lower and upper explosion limit	not determined		
	Flash point	not applicable		
	Auto-ignition temperature	not determined		
	Decomposition temperature	not relevant		
	pH (value)	not applicable		
	Kinematic viscosity	not relevant		
	Solubility(ies)			
	Water solubility	(practically insoluble)		
	Partition coefficient			
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)		
	N.			
	Vapour pressure	not determined		
	Density and/or relative density			
	Density	3,9 <sup>g</sup> / <sub>cm³</sub> at 20 °C		
	Relative vapour density	information on this property is not available		
	Particle characteristics			
	Particle characteristics	contains: Nanoform		
	Particle size	4 – 8 nm		
	Other safety parameters			
	Oxidising properties	none		
9.2	Other information			
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant		
	Other safety characteristics:	There is no additional information.		



according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

article number: 8254

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Alkali metals, Alkaline earth metal, Aluminium-Metal powder, **Danger of explosion:** Lithium, Zinc-Metal powder

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

according to Regulation (EC) No. 1907/2006 (REACH)



### article number: 8254

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

### • If inhaled

Inhalation of dust may cause irritation of the respiratory system, cough, Dyspnoea

### • If on skin

causes severe burns, causes poorly healing wounds

### • Other information

none

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.2 Process of degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.
- **12.7 Other adverse effects** Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

### article number: 8254

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 3260
	IMDG-Code	UN 3260
	ICAO-TI	UN 3260
14.2	UN proper shipping name	
	ADR/RID/ADN	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive solid, acidic, inorganic, n.o.s.
	Technical name	Titanium(IV) oxide
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

article number: 8254

### **14.6** Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.

### **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail a information			
Proper shipping name	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.		
Particulars in the transport document	UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., (Titanium(IV) oxide), 8, II, (E)		
Classification code	C2		
Danger label(s)	8		
Special provisions (SP)	274		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 kg		
Transport category (TC)	2		
Tunnel restriction code (TRC)	E		
Hazard identification No	80		
Emergency Action Code	2X		
International Maritime Dangerous Goods Co	ode (IMDG) - Additional information		
Proper shipping name	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.		
Particulars in the shipper's declaration	UN3260, CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., (Titanium(IV) oxide), 8, II		
Marine pollutant	-		
Danger label(s)	8		
Special provisions (SP)	274		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 kg		
EmS	F-A, S-B		

В

1 - Acids

Stowage category

**Segregation group** 

according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

article number: 8254

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Corrosive solid, acidic, inorganic, n.o.s.	
Particulars in the shipper's declaration	UN3260, Corrosive solid, acidic, inorganic, n.o.s., (Titanium(IV) oxide), 8, II	
Danger label(s)	8	
Special provisions (SP)	A3	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	5 kg	

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

### **Relevant provisions of the European Union (EU)**

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Titanium(IV) oxide	substances in tattoo inks and perman- ent make-up		R75	75

Legend R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;
(ii) 0,1 % by weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,0005 % by weight;

mixture in a concentration equal to or greater than 0,00005 % by weight:


(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the case of a substance to the table of the table of the case of the table of the table of the case of the table of table of the table of the table of t the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-tration equal to or greater than the concentration limit specified for that substance in that Appendix. 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mix-ture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com-monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body. 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the strictest paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

#### article number: **8254**



10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

### **Deco-Paint Directive**



according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

### article number: 8254

Industrial Emissions Directive (IED)	
VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Titanium(IV) oxide	Metals and their compounds		A)	

Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### **Regulation on persistent organic pollutants (POP)**

not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	NDSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed

according to Regulation (EC) No. 1907/2006 (REACH)



### article number: 8254

Country	Inventory	Status
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed
Legend         AICS       Australian Inventory of Chemical Substances         CICR       Chemical Inventory and Control Regulation         CSCL-ENCS       List of Existing and New Chemical Substances (CSCL-ENCS)         ECSI       EC Substance Inventory (EINECS, ELINCS, NLP)         IECSC       Inventory of Existing Chemical Substances Produced or Imported in China         KECI       Korpa Existing Chemical Substances Produced or Imported in China		

- NDSL
- Korea Existing Chemicals Inventory Non-domestic Substances List (NDSL) New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory Toxic Substance Control Act NZIoC PICCS
- TCSI
- TSCA

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.


### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Supplemental hazard information		yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Supplemental hazard information		yes
2.2		Supplemental hazard information: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Nitric acid%		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes





according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

### article number: 8254

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nitric acid%		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

according to Regulation (EC) No. 1907/2006 (REACH)



### Titanium(IV) oxide (Anatase) ROTI®nanoMETIC ≥99,9 %, 4-8 nm

### article number: 8254

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.