acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: **8257** Version: **4.0 en** Replaces version of: 2021-06-22 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm
Article number	8257
Index No (GB CLP)	048-001-00-5
EC number	215-149-9
CAS number	1306-25-8
Form	Nanoform
Delevant identified uses of the substance or mis	viture and uses advised against

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture



date of compilation: 2016-11-14

Revision: 2023-10-06

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS07, GHS09



Hazard statements

H302+H312+H332Harmful if swallowed, in contact with skin or if inhaledH410Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P270	Do not eat, drink or smoke when using this product
P273	Avoid release to the environment

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \ge 0,1%.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	Cadmium telluride
Molecular formula	CdTe
Molar mass	240 ^g / _{mol}
CAS No	1306-25-8
EC No	215-149-9
Index No (GB CLP)	048-001-00-5
Form	Nanoform

Substance, Specific Conc. Limits, M-factors, ATE Specific Conc. Limits M-Factors ATE Exposure route 500 mg/kg 1.100 mg/kg 1,5 mg/l/4h oral dermal inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Pulmonary oedema, Cough, Nausea, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	cadmium, inorganic com- pounds		IOELV	0,001			i, Cd-lim- it	2019/983/ EU
GB	cadmium compounds		WEL	0,025			Cd	EH40/2005
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	tellurium compounds		WEL	0,1			Те	EH40/2005
Netetier								

Notation

Calculated as Cd (cadmium) Limit value 0,004 mg/m3 until 11 July 2027 Cd Cd-limit

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Respirable fraction Ceiling-C

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Calculated as Te (tellurium) Te

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Notation TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNE	Relevant DNELs and other threshold levels							
EndpointThreshold levelProtection goal, route of exposureUsed inExposure tin								
DNEL	4 µg/m³	human, inhalatory	worker (industry)	chronic - local effects				

Environmental values

Relevant	Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	0,19 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)					
PNEC	1,14 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)					
PNEC	20 ^{µg} /I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)					
PNEC	1,8 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)					
PNEC	0,64 ^{mg} / _{kg}	aquatic organisms marine sediment short-tern		short-term (single instance)					
PNEC	0,9 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)					

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

- type of material
- NBR (Nitrile rubber)
- material thickness
- >0,11 mm
- breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	nanoparticle
Colour	dark green
Odour	odourless
Melting point/freezing point	1.092 °C
Boiling point or initial boiling point and boiling range	1.130 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	736 – 761 °C at 1 atm (ECHA)
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)



acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

	Vapour pressure	not determined
	Density and/or relative density	
	Density	5,83 ^g / _{cm³} at 22 °C (ECHA)
	Relative vapour density	information on this property is not available
	Particle characteristics	
	Particle size	~3,1 nm
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid

10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: 736 – 761 °C at 1 atm.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

Headache, Dyspnoea, Pulmonary oedema, Nausea

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \ge 0,1%.

11.3 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Endpoint Value S		Source	Exposure time			
LC50	>1 ^g / _l	fish	ECHA	96 h			
EC50	0,4 ^{mg} / _l	aquatic invertebrates	ECHA	48 h			

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	0,25 ^{mg} / _l	aquatic invertebrates	ECHA	21 d
EC50	>1.000 ^{mg} / _l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 6 acute toxicity HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

14.1		
	ADRRID	UN 3077
	IMDG-Code	UN 3077
	ICAO-TI	UN 3077
14.2	UN proper shipping name	
	ADRRID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
	Technical name	Cadmium telluride
14.3	Transport hazard class(es)	
	ADRRID	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)





article number: 8257

Information for each of the UN Model Reg	gulations		
Agreement concerning the International information	Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information		
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
Particulars in the transport document	UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (Cadmium telluride), 9, III, (-)		
Classification code	M7		
Danger label(s)	9, "Fish and tree"		
Environmental hazards	Yes (hazardous to the aquatic environment)		
Special provisions (SP)	274, 335, 375, 601		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	5 kg		
Transport category (TC)	3		
Tunnel restriction code (TRC)	-		
Hazard identification No	90		
Emergency Action Code	2Z		
Regulations concerning the International information	l Carriage of Dangerous Goods by Rail (RID)Additional		
Classification code	M7		
Danger label(s)	9 Fish and tree		
Environmental hazards	Yes Hazardous to water		
Special provisions (SP)	274, 335, 375, 601		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	5 kg		
Transport category (TC)	3		
Hazard identification No	90		

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

International Maritime Dangerous Goods Code (IMDG) - Additional information			
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		
Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (Cadmium telluride), 9, III		
Marine pollutant	Yes (hazardous to the aquatic environment), (Cadmium tel- luride)		
Danger label(s)	9, "Fish and tree"		
Special provisions (SP)	274, 335, 966, 967, 969		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	5 kg		
EmS	F-A, S-F		
Stowage category	A		
International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information		
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.		
Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (Cadmium telluride), 9, III		
Environmental hazards	Yes (hazardous to the aquatic environment)		
Danger label(s)	9, "Fish and tree"		
Special provisions (SP)	A97, A158, A179, A197, A215		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	30 kg		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100 200	56)	

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

Deco	Deco-Paint Directive		
voo	Content	0 %	
VOC	Content	0 ^g / _l	

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium telluride	cadmium compounds		b)	HAZ
Cadmium telluride	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium telluride	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium telluride	Metals and their compounds		a)	

Legend A) B) C) HAZ

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Cadmium telluride	cadmium compounds		100	i(1) i(2)	sr sr
Cadmium telluride	cadmium compounds		100	i	sr

Legend

i(1) i(2) sr

Category: i - industrial chemical Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

not listed

Dual-use Regulation

Dual Us	Dual Use Items		
Code	Description		
6			
6C			
6C002	Optical sensor materials as follows:		
	b. Single crystals (including epitaxial wafers) of any of the following:		
	2. Cadmium telluride (CdTe) of any purity level; or		

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance Name acc. to inventory CAS No No			
Cadmium telluride	Cadmium compounds		23

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	ISHA-ENCS	substance is listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Country	Inventory	Status
KR	KECI	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
Legend DSL	Domestic Substances List	(DSL)

а

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: M7	yes
14.8		Danger label(s): 9 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 335, 375, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 90	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm

article number: 8257

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cadmium telluride ROTI®nanoMETIC λ max. 570 ±5 nm



article number: 8257

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.