

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: **8634**  
Version: **3.0 en**  
Replaces version of: 2020-02-28  
Version: (2)

date of compilation: 2016-03-09  
Revision: 2022-08-09

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Sodium sulphide hydrate 60 %, flakes</b>
Article number	8634
EC number	215-211-5
CAS number	27610-45-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification acc. to GHS**

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400

### Supplemental hazard information

Code	Supplemental hazard information
EUH031	contact with acids liberates toxic gas
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling

#### Signal word

**Danger**

#### Pictograms

GHS05, GHS06,  
GHS09



#### Hazard statements

H290 May be corrosive to metals  
H301+H311 Toxic if swallowed or in contact with skin  
H314 Causes severe skin burns and eye damage  
H400 Very toxic to aquatic life

#### Precautionary statements

##### Precautionary statements - prevention

P270 Do not eat, drink or smoke when using this product  
P273 Avoid release to the environment  
P280 Wear protective gloves/eye protection

##### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 Immediately call a POISON CENTER/doctor

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### Supplemental hazard information

EUH031 Contact with acids liberates toxic gas.  
EUH071 Corrosive to the respiratory tract.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Sodium sulphide hydrate
Molecular formula	$\text{Na}_2\text{S} \cdot x \text{H}_2\text{O}$
Molar mass	$78,04 \text{ g/mol} + x \text{H}_2\text{O}$
CAS No	27610-45-3
EC No	215-211-5

#### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (acute) = 100	246 mg/kg 300 mg/kg	oral dermal

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Sulphur oxides (SO<sub>x</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Protect against external exposure, such as

high temperatures, UV-radiation/sunlight, humidity

#### Consideration of other advice:

Store locked up.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

#### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	13,84 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1,6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	3,2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,27 µg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,27 µg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	16 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	17,6 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	17,6 µg/kg	aquatic organisms	marine sediment	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

0,3 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White). Aerosol or mist formation. Type: B (against inorganic gases and vapours, colour code: Grey).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	scales
Colour	colourless
Odour	like rotten eggs
Melting point/freezing point	85 – 90 °C (Release of crystal water)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	13 – 14 (in aqueous solution: 10 g/l, 20 °C)
Kinematic viscosity	not relevant
<u>Solubility(ies)</u>	
Water solubility	170 g/l at 20 °C
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	-3,5 (OECD-107)
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	1,43 g/cm <sup>3</sup>
Relative vapour density	information on this property is not available
Bulk density	650 – 750 kg/m <sup>3</sup>

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

Particle characteristics No data available.

### Other safety parameters

Oxidising properties none

## 9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics: There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

It's a reactive substance. Substance or mixture corrosive to metals.

### 10.2 Chemical stability

Moisture-sensitive. Hygroscopic solid.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Acids, Oxygen

### 10.4 Conditions to avoid

Protect from moisture. Keep away from heat.

### 10.5 Incompatible materials

different metals, aluminium, iron, copper, zinc

### Release of toxic materials with

Acids.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### Acute toxicity

Toxic if swallowed. Toxic in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	246 mg/kg	rat		OECD

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.



# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### **Carcinogenicity**

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

### **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### **Symptoms related to the physical, chemical and toxicological characteristics**

#### **• If swallowed**

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### **• If in eyes**

causes burns, Causes serious eye damage, risk of blindness

#### **• If inhaled**

corrosive to the respiratory tract, cough, Dyspnoea

#### **• If on skin**

causes severe burns, causes poorly healing wounds

#### **• Other information**

none

### **11.2 Endocrine disrupting properties**

Not listed.

### **11.3 Information on other hazards**

There is no additional information.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Very toxic to aquatic life.

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	0,003 mg/l	fish	ECHA	96 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	1.900 mg/l	algae	ECHA	120 h

### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-3,5 (OECD-107)
---------------------------	-----------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: **8634**

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADRRID	UN 1849
IMDG-Code	UN 1849
ICAO-TI	UN 1849

### 14.2 UN proper shipping name

ADRRID	SODIUM SULPHIDE, HYDRATED
IMDG-Code	SODIUM SULPHIDE, HYDRATED
ICAO-TI	Sodium sulphide, hydrated

### 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

ADRRID	II
IMDG-Code	II
ICAO-TI	II

### 14.5 Environmental hazards

hazardous to the aquatic environment

### 14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	SODIUM SULPHIDE, HYDRATED
Particulars in the transport document	UN1849, SODIUM SULPHIDE, HYDRATED, 8, II, (E), environmentally hazardous
Classification code	C6
Danger label(s)	8, "Fish and tree"
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	523

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: **8634**

Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
<b>Emergency Action Code</b>	2X

### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

<b>Classification code</b>	C6
<b>Danger label(s)</b>	8 Fish and tree



<b>Environmental hazards</b>	Yes Hazardous to water
------------------------------	---------------------------

<b>Special provisions (SP)</b>	523
--------------------------------	-----

<b>Excepted quantities (EQ)</b>	E2
---------------------------------	----

<b>Limited quantities (LQ)</b>	1 kg
--------------------------------	------

<b>Transport category (TC)</b>	2
--------------------------------	---

<b>Hazard identification No</b>	80
---------------------------------	----

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	SODIUM SULPHIDE, HYDRATED
Particulars in the shipper's declaration	UN1849, SODIUM SULPHIDE, HYDRATED, 8, II, MARINE POLLUTANT
Marine pollutant	yes (hazardous to the aquatic environment)
<b>Danger label(s)</b>	8, "Fish and tree"



Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	A
<b>Segregation group</b>	18 - Alkalis

# Safety data sheet


acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Sodium sulphide, hydrated
Particulars in the shipper's declaration	UN1849, Sodium sulphide, hydrated, 8, II
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	8
	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100	200	56)

##### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

##### Deco-Paint Directive

VOC content	0 %
-------------	-----

##### Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

##### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Sodium sulphide hydrate	Metals and their compounds		a)	

##### Legend

A) Indicative list of the main pollutants

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### Regulation on the marketing and use of explosives precursors

not listed

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### National regulations(GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

#### Restrictions according to GB REACH, Annex 17

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed

#### Legend

CICR	Chemical Inventory and Control Regulation
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

### SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)

# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: 8634

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



# Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium sulphide hydrate 60 %, flakes

article number: **8634**

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.