

# Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701  
Version: 1.0 en

date of compilation: 2021-03-18

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	Fatty acid methyl ester mixture ROTICHROM® ME 35
Article number	8701
Registration number (REACH)	not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

**Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.






**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

not relevant (mixture)

**3.2 Mixtures**

**Description of the mixture**

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Butyric acid methyl ester	CAS No 623-42-7 EC No 210-792-1	4	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	 	
Caproic acid methyl ester	CAS No 106-70-7 EC No 203-425-1	3	Flam. Liq. 3 / H226		
Capric acid methyl ester	CAS No 110-42-9 EC No 203-766-6 REACH Reg. No 01-2119487998-07-xxxx	3	Aquatic Chronic 2 / H411		
methyl octanoate	CAS No 111-11-5 EC No 203-835-0	2	Skin Irrit. 2 / H315		

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Capric acid methyl ester	CAS No 110-42-9 EC No 203-766-6	-	-	5 mg <sub>i</sub> /4h	inhalation: dust/mist

For full text of abbreviations: see SECTION 16

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**



**General notes**

Take off contaminated clothing.

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

**Following inhalation**

Provide fresh air.

**Following skin contact**

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

**Following eye contact**

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

**Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**



**Suitable extinguishing media**

co-ordinate firefighting measures to the fire surroundings  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

**Unsuitable extinguishing media**

water jet

**5.2 Special hazards arising from the substance or mixture**

None.

**Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**



**For non-emergency personnel**

No special measures are necessary.

**6.2 Environmental precautions**

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures are necessary.

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Capric acid methyl ester	110-42-9	DNEL	61,4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Capric acid methyl ester	110-42-9	DNEL	121,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Capric acid methyl ester	110-42-9	PNEC	0,001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Capric acid methyl ester	110-42-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Capric acid methyl ester	110-42-9	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Capric acid methyl ester	110-42-9	PNEC	0,047 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Capric acid methyl ester	110-42-9	PNEC	0,005 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Capric acid methyl ester	110-42-9	PNEC	10 mg/kg	terrestrial organisms	soil	short-term (single instance)
methyl octanoate	111-11-5	PNEC	0,002 mg/l	aquatic organisms	freshwater	short-term (single instance)
methyl octanoate	111-11-5	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
methyl octanoate	111-11-5	PNEC	0,048 mg/l	aquatic organisms	water	intermittent release
methyl octanoate	111-11-5	PNEC	0,028 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
methyl octanoate	111-11-5	PNEC	0,003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
methyl octanoate	111-11-5	PNEC	10 mg/kg	terrestrial organisms	soil	short-term (single instance)
methyl octanoate	111-11-5	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

• **type of material**

NBR (Nitrile rubber)

• **material thickness**

>0,11 mm


• **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

• **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

**Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

**Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	-20 °C
Boiling point or initial boiling point and boiling range	>34 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	67 g/m <sup>3</sup> / 0,7 vol%
Flash point	not determined
Auto-ignition temperature	340 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	not determined
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

Vapour pressure not determined

Density 1 g/cm<sup>3</sup> at 20 °C

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

**9.2 Other information**

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Temperature class (EU, acc. to ATEX) T2  
Maximum permissible surface temperature on the equipment: 300°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Strong acid, Strong alkali

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

**Classification according to GHS (1272/2008/EC, CLP)**

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

**Acute toxicity**

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Capric acid methyl ester	110-42-9	inhalation: dust/mist	5 mg/l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Butyric acid methyl ester	623-42-7	oral	LD50	>5.000 mg/kg	rat
Butyric acid methyl ester	623-42-7	dermal	LD50	3.560 mg/kg	rabbit
Caproic acid methyl ester	106-70-7	oral	LD50	>5.000 mg/kg	rat
Capric acid methyl ester	110-42-9	oral	LD50	>2.000 mg/kg	rat
Capric acid methyl ester	110-42-9	inhalation: dust/mist	LC50	>5 mg/l/4h	rat
methyl octanoate	111-11-5	oral	LD50	>2.000 mg/kg	rat

**Skin corrosion/irritation**

Shall not be classified as corrosive/irritant to skin.

**Serious eye damage/eye irritation**

Shall not be classified as seriously damaging to the eye or eye irritant.

**Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

**Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

**Carcinogenicity**

Shall not be classified as carcinogenic.

**Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

**Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

**Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

**Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.



Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

**Symptoms related to the physical, chemical and toxicological characteristics**

• **If swallowed**

Data are not available.

• **If in eyes**

slightly irritant but not relevant for classification

• **If inhaled**

Data are not available.

• **If on skin**

Data are not available.

• **Other information**

This mixture contains a substance not yet tested completely

**11.2 Endocrine disrupting properties**

None of the ingredients are listed.

**11.3 Information on other hazards**

There is no additional information.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Capric acid methyl ester	110-42-9	LC50	1.700 mg/l	orfe (Leuciscus idus)	48 h
Capric acid methyl ester	110-42-9	EC50	1,1 mg/l	aquatic invertebrates	48 h
Capric acid methyl ester	110-42-9	ErC50	>3,93 mg/l	algae	72 h
methyl octanoate	111-11-5	LC50	5,6 mg/l	aquatic invertebrates	48 h
methyl octanoate	111-11-5	EC50	4,76 mg/l	algae	96 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Capric acid methyl ester	110-42-9	EC50	0,22 mg/l	aquatic invertebrates	21 d
Capric acid methyl ester	110-42-9	LC50	0,252 mg/l	aquatic invertebrates	21 d
methyl octanoate	111-11-5	EC50	>1.000 mg/l	microorganisms	3 h

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

**Biodegradation**

Data are not available.

**12.2 Process of degradability**

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Capric acid methyl ester	110-42-9	oxygen depletion	78 %	28 d		ECHA
methyl octanoate	111-11-5	oxygen depletion	78 %	28 d		ECHA

**12.3 Bioaccumulative potential**

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butyric acid methyl ester	623-42-7		1,29	
Caproic acid methyl ester	106-70-7		2,34	
Capric acid methyl ester	110-42-9		4,42 (36 °C)	
methyl octanoate	111-11-5		3,32	

**12.4 Mobility in soil**

Data are not available.

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Endocrine disrupting properties**

None of the ingredients are listed.

**12.7 Other adverse effects**

Data are not available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**



Consult the appropriate local waste disposal expert about waste disposal.

**Sewage disposal-relevant information**

Do not empty into drains.

**13.2 Relevant provisions relating to waste**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

**13.3 Remarks**

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

**SECTION 14: Transport information**

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

not assigned

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Not subject to ICAO-IATA.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Relevant provisions of the European Union (EU)**

**Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Caproic acid methyl ester	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Caproic acid methyl ester	flammable / pyrophoric		R40	40
Capric acid methyl ester	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
methyl octanoate	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

**Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)**



**Fatty acid methyl ester mixture ROTICHROM® ME 35**

article number: **8701**

<b>Dangerous substances with restrictions (REACH, Annex XVII)</b>				
<b>Name of substance</b>	<b>Name acc. to inventory</b>	<b>CAS No</b>	<b>Restriction</b>	<b>No</b>
Butyric acid methyl ester	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Butyric acid methyl ester	flammable / pyrophoric		R40	40

**Legend**

- R3**
- Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  - Articles not complying with paragraph 1 shall not be placed on the market.
  - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and,
    - present an aspiration hazard and are labelled with R65 or H304,
  - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  - Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
    - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
    - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
  - No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
  - Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- R40**
- Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
    - metallic glitter intended mainly for decoration,
    - artificial snow and frost,
    - 'whoopie' cushions,
    - silly string aerosols,
    - imitation excrement,
    - horns for parties,
    - decorative flakes and foams,
    - artificial cobwebs,
    - stink bombs.
  - Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
    - 'For professional users only'.
  - By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
  - The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list**

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

**Seveso Directive**

**Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)**



**Fatty acid methyl ester mixture ROTICHROM® ME 35**

article number: **8701**

<b>2012/18/EU (Seveso III)</b>			
<b>No</b>	<b>Dangerous substance/hazard categories</b>	<b>Qualifying quantity (tonnes) for the application of lower and upper-tier requirements</b>	<b>Notes</b>
	not assigned		

**Deco-Paint Directive (2004/42/EC)**

<b>VOC content</b>	75 % 750 g/l
--------------------	-----------------

**Directive on industrial emissions (VOCs, 2010/75/EU)**

<b>VOC content</b>	42 %
<b>VOC content</b>	420 g/l

**Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

none of the ingredients are listed

**Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

none of the ingredients are listed

**Water Framework Directive (WFD)**

none of the ingredients are listed

**Regulation 98/2013/EU on the marketing and use of explosives precursors**

none of the ingredients are listed

**Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

none of the ingredients are listed

**Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

none of the ingredients are listed

**Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

none of the ingredients are listed

**National inventories**

<b>Country</b>	<b>Inventory</b>	<b>Status</b>
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed

# Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



## Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

Country	Inventory	Status
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

**Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)**



**Fatty acid methyl ester mixture ROTICHROM® ME 35**

article number: **8701**

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

**Key literature references and sources for data**

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



## Fatty acid methyl ester mixture ROTICHROM® ME 35

article number: 8701

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.