acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: **9375** Version: **5.0 en** Replaces version of: 2021-10-27 Version: (4) date of compilation: 2016-03-17 Revision: 2022-10-24

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt
Article number	9375
EC number	613-156-5
CAS number	63148-62-9
Alternative name(s)	Polydimethylsiloxane
Bolovant identified uses of the substance or mix	ture and uses advised against

1.2 Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 Label elements

Labelling

not required

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

2.3 **Other hazards**

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

The substance has an endocrine disrupting potential.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance	Silicone oil
Molecular formula	(C ₂ H ₆ OSi)n
CAS No	63148-62-9
EC No	613-156-5

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Dodecamethylcyclohexasiloxane	CAS No 540-97-6	0,1 – 3
	EC No 208-762-8	
Decamethylcyclopentasiloxane	CAS No 541-02-6	0,1 - 3
	EC No 208-764-9	
Octamethylcyclotetrasiloxane	CAS No 556-67-2	0,1 – 1
	EC No 209-136-7	
	Index No 014-018-00-1	

Substance of Very High Concern (SVHC) Remarks **CAS No** EC No Listed in Name of substance Dodecamethylcyclohexasiloxane 540-97-6 208-762-8 Candidate list PBT A57d vPvB A57e Decamethylcyclopentasiloxane 541-02-6 208-764-9 Candidate list PBT A57d vPvB A57e Octamethylcyclotetrasiloxane 556-67-2 209-136-7 Candidate list PBT A57d vPvB A57e

Legend

candidate list

Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Persistent, Bioaccumulative and Toxic (article 57d) Very Persistent and very Bioaccumulative (article 57e) PBT A57d

vPvB A57e

For full text of abbreviations: see SECTION 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	11 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	1,22 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	6,1 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	13 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	3,77 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,2 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	0,12 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,1 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,27 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	1,5 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,15 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,54 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown). Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	viscous
Colour	colourless
Odour	odourless
Melting point/freezing point	-40 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	320 °C
Auto-ignition temperature	not determined
Decomposition temperature	>150 °C
pH (value)	not determined
Kinematic viscosity	900.000 – 1.100.000 ^{mm²} / _s at 25 °C
Solubility(ies)	
Water solubility	(The study does not need to be conducted be- cause the substance is known to be insoluble in water)
Solubility in hydrocarbons, aliphatic	soluble
Solubility in hydrocarbons, aromatic	soluble
Solubility in ethylene glycol	practically insoluble
Solubility in ethyl acetate	soluble
Solubility in n-butyl acetate	soluble
Solubility in toluene	soluble
Solubility in trichloroethylene	soluble



acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
Density and/or relative density	
Density	0,97 – 0,98 ^g / _{cm³} at 25 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >150 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5.000 ^{mg} / _{kg}	rat		TOXNET
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		TOXNET

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species			
Dodecamethylcyclohexasiloxane	540-97-6	oral	LD50	>2.000 ^{mg} / _{kg}	rat			
Dodecamethylcyclohexasiloxane	540-97-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rat			
Decamethylcyclopentasiloxane	541-02-6	oral	LD50	>5.000 ^{mg} / _{kg}	rat			
Decamethylcyclopentasiloxane	541-02-6	inhalation: dust/mist	LC50	8,67 ^{mg} / _l /4h	rat			
Decamethylcyclopentasiloxane	541-02-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit			
Octamethylcyclotetrasiloxane	556-67-2	oral	LD50	>4.800 ^{mg} / _{kg}	rat			
Octamethylcyclotetrasiloxane	556-67-2	inhalation: dust/mist	LC50	36 ^{mg} / _l /4h	rat			

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Dodecamethylcyclo- hexasiloxane	540-97-6	ErC50	>2 ^{µg} / _l	algae	72 h	
Decamethylcyclo- pentasiloxane	541-02-6	LC50	>16 ^{µg} / _l	fish	96 h	
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>2,9 ^{µg} / _l	aquatic invertebrates	48 h	
Octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg} /I	fish	96 h	
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} /I	aquatic invertebrates	48 h	
Octamethylcyclotet- rasiloxane	556-67-2	ErC50	>22 ^{µg} /I	algae	96 h	

acc. to Regulation (EC) No. 1907/2006 (REACH)



Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt

article number: 9375

Aquatic toxicity (chronic) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Dodecamethylcyclo- hexasiloxane	540-97-6	EC50	>100 ^{mg} / _l	microorganisms	3 h	
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d	
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d	

Biodegradation

Not readily biodegradable.

12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Dodecamethyl- cyclohexasilox- ane	540-97-6	carbon dioxide generation	4,47 %	28 d		ECHA
Decamethyl- cyclopentas- iloxane	541-02-6	carbon dioxide generation	0,14 %	28 d		ECHA
Octamethylcyc- lotetrasiloxane	556-67-2	carbon dioxide generation	3,7 %	29 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture					
Name of substance	CAS No	BCF	Log KOW	BOD5/COD	
Dodecamethylcyclohexasiloxane	540-97-6	1.160	8,87 (23,6 °C)		
Decamethylcyclopentasiloxane	541-02-6	7.060	8,023 (25,3 °C)		
Octamethylcyclotetrasiloxane	556-67-2	12.400	6,488 (25,1 °C)		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of \ge 0,1%.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: **9375**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 10 toxic for reproduction **HP 14** ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or 1D number	14.1	UN number or ID number
-----------------------------	------	------------------------

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: **9375**

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)						
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes				
	not assigned						

Deco-Paint Directive

OC content	0 % 0 ^g / _l
------------	--------------------------------------

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Octamethylcyclotetrasiloxane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS) not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
Dodecamethylcyclohexasiloxane	540-97-6	Candidate list	PBT A57d vPvB A57e desc-cand-5 rem-cand-3
Decamethylcyclopentasiloxane	541-02-6	Candidate list	PBT A57d vPvB A57e desc-cand-7 rem-cand-4
Octamethylcyclotetrasiloxane	556-67-2	Candidate list	PBT A57d vPvB A57e desc-cand-3

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

- list
- desc-cand-3 D4 desc-cand-5 D6
- desc-cand-7 D5
- PBT A57d PBT (Article 57d)
- PBT A5/d PBT (Article 5/d) rem-cand-3 Dodecamethylcyclohexasiloxane (D6) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasilox-ane (D4) (EC No. 209-136-7). In addition to its intrinsic properties, it also meets the criteria of Article 57 (e) of Regu-lation (EC) 1907/2006 (REACH) as a substance which is very persistent and very bioaccumulative (vPvB) when it con-tains ≥ 0.1 % w/w decamethylcyclopentasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasilox-ane (D4) (EC No. 209-136-7).
- rem-cand-4 Decamethylcyclopentasiloxane (D5) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasilox-ane (D4) (EC No: 209-136-7). vPvB A57e VPvB (Article 57e)

Restrictions according to GB REACH, Annex 17

angerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Dodecamethylcyclohexasiloxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	
Decamethylcyclopentasiloxane	Decamethylcyclopentasiloxane (D5)	541-02-6	70(b)	
Decamethylcyclopentasiloxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	
Octamethylcyclotetrasiloxane	Octamethylcyclotetrasiloxane (D4)	556-67-2	70(a)	
Octamethylcyclotetrasiloxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	
Octamethylcyclotetrasiloxane	flammable / pyrophoric		40	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.	Classification acc. to GHS: This substance does not meet the criteria for classification.	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: 9375

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
HSE	Health and Safety Executive	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
РВТ	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 1 000 000, super-high viscous, 1 000 000 cSt



article number: **9375**

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.