

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**
Version: **3.0 en**
Replaces version of: 2021-04-14
Version: (2)

date of compilation: 2018-02-02
Revision: 2021-12-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids**

Article number A156

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS06,
GHS08, GHS09



Hazard statements

H301+H331	Toxic if swallowed or if inhaled
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P201	Obtain special instructions before use
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/eye protection/face protection

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Precautionary statements - response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

Hazardous ingredients for labelling:

Trichloromethane, Phenol, Isoamyl alcohol

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301+H331 Toxic if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
P201 Obtain special instructions before use.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
contains: Trichloromethane, Phenol, Isoamyl alcohol

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Trichloromethane	CAS No 67-66-3 EC No 200-663-8 Index No 602-006-00-4 REACH Reg. No 01-2119486657- 20-xxxx	50 – < 60	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d STOT RE 1 / H372		GHS-HC IARC: 2B IOELV

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Phenol	CAS No 108-95-2 EC No 203-632-7 Index No 604-001-00-2 REACH Reg. No 01-2119882293-32-xxxx	32,4 – < 50	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Muta. 2 / H341 STOT RE 2 / H373 Aquatic Chronic 2 / H411		GHS-HC IOELV
Isoamyl alcohol	CAS No 123-51-3 EC No 204-633-5 Index No 603-006-00-7 REACH Reg. No 01-2119493725-26-xxxx	1 – < 5	Flam. Liq. 3 / H226 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335 EUH066		C(a) GHS-HC IOELV

Notes

C(a): Mixture of isomers

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B:

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Trichloromethane	CAS No 67-66-3 EC No 200-663-8 Index No 602-006-00-4	-	-	908 mg/kg 3 mg/l/4h	oral inhalation: vapour
Phenol	CAS No 108-95-2 EC No 203-632-7 Index No 604-001-00-2	Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	-	100 mg/kg 630 mg/kg 0,5 mg/l/4h	oral dermal inhalation: dust/ mist
Isoamyl alcohol	CAS No 123-51-3 EC No 204-633-5 Index No 603-006-00-7	-	-	11 mg/l/4h	inhalation: vapour

For full text of abbreviations: see SECTION 16

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes hold-
ing eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed
danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of acci-
dent or unwellness, seek medical advice immediately (show directions for use or safety data sheet if
possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Vomiting, Risk of serious damage to eyes, Risk of blindness, Breathing
difficulties, Headache, Vertigo, Dizziness, Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a cool place. May cause decomposition by long-term light influence.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
EU	phenol	108-95-2	IOELV	2	8	4	16				2009/161/EU
EU	isoamylalcohol	123-51-3	IOELV	5	18	10	37				2019/1831/EU
EU	chloroform	67-66-3	IOELV	2	10						2000/39/EC
GB	phenol	108-95-2	WEL	2	7,8	4	16				EH40/2005
GB	3-methylbutan-1-ol	123-51-3	WEL	100	366	125	458				EH40/2005
GB	chloroform	67-66-3	WEL	2	9,9						EH40/2005

Notation

Ceiling-C
STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Trichloromethane	67-66-3	DNEL	333 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Trichloromethane	67-66-3	DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Phenol	108-95-2	DNEL	8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Phenol	108-95-2	DNEL	16 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Phenol	108-95-2	DNEL	1,23 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Isoamyl alcohol	123-51-3	DNEL	73,16 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Isoamyl alcohol	123-51-3	DNEL	292 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Isoamyl alcohol	123-51-3	DNEL	73,16 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Isoamyl alcohol	123-51-3	DNEL	292 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Trichloromethane	67-66-3	PNEC	0,146 mg/l	aquatic organisms	freshwater	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,015 mg/l	aquatic organisms	marine water	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,048 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,45 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,09 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Trichloromethane	67-66-3	PNEC	0,56 mg/kg	terrestrial organisms	soil	short-term (single instance)
Phenol	108-95-2	PNEC	0,008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Phenol	108-95-2	PNEC	0,001 mg/l	aquatic organisms	marine water	short-term (single instance)
Phenol	108-95-2	PNEC	2,1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Phenol	108-95-2	PNEC	0,091 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Phenol	108-95-2	PNEC	0,009 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Phenol	108-95-2	PNEC	0,136 mg/kg	terrestrial organisms	soil	short-term (single instance)
Isoamyl alcohol	123-51-3	PNEC	0,12 mg/l	aquatic organisms	freshwater	short-term (single instance)
Isoamyl alcohol	123-51-3	PNEC	0,012 mg/l	aquatic organisms	marine water	short-term (single instance)
Isoamyl alcohol	123-51-3	PNEC	37 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Isoamyl alcohol	123-51-3	PNEC	0,496 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Isoamyl alcohol	123-51-3	PNEC	0,05 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Isoamyl alcohol	123-51-3	PNEC	0,029 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM (fluoro rubber)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

- **material thickness**

≥0,5 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - light brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>61 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	>80 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	7,5 – 8 (20 °C)
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	(partially soluble)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Density and/or relative density

Density 1,2 – 1,3 g/cm³ at 20 °C
Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetone, Aldehydes, Amines, Ammonia (NH₃), Alkaline earth metal, Metal powder, Mineral acids, Nitro compound, Peroxides, Strong alkali, Strong acid

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

10.5 Incompatible materials

different plastics, Rubber articles, metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Harmful in contact with skin. Toxic if inhaled.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Trichloromethane	67-66-3	oral	908 mg/kg
Trichloromethane	67-66-3	inhalation: vapour	3 mg/l/4h
Phenol	108-95-2	oral	100 mg/kg
Phenol	108-95-2	dermal	630 mg/kg
Phenol	108-95-2	inhalation: dust/mist	0,5 mg/l/4h
Isoamyl alcohol	123-51-3	inhalation: vapour	11 mg/l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Trichloromethane	67-66-3	oral	LD50	908 mg/kg	rat
Phenol	108-95-2	oral	LD50	317 mg/kg	rat
Phenol	108-95-2	dermal	LD50	630 mg/kg	rabbit
Isoamyl alcohol	123-51-3	oral	LD50	>5.000 mg/kg	rat
Isoamyl alcohol	123-51-3	dermal	LD50	3.216 mg/kg	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

vertigo, headache, breathing difficulties, dizziness, unconsciousness

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

Other adverse effects: Liver and kidney damage, Cardiac arrhythmias

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	152,5 mg/l	aquatic invertebrates	48 h
Trichloromethane	67-66-3	ErC50	13,3 mg/l	algae	72 h
Phenol	108-95-2	LC50	8,9 mg/l	fish	96 h
Phenol	108-95-2	EC50	3,1 mg/l	aquatic invertebrates	48 h
Isoamyl alcohol	123-51-3	LC50	700 mg/l	fish	96 h
Isoamyl alcohol	123-51-3	EC50	255 mg/l	aquatic invertebrates	48 h
Isoamyl alcohol	123-51-3	ErC50	>500 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	0,48 mg/l	microorganisms	24 h
Phenol	108-95-2	LC50	21,93 mg/l	fish	14 d

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Phenol	108-95-2	EC50	10 mg/l	aquatic invertebrates	16 d
Isoamyl alcohol	123-51-3	EC50	320 mg/l	aquatic invertebrates	24 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Trichloromethane	67-66-3	biotic/abiotic	0 %	14 d		
Phenol	108-95-2	biotic/abiotic	85 %	14 d		
Phenol	108-95-2	carbon dioxide generation	45,5 %	3 d		ECHA
Phenol	108-95-2	oxygen depletion	96 %	20 d		ECHA
Isoamyl alcohol	123-51-3	biotic/abiotic	84 %	27 d		
Isoamyl alcohol	123-51-3	oxygen depletion	84 %	27 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Trichloromethane	67-66-3		1,97 (25 °C)	
Phenol	108-95-2	17,5	1,47 (30 °C)	
Isoamyl alcohol	123-51-3		1,35 (pH value: ~6,5)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN 2810
IMDG-Code	UN 2810
ICAO-TI	UN 2810

14.2 UN proper shipping name

ADR/RID/ADN	TOXIC LIQUID, ORGANIC, N.O.S.
IMDG-Code	TOXIC LIQUID, ORGANIC, N.O.S.
ICAO-TI	Toxic liquid, organic, n.o.s.
Technical name (hazardous ingredients)	Trichloromethane, Phenol

14.3 Transport hazard class(es)

ADR/RID/ADN	6.1
IMDG-Code	6.1
ICAO-TI	6.1

14.4 Packing group

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

hazardous to the aquatic environment

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Environmentally hazardous substance (aquatic environment): Phenol

14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Particulars in the transport document	UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (contains: Trichloromethane, Phenol), 6.1, III, (E), environmentally hazardous
Classification code	T1
Danger label(s)	6.1, "Fish and tree"
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 614, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	60
Emergency Action Code	2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	TOXIC LIQUID, ORGANIC, N.O.S.
Particulars in the shipper's declaration	UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (contains: Trichloromethane, Phenol), 6.1, III, MARINE POLLUTANT
Marine pollutant	yes (hazardous to the aquatic environment), (Phenol)
Danger label(s)	6.1, "Fish and tree"
	
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A


Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	
Proper shipping name	Toxic liquid, organic, n.o.s.
Particulars in the shipper's declaration	UN2810, Toxic liquid, organic, n.o.s., (contains: Trichloromethane, Phenol), 6.1, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	6.1
	
Special provisions (SP)	A3, A4, A137
Exempted quantities (EQ)	E1
Limited quantities (LQ)	2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
ROTI®-Phenol/Chloroform/Isoamyl alcohol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Isoamyl alcohol	flammable / pyrophoric		R40	40
Trichloromethane	chloroform	67-66-3	R32-38	32
Trichloromethane	substances in tattoo inks and permanent make-up		R75	75

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Legend

- R32-38 1. Shall not be placed on the market, or used,
- as substances,
- as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight, where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applications such as in surface cleaning and cleaning of fabrics.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows:
'For use in industrial installations only.
By way of derogation this provision shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC.
- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
 - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
 - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
 - (a) the statement "Mixture for use in tattoos or permanent make-up";
 - (b) a reference number to uniquely identify the batch;
 - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
 - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
 - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
 - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
 - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50 200	41)

Notation

- 41) - Category 2, all exposure routes
- category 3, inhalation exposure route

Deco-Paint Directive

VOC content	95,78 % , 1.318 g/l
-------------	------------------------

Industrial Emissions Directive (IED)

VOC content	95,78 %
VOC content	1.300 g/l
VOC content Water content was discounted	1.318 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Trichloromethane	67-66-3		500

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: A156

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Phenol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	
Trichloromethane	trichloromethane (chloroform)	67-66-3	B)	
Trichloromethane	trichloromethane	67-66-3	C)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic environment		A)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		A)	

Legend

- A) Indicative list of the main pollutants
B) List of priority substances in the field of water policy
C) Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limitation
Trichloromethane	chloroform	67-66-3	i(2)	b

Legend

- b Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation
i(2) Sub-category: i(2) - industrial chemical for public use

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2009/161/EU	Commission Directive establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
2019/1831/EU	Commission Directive establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTI®-Phenol/Chloroform/Isoamyl alcohol , ready-to-use, for extraction of nucleic acids

article number: **A156**

Code	Text
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.