

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: **AN91**  
Version: **2.0 en**  
Replaces version of: 2019-10-04  
Version: (1)

date of compilation: 2019-10-04  
Revision: 2022-07-11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

Article number AN91

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Laboratory and analytical use

Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

### 1.4 Emergency telephone number

| Name  | Street    | Postal code/city     | Telephone    | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service<br>City Hospital | Dudley Rd | B187QH<br>Birmingham | 844 892 0111 |         |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

| Section | Hazard class  | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 2.6     | Flammable liquid  | 2         | Flam. Liq. 2              | H225             |
| 3.2     | Skin corrosion/irritation   | 2         | Skin Irrit. 2             | H315             |
| 3.3     | Serious eye damage/eye irritation   | 2         | Eye Irrit. 2              | H319             |
| 3.8D    | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3         | STOT SE 3                 | H336             |

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

article number: **AN91**

| Section | Hazard class  | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 3.10    | Aspiration hazard                                     | 1         | Asp. Tox. 1               | H304             |
| 4.1C    | Hazardous to the aquatic environment - chronic hazard | 2         | Aquatic Chronic 2         | H411             |

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling

**Signal word**                      **Danger**

### Pictograms

GHS02, GHS07,  
GHS08, GHS09



### Hazard statements

H225                      Highly flammable liquid and vapour  
H304                      May be fatal if swallowed and enters airways  
H315                      Causes skin irritation  
H319                      Causes serious eye irritation  
H336                      May cause drowsiness or dizziness  
H411                      Toxic to aquatic life with long lasting effects

### Precautionary statements

#### Precautionary statements - prevention

P210                      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P280                      Wear protective gloves/eye protection/face protection

#### Precautionary statements - response

P301+P310              IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P302+P352              IF ON SKIN: Wash with plenty of soap and water  
P304+P340              IF INHALED: Remove person to fresh air and keep comfortable for breathing

#### Precautionary statements - storage

P403+P235              Store in a well-ventilated place. Keep cool

#### Hazardous ingredients for labelling:

Hydrocarbons, C<sub>6</sub>-C<sub>7</sub>, n-alkanes, isoalkanes, cyclics, <5% n-hexane, Hydrocarbons C<sub>9</sub>-C<sub>10</sub>, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics., Hydrocarbons C<sub>8</sub>-C<sub>9</sub>, isoalkanes

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

| Name of substance   | Identifier                                     | Wt%       | Classification acc. to GHS  | Pictograms | Notes |
|---|--|-----------|---|------------|-------|
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane | CAS No<br>92128-66-0<br><br>EC No<br>921-024-6 | 65 – < 75 | Flam. Liq. 2 / H225<br>Skin Irrit. 2 / H315<br>STOT SE 3 / H336<br>Asp. Tox. 1 / H304<br>Aquatic Chronic 2 / H411             |            | IOELV |
| Gum arabic  | CAS No<br>9000-01-5<br><br>EC No<br>232-519-5  | 20 – < 25 | Eye Irrit. 2 / H319   |            |       |
| Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.                    | EC No<br>927-241-2                             | > 7,5     | Flam. Liq. 3 / H226<br>STOT SE 3 / H336<br>Asp. Tox. 1 / H304<br>Aquatic Chronic 3 / H412<br>EUH066                           |            |       |
| Hydrocarbons C8-C9, isoalkanes  | EC No<br>932-020-9                             | < 2,5     | Flam. Liq. 3 / H226<br>STOT SE 3 / H336<br>Asp. Tox. 1 / H304<br>Aquatic Acute 1 / H400<br>Aquatic Chronic 3 / H412<br>EUH066 |            |       |

#### Notes

IOELV: Substance with a community indicative occupational exposure limit value

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

article number: **AN91**

## Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

## Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

## Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

## 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Dizziness, Drowsiness, Narcosis

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

article number: **AN91**

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

## 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Ground/bond container and receiving equipment.

### Ventilation requirements

Use local and general ventilation.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

## 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No    | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source     |
|---------|---------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU      | n-hexane      | 110-54-3  | IOELV      | 20        | 72                       |            |                           |                 |                                |          | 2006/15/EC |
| GB      | n-hexane      | 110-54-3  | WEL        | 20        | 72                       |            |                           |                 |                                |          | EH40/2005  |
| GB      | paraffin wax  | 8002-74-2 | WEL        |           | 2                        |            | 6                         |                 |                                | fume     | EH40/2005  |

#### Notation

|           |  |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur   |
| fume      | As fume  |
| STEL      | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)                   |
| TWA       | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

#### Relevant DNELs of components of the mixture

| Name of substance  | CAS No     | End-point | Threshold level         | Protection goal, route of exposure | Used in           | Exposure time              |
|--|------------|-----------|-------------------------|------------------------------------|-------------------|----------------------------|
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane        | 92128-66-0 | DNEL      | 2.035 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane        | 92128-66-0 | DNEL      | 773 mg/kg bw/day        | human, dermal                      | worker (industry) | chronic - systemic effects |
| Hydrocarbons C <sub>9</sub> -C <sub>10</sub> , n-alkanes, isoalkanes, cycloalkanes, <2% aromatics. |            | DNEL      | 871 mg/m <sup>3</sup>   | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| Hydrocarbons C <sub>9</sub> -C <sub>10</sub> , n-alkanes, isoalkanes, cycloalkanes, <2% aromatics. |            | DNEL      | 77 mg/kg bw/day         | human, dermal                      | worker (industry) | chronic - systemic effects |
| Hydrocarbons C <sub>8</sub> -C <sub>9</sub> , isoalkanes   |            | DNEL      | 2.035 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

article number: **AN91**

| Relevant DNELs of components of the mixture |        |           |                  |                                    |                   |                            |
|---|--------|-----------|------------------|------------------------------------|-------------------|----------------------------|
| Name of substance                           | CAS No | End-point | Threshold level  | Protection goal, route of exposure | Used in           | Exposure time              |
| Hydrocarbons C8-C9, isoalkanes              |        | DNEL      | 773 mg/kg bw/day | human, dermal                      | worker (industry) | chronic - systemic effects |

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

0,4 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

article number: **AN91**

## Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state   | liquid  |
| Colour   | colourless - cloudy                                     |
| Odour  | characteristic  |
| Melting point/freezing point                             | not determined  |
| Boiling point or initial boiling point and boiling range | ~84 °C  |
| Flammability   | flammable liquid in accordance with GHS criteria        |
| Lower and upper explosion limit                          | 0,7 vol% (LEL) - 8 vol% (UEL)                           |
| Flash point  | <0 °C   |
| Auto-ignition temperature                                | >201 °C (auto-ignition temperature (liquids and gases)) |
| Decomposition temperature                                | not relevant  |
| pH (value)   | not determined  |
| Kinematic viscosity                                      | not determined  |

#### Solubility(ies)

Water solubility (insoluble (< 1 mg/l))

#### Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

#### Density and/or relative density

Density 0,74 g/cm<sup>3</sup> at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

#### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics: There is no additional information.



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity of components of the mixture   |            |                       |          |                              |         |
|---|------------|-----------------------|----------|------------------------------|---------|
| Name of substance   | CAS No     | Exposure route        | Endpoint | Value                        | Species |
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane | 92128-66-0 | inhalation: vapour    | LC50     | >25,2 mg/l/4h                | rat     |
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane | 92128-66-0 | dermal                | LD50     | >2.800 - 3.100 mg/kg         | rat     |
| Gum arabic  | 9000-01-5  | oral                  | LD50     | >16.000 mg/kg                | rat     |
| Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.                    |            | oral                  | LD50     | >5.000 mg/kg                 | rat     |
| Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics.                    |            | inhalation: dust/mist | LC50     | ≥6.100 mg/m <sup>3</sup> /4h | rat     |

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy**

article number: **AN91**

| <b>Acute toxicity of components of the mixture</b>                       |               |                       |                 |                      |                |
|--|---------------|-----------------------|-----------------|----------------------|----------------|
| <b>Name of substance</b>   | <b>CAS No</b> | <b>Exposure route</b> | <b>Endpoint</b> | <b>Value</b>         | <b>Species</b> |
| Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics. |               | dermal                | LD50            | >2.000 mg/kg         | rat            |
| Hydrocarbons C8-C9, isoalkanes   |               | oral                  | LD50            | >7.100 – 7.800 mg/kg | rat            |
| Hydrocarbons C8-C9, isoalkanes   |               | dermal                | LD50            | >2.200 – 2.500 mg/kg | rabbit         |

## **Skin corrosion/irritation**

Causes skin irritation.

## **Serious eye damage/eye irritation**

Causes serious eye irritation.

## **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

## **Carcinogenicity**

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## **Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

## **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

May be fatal if swallowed and enters airways.

## **Symptoms related to the physical, chemical and toxicological characteristics**

### **• If swallowed**

vomiting, aspiration hazard

### **• If in eyes**

Causes serious eye irritation

### **• If inhaled**

dizziness, fatigue, narcosis

### **• If on skin**

causes skin irritation

### **• Other information**

none

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## 11.2 Endocrine disrupting properties

None of the ingredients are listed.

## 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture |        |          |           |                       |               |
|---|--------|----------|-----------|-----------------------|---------------|
| Name of substance                                     | CAS No | Endpoint | Value     | Species               | Exposure time |
| Hydrocarbons C8-C9, isoalkanes                        |        | LC50     | 0,11 mg/l | fish                  | 96 h          |
| Hydrocarbons C8-C9, isoalkanes                        |        | EC50     | 0,4 mg/l  | aquatic invertebrates | 48 h          |

| Aquatic toxicity (chronic) of components of the mixture                                     |            |          |           |                       |               |
|---|------------|----------|-----------|-----------------------|---------------|
| Name of substance   | CAS No     | Endpoint | Value     | Species               | Exposure time |
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane | 92128-66-0 | EC50     | 0,23 mg/l | aquatic invertebrates | 21 d          |
| Hydrocarbons C8-C9, isoalkanes  |            | EC50     | 0,23 mg/l | aquatic invertebrates | 21 d          |

### Biodegradation

Data are not available.

### 12.2 Process of degradability

| Degradability of components of the mixture  |            |                  |                  |      |        |        |
|---|------------|------------------|------------------|------|--------|--------|
| Name of substance   | CAS No     | Process          | Degradation rate | Time | Method | Source |
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane | 92128-66-0 | oxygen depletion | 83 %             | 16 d |        | ECHA   |
| Hydrocarbons C8-C9, isoalkanes  |            | oxygen depletion | 10,5 %           | 15 d |        | ECHA   |

### 12.3 Bioaccumulative potential

Data are not available.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## Bioaccumulative potential of components of the mixture

| Name of substance   | CAS No     | BCF | Log KOW   | BOD5/COD |
|---|------------|-----|-----------|----------|
| Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane | 92128-66-0 |     | 3,4 – 5,2 |          |

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

|           |         |
|-----------|---------|
| ADRRID    | UN 1268 |
| IMDG-Code | UN 1268 |
| ICAO-TI   | UN 1268 |

### 14.2 UN proper shipping name

|           |                            |
|-----------|----------------------------|
| ADRRID    | PETROLEUM PRODUCTS, N.O.S. |
| IMDG-Code | PETROLEUM PRODUCTS, N.O.S. |



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: **AN91**

|   |   |
|---|---|
| ICAO-TI   | Petroleum products, n.o.s.  |
| <b>14.3 Transport hazard class(es)</b>  |   |
| ADRRID  | 3   |
| IMDG-Code   | 3   |
| ICAO-TI   | 3   |
| <b>14.4 Packing group</b>   |   |
| ADRRID  | II  |
| IMDG-Code   | II  |
| ICAO-TI   | II  |
| <b>14.5 Environmental hazards</b>   | hazardous to the aquatic environment  |
| Environmentally hazardous substance (aquatic environment):  | Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane                                   |
| <b>14.6 Special precautions for user</b>  |   |
| Provisions for dangerous goods (ADR) should be complied within the premises.                                    |   |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b>   |   |
| The cargo is not intended to be carried in bulk.  |   |
| <b>14.8 Information for each of the UN Model Regulations</b>  |   |
| <b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information</b>    |   |
| Proper shipping name  | PETROLEUM PRODUCTS, N.O.S.  |
| Particulars in the transport document   | UN1268, PETROLEUM PRODUCTS, N.O.S., 3, II, (D/E), environmentally hazardous, special provision 640D<br>Special provision 640D |
| Classification code   | F1  |
| Danger label(s)   | 3, "Fish and tree"  |
|                              |    |
| Environmental hazards   | yes (hazardous to the aquatic environment)  |
| Special provisions (SP)   | 640D, 664   |
| Excepted quantities (EQ)  | E2  |
| Limited quantities (LQ)   | 1 L   |
| Transport category (TC)   | 2   |
| Tunnel restriction code (TRC)   | D/E   |
| Hazard identification No  | 33  |
| <b>Emergency Action Code</b>  | 3YE   |
| <b>Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information</b> |   |
| <b>Classification code</b>  | F1  |

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

### Danger label(s)

3  
Fish and tree



### Environmental hazards

Yes  
Hazardous to water

### Special provisions (SP)

640D, 664

### Excepted quantities (EQ)

E2

### Limited quantities (LQ)

1 L

### Transport category (TC)

2

### Hazard identification No

33

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name

PETROLEUM PRODUCTS, N.O.S.

Particulars in the shipper's declaration

UN1268, PETROLEUM PRODUCTS, N.O.S., 3, II, <0°C c.c., MARINE POLLUTANT

Marine pollutant

yes (hazardous to the aquatic environment)

Danger label(s)

3, "Fish and tree"



Excepted quantities (EQ)

E2

Limited quantities (LQ)

1 L

EmS

F-E, S-E

Stowage category

B

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name

Petroleum products, n.o.s.

Particulars in the shipper's declaration

UN1268, Petroleum products, n.o.s., 3, II

Environmental hazards

yes (hazardous to the aquatic environment)

Danger label(s)

3



Special provisions (SP)

A3

Excepted quantities (EQ)

E2

Limited quantities (LQ)

1 L

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

| 2012/18/EU (Seveso III) |  |   |       |
|-------------------------|--|---|-------|
| No                      | Dangerous substance/hazard categories                                | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| E2                      | environmental hazards (hazardous to the aquatic environment, cat. 2) | 200                      500  | 57)   |

##### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

##### Deco-Paint Directive

|             |                      |
|-------------|----------------------|
| VOC content | 76,95 %<br>569,4 g/l |
|-------------|----------------------|

##### Industrial Emissions Directive (IED)

|             |           |
|-------------|-----------|
| VOC content | 76,95 %   |
| VOC content | 569,4 g/l |

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

##### Water Framework Directive (WFD)

none of the ingredients are listed

##### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

##### Regulation on drug precursors

none of the ingredients are listed

##### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

##### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

##### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

##### National regulations(GB)

##### Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## Dangerous substances with restrictions (GB REACH, Annex 17)

| Name of substance           | Name acc. to inventory   | CAS No | No |
|-----------------------------|--|--------|----|
| Roti®-Liquid Barrier Marker | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC |        | 3  |

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## National inventories

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| AU      | AIIC       | not all ingredients are listed |
| CA      | DSL        | not all ingredients are listed |
| CN      | IECSC      | not all ingredients are listed |
| EU      | ECSI       | not all ingredients are listed |
| EU      | REACH Reg. | not all ingredients are listed |
| KR      | KECI       | not all ingredients are listed |
| MX      | INSQ       | not all ingredients are listed |
| NZ      | NZIoC      | not all ingredients are listed |
| PH      | PICCS      | not all ingredients are listed |
| TR      | CICR       | not all ingredients are listed |
| TW      | TCSI       | not all ingredients are listed |
| US      | TSCA       | not all ingredients are listed |

### Legend

|            |   |
|------------|---|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CICR       | Chemical Inventory and Control Regulation                               |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: AN91

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 2.1     |   | Classification acc. to GHS:<br>change in the listing (table)  | yes             |
| 2.1     | The most important adverse physicochemical, human health and environmental effects:<br>Narcotic effects.  | The most important adverse physicochemical, human health and environmental effects:<br>The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.              | yes             |
| 2.2     | Hazardous ingredients for labelling:<br>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane, Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics., Hydrocarbons C8-C9, isoalkanes | Hazardous ingredients for labelling:<br>Hydrocarbons, C <sub>6</sub> -C <sub>7</sub> , n-alkanes, isoalkanes, cyclics, <5% n-hexane, Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics., Hydrocarbons C8-C9, isoalkanes | yes             |
| 2.2     | Labelling of packages where the contents do not exceed 125 ml:<br>Signal word: Danger   |   | yes             |
| 2.2     |   | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table)   | yes             |
| 2.2     |   | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table)   | yes             |
| 2.2     |   | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table)   | yes             |
| 2.2     | contains:<br>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane, Hydrocarbons C9-C10, n-alkanes, isoalkanes, cycloalkanes, <2% aromatics., Hydrocarbons C8-C9, isoalkanes                            |   | yes             |
| 2.3     | Other hazards:<br>There is no additional information.   | Other hazards   | yes             |
| 2.3     |   | Results of PBT and vPvB assessment:<br>This mixture does not contain any substances that are assessed to be a PBT or a vPvB.  | yes             |

### Abbreviations and acronyms

| Abbr.         | Descriptions of used abbreviations  |
|---------------|---|
| 2006/15/EC    | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC                    |
| ADN           | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR           | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)   |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard   |

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: **AN91**

| Abbr.           | Descriptions of used abbreviations  |
|-----------------|---|
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard   |
| Asp. Tox.       | Aspiration hazard   |
| BCF             | Bioconcentration factor   |
| BOD             | Biochemical Oxygen Demand   |
| CAS             | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C       | Ceiling value   |
| COD             | Chemical oxygen demand  |
| DGR             | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL            | Derived No-Effect Level   |
| EC50            | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval      |
| EC No           | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)     |
| EH40/2005       | EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> ) |
| EINECS          | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS          | European List of Notified Chemical Substances   |
| EmS             | Emergency Schedule  |
| Eye Dam.        | Seriously damaging to the eye   |
| Eye Irrit.      | Irritant to the eye   |
| Flam. Liq.      | Flammable liquid  |
| GB REACH        | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  |
| GHS             | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA            | International Air Transport Association   |
| IATA/DGR        | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO            | International Civil Aviation Organization   |
| ICAO-TI         | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG            | International Maritime Dangerous Goods Code   |
| IMDG-Code       | International Maritime Dangerous Goods Code   |
| IOELV           | Indicative occupational exposure limit value  |
| LC50            | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                                     |
| LD50            | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval  |
| LEL             | Lower explosion limit (LEL)   |
| log KOW         | n-Octanol/water   |
| NLP             | No-Longer Polymer   |

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Roti®-Liquid Barrier Marker , colourless, ready-to-use, for microscopy

article number: **AN91**

| Abbr.       | Descriptions of used abbreviations  |
|-------------|---|
| PBT         | Persistent, Bioaccumulative and Toxic   |
| ppm         | Parts per million   |
| REACH       | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID         | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr.  | Corrosive to skin   |
| Skin Irrit. | Irritant to skin  |
| STEL        | Short-term exposure limit   |
| STOT SE     | Specific target organ toxicity - single exposure  |
| TWA         | Time-weighted average   |
| UEL         | Upper explosion limit (UEL)   |
| VOC         | Volatile Organic Compounds  |
| vPvB        | Very Persistent and very Bioaccumulative  |
| WEL         | Workplace exposure limit  |

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text   |
|------|--|
| H225 | Highly flammable liquid and vapour.                |
| H226 | Flammable liquid and vapour.                       |
| H304 | May be fatal if swallowed and enters airways.      |
| H315 | Causes skin irritation.                            |
| H319 | Causes serious eye irritation.                     |
| H336 | May cause drowsiness or dizziness.                 |
| H400 | Very toxic to aquatic life.                        |
| H411 | Toxic to aquatic life with long lasting effects.   |
| H412 | Harmful to aquatic life with long lasting effects. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.