# MACHEREY-NAGEL



## **Safety Data Sheet**

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 591015	FiFo MN 615 ff 1/4, 15,0 cm	Page: 1/6
Printing date: 01.10.2019	Date of issue: 06.09.2017	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

SLUT		Substance/inixture and or the company/undertaki
1.1	Product identifier	
	REF	591015
	Product name	FiFo MN 615 ff 1/4, 15,0 cm
	REACH Registration number(s): A registration number for the subs the substance or its use is exclude	see SECTION 3.1/3.2 or stance(s) does not exist because the annual tonnage does not require registration or ed from registration.
		1 x 100 p. folded filter papers
1.2	Relevant identified uses of the	e substance or mixture and uses advised against
	Relevant identified uses	-
	a. Product for analytical use.	
	Exposure Scenario Classific The exposure scenario is in	cation according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
		tration aid. Codes: SU 3, 9, 23, PC 2, 20, 29, 37, PROC 3, 5, ERC 4, 8a, 8b
		lso integrated into sections 1-16.
	Uses advised against not described	
		• • • • • •
1.3	Details of the supplier of the s	safety data sheet
	Manufactured by: MACHEREY-NAGEL GmbH & Co.	KG
	Neumann-Neander-Str. 6-8, 52355	
	Tel.: +49 2421 969 0	E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone numbe Information not necessary.	r
	You find our current versions of SDS (22 lar	nguages) in Internet: http://www.mn-net.com/SDS
SECT	ION 2: Hazard identificatio	'n
-		
2.1	Classification of the substance	e or mixture
	100 p. folded filter papers	
		Do not need labelling as hazardous
	Signal word	
	No hazard class	
2.2	Label elements	
	100 p. folded filter papers	
	Do not need labelling as h	nazardous
	Signal word: -	

Signal word: -

#### 2.3 Other hazards

### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. Less hazardous potential from dust. Cellulose is exempt from registration (REACh Art. 2 (7)a and Annex IV). -

### Information pertaining to particular risks to human and possible symptoms

MACHEREY-NAGEL	
MN	
ISO 9001	

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 591015	FiFo MN 615 ff 1/4, 15,0 cm	Page: 2/6
Printing date: 01.10.2019	Date of issue: 06.09.2017	

Information pertaining to particular risks to the environment Other hazards

listed

232-674-9

FJ5691460

KE-05339

80 - <100 %

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances or 3.2 Mixtures

### 100 p. folded filter papers

EC No.:

RTECS:

KE No .:

**TSCA** Inventory:

Concentration:

acc. CLP (GHS):

REACH Reg. No.:

Chemical: filter paper (cellulose CAS 9004-34-6) Classification: No criteria for classification or naming of chemical not required. Formula: (C<sub>6</sub> H<sub>10</sub> O<sub>5</sub> )<sub>n</sub>

The criteria for classification are not fulfilled.

exempt, Annex IV

CAS No .: -

3.3	Remarks
0.0	1.011101110

- - -

## **SECTION 4: First aid measures**

4.1	Description of first aid measures
	Place insured person out of danger zone to fresh air immediately

- 4.1.1 After SKIN Contact Remove dust with wetted tissue.
- 4.1.2 After EYE Contact Rub dust with teardrops from eyes
- 4.1.3 After INHALATION of vapours
- After inhalation of dust fresh air should be inhaled. ---
- 4.1.4 After ORAL Intake

#### 4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None.

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

#### Additional information 5.4



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

# **MACHEREY-NAGE**



# **Safety Data Sheet**

	591015 Ig date: 01.10.2019	FiFo MN 615 ff 1/4, 15,0 cm Date of issue: 06.09.2017		Page: 3/6
SEC	TION 6: Accidental rel	ease measures		
6.1	Personal precautions,	protective equipment and emergency	/ procedures	
6.2	Environmental precaut	ions		
6.3	•	or containment and cleaning up Flush used water into drains.		
6.4	Reference to other sec	tions		
SEC	TION 7: Handling and	storage		
7.1	Precautions for safe ha	Indling		
7.2		rage, including any incompatibilities f MACHEREY-NAGEL allows a safe storage. 11 nwg		
7.2.1	Requirements for stock	-		
7.3	<b>Specific end use(s)</b> a. Product for analytical use. b. Product used as cleaning an	d filtration aid.		
SEC	TION 8: Exposure con	trols/personal protection		
8.1	Control parameters			
	TRGS 900 (DE): SUVA(CH) MAK value: NIOSH:	s (cellulose CAS 9004-34-6) 1.25 A / 4 E mg/m <sup>3</sup> A/a aveoles passing, E/e respirable, G total 3 a mg/m <sup>3</sup> not listed verage to a reference period of 8 hours, [STEL] Short-term ex not listed	CAS No.: -	
8.2	Exposure controls Not necessary.			
3.2.1	Respiratory protection Not necessary			
3.2.2	Hand protection Not necessary.			
3.2.3	Eye protection Not necessary.			
3.2.4	Skin protection Not necessary.			
3.2.5	Personal hygiene			

Personal hygiene Information not necessary.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

### 100 p. folded filter papers

MACHEREY-NAGE **(MN)** ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 Tel.: +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 5	91015	FiFo MN 615 ff 1/4,	15,0 cm	Page: 4/6
Printing date: 01.10.2019		Date of issue: 06.09	Date of issue: 06.09.2017	
	Appearance: solid Solubility in water:	Colour: colourless 0 %	Odor: odorless	
9.2	Other information Relevant Properties of Substa	nce Group		
SECT	FION 10: Stability and i	reactivity		
10.1	Reactivity None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous None.	reactions		
10.4	Conditions to avoid Not known. None			
10.5	Incompatible materials Not known. Avoid contact with c	oncentrated acids and oxidizing agen	ts.	
10.6	Hazardous decompositi In the original package all parts/ period under recommended con	all reagents are safety and separated	stored. Decompositions are not observed durir	ng the expiration
SECT	ION 11: Toxicological	information		
11.1	Information on toxicolog	nical offocts		

### 11.1 Information on toxicological effects

Following information is valid for pure substances.

### 100 p. folded filter papers

Chemical: fi	iter paper (cellulose C/	AS 9004-34-6) CAS No.: -
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japar	PDSCL: not listed
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inve	entory: KE-05339	
LD50 <sub>orl rat</sub> :	>5000 mg/kg	
LC50 <sub>ihl rat</sub> :	>5800 <sub>4h</sub> mg/m <sup>3</sup>	
LD50 <sub>drm rbt</sub> :	>2000 mg/kg	

## **SECTION 12: Ecological information**

### 12.1 Toxicity

### Following information is valid for pure substances.

100 p. folded filter pape	00 p. folded filter papers		
Chemical:	filter paper (cellulose CAS 9004-34-6)		
Water hazard class (	DE): nwg		
Storage class (VCI):	11		

### 12.2 Persistence and degradability

not necessary

# 12.3 Bioaccumulative potential

not necessary

www.mn-net.com



Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

CAS No .: -



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 591015	FiFo MN 615 ff 1/4, 15,0 cm	Page: 5/6
Printing date: 01.10.2019	Date of issue: 06.09.2017	

#### Mobility in soil 12.4 not necessarv

- 12.5 Results of PBT and vPvB assessment no data available
- 12.6 Other adverse effects no additional data available

### SECTION 13: Disposal considerations

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

## SECTION 14: Transport information

14.1 - 14.4 Not necessary

- 14.5 Environmental hazards none
- 14.6 Special precautions for user not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC Look for your country-specific regulations.

15.2 Chemical safety assessment

## **SECTION 16: Other information**

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases

#### 16.2 Training advice

None

Regular safety training

#### 16.3 **Recommended restriction on use**

### 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2018 SUVA .CH, Limits in air at work 2009, revised on 01.2009



www.mn-net.com

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

# **MACHEREY-NAGEI**



# **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 591015	FiFo MN 615 ff 1/4, 15,0 cm	Page: 6/6
Printing date: 01.10.2019	Date of issue: 06.09.2017	

KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

**Revisions/Updates** 

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

MACHEREY-NAGE  $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.10.1 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com