acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.

article number: HN26 Version: 2.0 en

Replaces version of: 2019-04-04 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance	Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.		
Article number	HN26		
EC number	233-828-8		
CAS number	20694-39-7		
Relevant identified uses of the substance or mixture and uses advised against			

1.2

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS



date of compilation: 2019-04-04

Revision: 2022-07-07

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms



Hazard statements

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H373	May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled)
H412	Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P260	Do not breathe dusts or mists
P280	Wear protective gloves/eye protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Manganese(II)-nitrate Tetrahydrate
Molecular formula	$Mn(NO_3)_2 \cdot 4 H_2O$
Molar mass	251 ^g / _{mol}
CAS No	20694-39-7
EC No	233-828-8

Substance, Specific Conc. Limits, M-factors, ATE					
Specific Conc. Limits	M-Factors	ATE	Exposure route		
-	-	>300 ^{mg} / _{kg}	oral		

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

SECTION 7: Handling and storage

Precautions for safe handling 7.1

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Hygroscopic.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
EU	manganese, inorganic compounds		IOELV	0,05			r	2017/164/ EU
GB	manganese, inorganic compounds		WEL	0,2			Mn, i	EH40/2005
GB	manganese, inorganic compounds		WEL	0,05			Mn, r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

- Mn Calculated as Mn (manganese) Respirable fraction
- STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties			
	Physical state	solid		
	Form	powder, crystalline		
	Colour	pink		
	Odour	characteristic - Nitric acid		
	Melting point/freezing point	37 °C		
	Boiling point or initial boiling point and boiling range	129 °C		
	Flammability	non-combustible		
	Lower and upper explosion limit	not determined		
	Flash point	not applicable		
	Auto-ignition temperature	not determined		
	Decomposition temperature	>140 °C		
	pH (value)	3 (in aqueous solution: 50 ^g / _l , 20 °C)		
	Kinematic viscosity	not relevant		
	Solubility(ies)			
	Water solubility	~3.800 ^g / _l at 20 °C		
	Partition coefficient			
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)		
	Vapour pressure	not determined		
	Density and/or relative density			
	Density	2,13 ^g / _{cm³} at 20 °C		
	Relative vapour density	information on this property is not available		
	Bulk density	750 – 950 ^{kg} / _{m³}		
	Particle characteristics	No data available.		
	Other safety parameters			
	Oxidising properties	oxidiser		
9.2	Other information			
	Information with regard to physical hazard classes:	There is no additional information.		
	Other safety characteristics:	There is no additional information.		

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.

article number: HN26

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Reducing agents, Strong alkali, Combustible materials

10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >140 °C. Protect from moisture.

10.5 Incompatible materials

combustible materials, reducing agents

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>300 ^{mg} / _{kg}	rat		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	brain	if inhaled

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)						
Endpoint	Value	Species	Source	Exposure time		
LC50	12,4 ^{mg} / _l	fish		96 h		
EC50	>100 ^{mg} / _l	daphnia magna		48 h		
EC50	>1.000 ^{mg} / _l	Bakterien		24 h		
NOEC	1 ^{mg} / _l	Grünalge		72 h		
ErC50	61 ^{mg} / _l	Grünalge		72 h		

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.

article number: HN26

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.
- **12.7 Other adverse effects** Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 2724
	IMDG-Code	UN 2724
	ICAO-TI	UN 2724
14.2	UN proper shipping name	
	ADRRID	MANGANESE NITRATE
	IMDG-Code	MANGANESE NITRATE
	ICAO-TI	Manganese nitrate
14.3	Transport hazard class(es)	
	ADRRID	5.1



acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional
information

Proper shipping name	MANGANESE NITRATE
Particulars in the transport document	UN2724, MANGANESE NITRATE, 5.1, III, (E)
Classification code	02
Danger label(s)	5.1
51	
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	50
Emergency Action Code	1Z
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	02
Danger label(s)	5.1
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Hazard identification No	50

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

International Maritime Dangerous Goods C	code (IMDG) - Additional information
Proper shipping name	MANGANESE NITRATE
Particulars in the shipper's declaration	UN2724, MANGANESE NITRATE, 5.1, III
Marine pollutant	-
Danger label(s)	5.1
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-Q
Stowage category	A
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information
Proper shipping name	Manganese nitrate
Particulars in the shipper's declaration	UN2724, Manganese nitrate, 5.1, III
Danger label(s)	5.1
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive								
2012/18/EU (Seveso III)								
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements						
P8	oxidising liquids and solids	50	200	55)				

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 % 0 ^g / ₁	
-------------	--------------------------------------	--

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

Industrial Emissions Directive (IED)				
VOC content	0 %			
VOC content	0 ^g /l			

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)							
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks			
Manganese(II)-nitrate Tetrahy- drate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)				
Manganese(II)-nitrate Tetrahy- drate	Metals and their compounds		a)				

Legend A)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

N	at	io	na	l i	in	ve	n	to	ri	es
	uc					v د		ιv		

Country	Inventory	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

Legend

EcsiEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaNZIOCNew Zealand Inventory of ChemicalsPICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev-
			ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: HN26

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/ 161/EU
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

acc. to Regulation (EC) No. 1907/2006 (REACH)

Manganese(II)-nitrate Tetrahydrate ≥98 %, p.a.



article number: **HN26**

Abbr. Descriptions of used abbreviations		
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals		
		RID
STEL	STEL Short-term exposure limit TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	
TWA		
VOC		
vPvB		
WEL Workplace exposure limit		

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H373	May cause damage to organs (brain) through prolonged or repeated exposure (if inhaled).	
H412	Harmful to aquatic life with long lasting effects.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.