

# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47 date of compilation: 2015-09-29 Revision: 2021-05-05 Version: 5.0 en

Replaces version of: 2020-07-28

Version: (4)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 **Product identifier**

Identification of the substance **Dimethyl sulfoxide** ROTISOLV® ≥99,99 %, Head-

space Grade

Article number HN47

Registration number (REACH) 01-2119431362-50-xxxx

EC number 200-664-3 CAS number 67-68-5 Alternative name(s) **DMSO** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

Details of the supplier of the safety data sheet 1.3

> Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Dimethyl sulfoxide

Molecular formula C<sub>2</sub>H<sub>6</sub>OS

Molar mass 78,13 <sup>g</sup>/<sub>mol</sub>

REACH Reg. No 01-2119431362-50-xxxx

CAS No 67-68-5 EC No 200-664-3

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air.

### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

United Kingdom (en) Page 2 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Provide adequate ventilation. Do not breathe vapour/spray. Eliminate all ignition sources if safe to do so.

# **6.2** Environmental precautions

Keep away from drains, surface and ground water.

# 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 3 / 14



Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

# Protect against external exposure, such as

humidity, contact with air/oxygen

Consideration of other advice:

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**National limit values** 

# **Occupational exposure limit values (Workplace Exposure Limits)**

Data are not available.

#### **Human health values**

# Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	484 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	265 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	200 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 4 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental compartment	Exposure time	
PNEC	17 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	1,7 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	11 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	13,4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	3,02 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

## 8.2 Exposure controls

Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection.

### Skin protection





### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

# type of material

Butyl caoutchouc (butyl rubber)

### material thickness

≥0,3 mm

### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

United Kingdom (en) Page 5 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state liquid
Colour clear

Odour odourless

Melting point/freezing point 18,5 °C (ECHA)

Boiling point or initial boiling point and boiling

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 2,6 vol% - 28,5 vol%

Flash point 87 °C at 1.013 hPa (ECHA)

Auto-ignition temperature 300 – 302 °C at 1.013 hPa (ECHA) (auto-ignition

temperature (liquids and gases))

189 °C at 1.013 hPa (ECHA)

Decomposition temperature 189 °C (ECHA) pH (value) not determined Kinematic viscosity 1,945  $^{\text{mm}^2}$ /s at 20 °C

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): -1,35 (pH value: 7, 20 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,645 (ECHA)

Vapour pressure 0,417 mmHg at 20 °C

Density  $1,1 \text{ g/}_{\text{cm}^3}$  at 20 °C

Relative vapour density 2,7 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

United Kingdom (en) Page 6 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

#### 9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 300°C

# SECTION 10: Stability and reactivity

### Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

Hygroscopic.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Chlorates, Potassium, Sodium, Nitrate, Perchlorates, Permanganates, Nitric acid, Acid chlorides, inorganic, Strong acid, Phosphorus oxides (PxOy), => Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 189 °C.

#### 10.5 Incompatible materials

Rubber articles, different plastics

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

# **Acute toxicity**

Shall not be classified as acutely toxic.

#### **Acute toxicity Exposure route Endpoint Value Species** Method Source LD50 28.300 mg/kg **ECHA** oral rat 40.000 mg/kg LD50 **ECHA** dermal rat

Page 7 / 14 United Kingdom (en)





# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

# • If swallowed

Data are not available.

### • If in eyes

slightly irritant but not relevant for classification

#### • If inhaled

Data are not available.

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

#### Other information

Other adverse effects: Liver and kidney damage, Headache, Nausea

# 11.2 Endocrine disrupting properties

Not listed.

# 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 8 / 14



# **Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade**

article number: HN47

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	>25 <sup>g</sup> / <sub>l</sub>	fish	96 h
EC50	24,6 <sup>g</sup> / <sub>l</sub>	aquatic invertebrates	48 h
ErC50	17 <sup>g</sup> / <sub>l</sub>	algae	72 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	100 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min

# **Biodegradation**

Data are not available.

### 12.2 Process of degradability

Theoretical Oxygen Demand: 1,843  $^{\rm mg}/_{\rm mg}$  Theoretical Carbon Dioxide: 1,127  $^{\rm mg}/_{\rm mg}$ 

# **Process of degradability**

Process	Degradation rate	Time
oxygen depletion	0 %	0 d

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-1,35 (pH value: 7, 20 °C) (ECHA)
BCF	3,16 (ECHA)

# 12.4 Mobility in soil

Henry's law constant	0,001 <sup>Pa m³</sup> / <sub>mol</sub> at 21 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,645 (ECHA)

### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Not listed.

### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 9 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

# Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1	UN number or ID number	not subject to transport regulations
------	------------------------	--------------------------------------

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United Kingdom (en) Page 10 / 14



Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes	
	not assigned			

#### **Deco-Paint Directive**

VOC content	100 % 1.100 <sup>g</sup> / <sub>l</sub>

### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.100 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

**Water Framework Directive (WFD)** 

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

United Kingdom (en) Page 11 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

#### **National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR CSCL-ENCS Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC Domestic Substances List (DSL)

Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substances Inventory

TCSI TSCA Taiwan Chemical Substance Inventory

**Toxic Substance Control Act** 

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# SECTION 16: Other information

### **Indication of changes (revised safety data sheet)**

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

United Kingdom (en) Page 12 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by I land Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (Europea Agreement concerning the International Carriage of Dangerous Goods by Road)	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causir 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality durin specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regu tions concerning the International carriage of Dangerous goods by Rail)	
SVHC	Substance of Very High Concern	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

United Kingdom (en) Page 13 / 14



# Dimethyl sulfoxide ROTISOLV® ≥99,99 %, Headspace Grade

article number: HN47

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14