

date of compilation: 2015-11-02

Revision: 2021-07-07

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

article number: **HN92** Version: **2.0 en** Replaces version of: 2015-11-02 Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Formic acid D2 95 % solution in  $D_2O$ , 98 Atom%D

HN92

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

EC number

CAS number

213-057-3 920-42-3

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

## **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

## sicherheit@carlroth.de

## 1.4 Emergency telephone number

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

according to Regulation (EC) No. 1907/2006 (REACH)



## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

## article number: HN92

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

## Supplemental hazard information

Code	Supplemental hazard information			
EUH071	corrosive to the respiratory tract			

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

#### Pictograms

GHS02, GHS05, GHS06



## Hazard statements

## **Precautionary statements**

## Precautionary statements - prevention

P260	Do not breathe mist/vapours
P280	Wear protective gloves/protective clothing/eye protection/face protection/hear-
	ing protection

according to Regulation (EC) No. 1907/2006 (REACH)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



article number: HN92

## **Precautionary statements - response**

P301+P330+P331 P303+P361+P353	IF SWALLOWED: rinse mouth. Do NOT induce vomiting IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P310	lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

### Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H314 H331	Causes severe skin burns and eye damage. Toxic if inhaled.
P260 P280 P301+P330+P331	Do not breathe mist/vapours. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
EUH071	Corrosive to the respiratory tract.

#### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	Formic acid D2
Molecular formula	$CD_2O_2$
Molar mass	48,04 <sup>g</sup> / <sub>mol</sub>
CAS No	920-42-3
EC No	213-057-3

## Impurities and additives, classification acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Deuterium oxide	CAS No 7789-20-0	5		
	EC No 232-148-9			

according to Regulation (EC) No. 1907/2006 (REACH)

# ® ROTH

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

article number: HN92

Substance, Specific Conc. Limits, M-factors, ATE						
Specific Conc. Limits	M-Factors	ATE	Exposure route			
Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 %	-	730 <sup>mg</sup> / <sub>kg</sub> 7,85 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: vapor			

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

### **Following inhalation**

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

## **Following ingestion**

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

## 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Dyspnoea

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



### article number: HN92

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains.

## Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

according to Regulation (EC) No. 1907/2006 (REACH)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



article number: HN92

## Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

### Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

Store locked up. Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	formic acid	64-18-6	IOELV	5	9						2006/15/ EC
GB	formic acid	64-18-6	WEL	5	9,6						EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



article number: HN92

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

CR: chloroprene (chlorobutadiene) rubber

#### • material thickness

0,65 mm

## • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)





## article number: HN92

## **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties						
	Physical state	liquid					
	Colour	colourless					
	Odour	stinging					
	Melting point/freezing point	8 °C					
	Boiling point or initial boiling point and boiling range	ng 101 °C at 1.013 hPa					
	Flammability	flammable liquid in accordance with GHS criteria					
	Lower and upper explosion limit	12 vol% - 38 vol%					
	Flash point	49 °C at 1.013 hPa (c.c.)					
	Auto-ignition temperature	528 °C					
	Decomposition temperature	not relevant					
	pH (value)	2,2 (in aqueous solution: 10 <sup>g</sup> / <sub>l</sub> , 20 °C)					
	Kinematic viscosity	not determined					
	Solubility(ies)						
	Water solubility	miscible in any proportion					
	Partition coefficient						
	Partition coefficient n-octanol/water (log value):	this information is not available					
	Vapour pressure	43 hPa at 20 °C 55 hPa at 25 °C 171 hPa at 50 °C					
	Density	1,22 <sup>g</sup> / <sub>cm³</sub> at 20 °C					
	Relative vapour density	1,59 (air = 1)					
	Particle characteristics	not relevant (liquid)					
	Other safety parameters						
	Oxidising properties	none					
9.2	Other information						
	Information with regard to physical hazard classes:						
	Corrosive to metals	category 1: corrosive to metals					
	Other safety characteristics:						
	Miscibility	completely miscible with water					
Unite	ed Kingdom (en)	Page 8 / 18					

United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

## article number: HN92

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on the equipment: 450°C

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

It's a reactive substance. Risk of ignition. Substance or mixture corrosive to metals.

## If heated

Risk of ignition. Vapours may form explosive mixtures with air.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

T1

## 10.3 Possibility of hazardous reactions

**Danger of explosion:** Mixtures of sodium hypochlorite, Metal catalyst, Nitro compound, Hydrogen peroxide, **Exothermic reaction with:** Alkali hydroxide (caustic alkali), Strong alkali, Oxidisers, Nitric acid, Sul-

phuric acid, concentrated

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5 Incompatible materials

different metals

**10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

## Acute toxicity

Harmful if swallowed. Toxic if inhaled.

## Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

according to Regulation (EC) No. 1907/2006 (REACH)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



### article number: HN92

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

## • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

### • If inhaled

corrosive to the respiratory tract, cough, Dyspnoea, pulmonary oedema

### • If on skin

causes severe burns, causes poorly healing wounds

### • Other information

none

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## **Biodegradation**

Data are not available.

**12.2** Process of degradability Theoretical Carbon Dioxide: 0,9161 <sup>mg</sup>/<sub>mg</sub>

## 12.3 Bioaccumulative potential

Data are not available.

- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.
- **12.7 Other adverse effects** Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)





article number: HN92

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1779
	IMDG-Code	UN 1779
	ICAO-TI	UN 1779
14.2	UN proper shipping name	
	ADR/RID/ADN	FORMIC ACID
	IMDG-Code	FORMIC ACID
	ICAO-TI	Formic acid
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8 (3)
	IMDG-Code	8 (3)
	ICAO-TI	8 (3)
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

according to Regulation (EC) No. 1907/2006 (REACH)



## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

article number: HN92

## **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail information	and inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	FORMIC ACID
Particulars in the transport document	UN1779, FORMIC ACID, 8 (3), II, (D/E)
Classification code	CF1
Danger label(s)	8+3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	83
Emergency Action Code	2W
International Maritime Dangerous Goods (	Code (IMDG) - Additional information
Proper shipping name	FORMIC ACID
Particulars in the shipper's declaration	UN1779, FORMIC ACID, 8 (3), II, 49°C c.c.
Marine pollutant	-
Danger label(s)	8+3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	Α
Segregation group	1 - Acids
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information
Proper shipping name	Formic acid
Particulars in the shipper's declaration	UN1779, Formic acid, 8 (3), II
Danger label(s)	8+3
Excepted quantities (EQ)	E2

according to Regulation (EC) No. 1907/2006 (REACH)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



article number: HN92

Limited quantities (LQ)

0,5 L

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Formic acid D2	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Formic acid D2	flammable / pyrophoric		R40	40
Formic acid D2	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public of entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,

'whoopee' cushions,

silly string aerosols

- imitation excrement,
- horns for parties,
- decorative flakes and foams,

- artificial cobwebs,

 stink bombs. 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



#### article number: HN92



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH)



## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

## article number: HN92

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

### **Deco-Paint Directive**

VOC content         100 %           1.299 g/l         1.299 g/l
---

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.281 <sup>g</sup> / <sub>l</sub>
VOC content Water content was discounted	1.299 <sup>g</sup> / <sub>l</sub>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

#### Water Framework Directive (WFD)

not listed

## Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

according to Regulation (EC) No. 1907/2006 (REACH)

## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D



### article number: HN92

## **Regulation concerning the export and import of hazardous chemicals (PIC)**

not listed

## **Regulation on persistent organic pollutants (POP)**

not listed

## National inventories

Country	Inventory	Status
EU	ECSI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed

### Legend

ECSI NZIoC TCSI

EC Substance Inventory (EINECS, ELINCS, NLP) New Zealand Inventory of Chemicals Taiwan Chemical Substance Inventory

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Supplemental hazard information	yes
2.2		Supplemental hazard information: change in the listing (table)	yes

according to Regulation (EC) No. 1907/2006 (REACH)



## Formic acid D2 95 % solution in D<sub>2</sub>O, 98 Atom%D

## article number: HN92

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	

according to Regulation (EC) No. 1907/2006 (REACH)



## Formic acid D2 95 % solution in $D_2O$ , 98 Atom%D

## article number: **HN92**

Abbr.	Descriptions of used abbreviations
index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulat (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.