according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

# ROTH

#### Standard zero (0) oxygen calibration solution

article number: **HPL0** date of compilation: 2020-03-16 Version: **1.0 en** 

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Sodium sulphite

Article number HPL0

Registration number (REACH)

This information is not available.

EC number 231-821-4 CAS number 7757-83-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

laboratory and analytical use

sicherheit@carlroth.de

#### 1.3 Details of the supplier of the safety data sheet

supplier

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:** +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

e-mail (competent person):

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet:

steet.

#### Manufacturer

Dostmann Electronic GmbH Waldenbergweg 3B 97877 Wertheim

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons In- formation Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

Emergency information service

+49/(0)89 19240

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

#### Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	(Acute Tox. 4)	H302
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319

#### Supplemental hazard information

Code	Supplemental hazard information
EUH031	contact with acids liberates toxic gas

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

#### **Pictograms**

GHS07



#### **Hazard statements**

H302 Harmful if swallowed H315 Causes skin irritation H319 Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P264 Wash hands thoroughly after handling. P280 Wear protective gloves/eye protection.

#### **Precautionary statements - response**

P337+P313 If eye irritation persists: Get medical advice/attention.

#### **Supplemental hazard information**

EUH031 Contact with acids liberates toxic gas.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

EUH031 Contact with acids liberates toxic gas.

#### 2.3 Other hazards

There is no additional information.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Sodium sulphite

EC number 231-821-4 CAS number 7757-83-7 Molecular formula  $Na_2O_3S$  Molar mass  $126 \, {}^g/_{mol}$ 

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: sulphur oxides (SOx)

#### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust. Avoid contact with skin, eyes and clothes.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 7: Handling and storage**

#### **Precautions for safe handling** 7.1

No special measures are necessary.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice

Ventilation requirements

Use local and general ventilation.

#### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Country	Name of agent	CAS No	Nota- tion	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Source
GB	dust		i	WEL	10				EH40/2005
GB	dust		r	WEL	4				EH40/2005

#### Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

#### Relevant DNELs/DMELs/PNECs and other threshold levels

#### human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	298 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

#### environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	1,33 <sup>mg</sup> / <sub>l</sub>	freshwater	short-term (single instance)
PNEC	0,13 <sup>mg</sup> / <sub>l</sub>	marine water	short-term (single instance)
PNEC	99,9 <sup>mg</sup> / <sub>l</sub>	sewage treatment plant (STP)	short-term (single instance)

## 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state solid (powder, crystalline)

Colour white

Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) 8,8 – 10 (water: 50 <sup>g</sup>/<sub>l</sub>, 20 °C)

Melting point/freezing point 911 °C

Initial boiling point and boiling range This information is not available.

Flash point not applicable
Evaporation rate no data available

Flammability (solid, gas)

These information are not available

**Explosive limits** 

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available
 Explosion limits of dust clouds
 these information are not available
 Vapour pressure
 This information is not available.

Density  $2,63 \, {}^{9}/_{cm^3}$ 

Vapour density This information is not available.

Bulk density  $1.480 \, \text{kg/m}^3$ 

Relative density Information on this property is not available.

Solubility(ies)

Water solubility 307.000 <sup>mg</sup>/<sub>1</sub> at 25 °C

Partition coefficient

n-octanol/water (log KOW) -4 (25 °C) (OECD 107)

Auto-ignition temperature Information on this property is not available.

Decomposition temperature >500 °C

Viscosity not relevant (solid matter)

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

There is no additional information.

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >500 °C.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat	ECHA
inhalation: dust/mist	LC50	>5,5 <sup>mg</sup> / <sub>l</sub> /4h	rat	ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat	ECHA

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

#### Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

data are not available

• If in eyes

data are not available

If inhaled

data are not available

• If on skin

causes skin irritation

Other information

None

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

#### **Aquatic toxicity (acute)**

Endpoint	Value	Species	Source	Exposure time
LC50	<464 <sup>mg</sup> / <sub>I</sub>	fish	ECHA	96 h
EC50	89 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	43,8 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

#### **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
EC50	410 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	17 h
NOEC	≥316 <sup>mg</sup> / <sub>I</sub>	fish	ECHA	34 d
growth (EbCx) 10%	153 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	17 h

#### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)

-4 (25 °C)

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number	(not subject to transport regulations)
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	not relevant
	Class	-
14.4	Packing group	not relevant not assigned to a packing group
14.5	Environmental hazards	<b>none</b> (non-environmentally hazardous acc. to the dangerous goods regulations)

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

United Kingdom (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
  - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

Restrictions according to REACH, Annex XVII

not listed

• Restrictions according to REACH, Title VIII

None.

- List of substances subject to authorisation (REACH, Annex XIV)/SVHC candidate list not listed
- Seveso Directive

201	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
	not assigned					

• Directive 75/324/EEC relating to aerosol dispensers

#### Filling batch

**Deco-Paint Directive (2004/42/EC)** 

VOC content	0 %
Directive on industrial emissions (VOCs, 2010/75	/EU)
VOC content	0 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

United Kingdom (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

#### **National inventories**

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS Australian Inventory of Chemical Substances

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) CICR CSCL-ENCS DSL

ECSI IECSC

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

**INSQ** 

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	ceiling value	

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
SVHC	Substance of Very High Concern
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

## Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Standard zero (0) oxygen calibration solution

article number: HPL0

- International Maritime Dangerous Goods Code (IMDG)

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H315	causes skin irritation
H319	causes serious eye irritation

#### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 14 / 14