acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2015-10-28

Revision: 2022-07-08

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: **K302** Version: **4.0 en** Replaces version of: 2020-01-13 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substanceL(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISOArticle numberK302EC number201-766-0CAS number87-69-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---------------------------------------|---------------|---------------------------|---------------------|
| 3.3 | 3.3 Serious eye damage/eye irritation | | Eye Dam. 1 | H318 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

acc. to Regulation (EC) No. 1907/2006 (REACH)



L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: K302

| Labelling | |
|-------------------|---|
| Signal word | Danger |
| Pictograms | |
| GHS05 | |
| Hazard statemen | ts |
| H318 | Causes serious eye damage |
| Precautionary sta | itements |
| Precautionary sta | itements - prevention |
| P280 | Wear eye protection/face protection |
| Precautionary sta | itements - response |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P310 | Immediately call a POISON CENTER/doctor |

Other hazards 2.3

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

| Name of substance | L(+)-Tartaric acid |
|-------------------|-------------------------------------|
| Molecular formula | $C_4H_6O_6$ |
| Molar mass | 150,1 ^g / _{mol} |
| CAS No | 87-69-4 |
| EC No | 201-766-0 |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO



article number: **K302**

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Risk of serious damage to eyes, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: K302

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [mg/ m ³] | Nota- tion | Source |
|-------------|---------------|--------|-----------------|--------------------|---------------------|--|---------------|-----------|
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur



acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO



article number: K302

| Notation | |
|----------|--|
| i | Inhalable fraction |
| r | Respirable fraction |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: **K302**

SECTION 9: Physical and chemical properties

| 9.1 | 9.1 Information on basic physical and chemical properties | | |
|-----|---|--|--|
| | Physical state | solid | |
| | Form | powder, crystalline | |
| | Colour | white | |
| | Odour | characteristic | |
| | Melting point/freezing point | 168 – 170 °C | |
| | Boiling point or initial boiling point and boiling range | 179,1 °C at 101 kPa (ECHA) | |
| | Flammability | this material is combustible, but will not ignite readily | |
| | Lower and upper explosion limit | not determined | |
| | Flash point | >100 °C at 102,3 kPa (ECHA) | |
| | Auto-ignition temperature | 375 °C at 101,5 kPa (ECHA) (relative self-ignition temperature for solids) | |
| | Decomposition temperature | >170 °C | |
| | pH (value) | 1 – 2 (in aqueous solution: 150 ^g / _l , 25 °C) | |
| | Kinematic viscosity | not relevant | |
| | Solubility(ies) | | |
| | Water solubility | 1.000 ^g / _l at 25 °C (ECHA) | |
| | Partition coefficient | | |
| | Partition coefficient n-octanol/water (log value): | -1,91 (20 °C) (ECHA) | |
| | Vapour pressure | <5 Pa at 20 °C | |
| | Density and/or relative density | | |
| | Density | 1,76 ^g / _{cm³} at 20 °C | |
| | Relative vapour density | information on this property is not available | |
| | Bulk density | 800 – 1.100 ^{kg} / _{m³} | |
| | Particle characteristics | No data available. | |
| | Other safety parameters | | |
| | Oxidising properties | none | |
| 9.2 | Other information | | |
| | Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant | |



acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: K302

Other safety characteristics:

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali, Hydrogen peroxide

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >170 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity | | | | | |
|----------------|----------|--------------------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | >2.000 ^{mg} / _{kg} | rat | | ECHA |
| dermal | LD50 | >2.000 ^{mg} / _{kg} | rat | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO



article number: K302

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Inhalation of dust may cause irritation of the respiratory system, cough, Dyspnoea

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

• Other information

none

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) | | | | | |
|--------------------------|------------------------------------|-----------------------|--------|------------------|--|
| Endpoint | Value | Species | Source | Exposure time | |
| LC50 | >100 ^{mg} / _l | fish | ECHA | 96 h | |
| EC50 | 93,31 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h | |
| ErC50 | ≥100 ^{mg} / _l | algae | ECHA | 72 h | |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|-------------------------------------|----------------|--------|------------------|
| EC50 | >1.000 ^{mg} / _l | microorganisms | ECHA | 3 h |

Biodegradation

The substance is readily biodegradable.

acc. to Regulation (EC) No. 1907/2006 (REACH)



L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: K302

12.2 Process of degradability

Theoretical Oxygen Demand: 0,533 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,173 ^{mg}/_{mg}

Process of degradability

| Process | Degradation rate | Time |
|------------------|------------------|------|
| oxygen depletion | 85 % | 28 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | n-octanol/water (log KOW) | -1,91 (20 °C) (ECHA) |
|--|---------------------------|----------------------|
|--|---------------------------|----------------------|

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: K302

SECTION 14: Transport information

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards



not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes |
| | not assigned | | |

Deco-Paint Directive

| VOC content 100 % 1.760 ^g / _l |
|--|
|--|

Industrial Emissions Directive (IED)



acc. to Regulation (EC) No. 1907/2006 (REACH)



L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: K302

| VOC content | 0 % |
|-------------|-------------------|
| VOC content | 0 ^g /l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO



article number: K302

| Country | Inventory | Status |
|---------|-----------|---------------------|
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| Legena | |
|-----------|---|
| AIIĊ | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|--|--------------------------|
| 2.1 | | Classification acc. to GHS: change in the listing (table) | yes |
| 2.2 | Signal word: Warning | Signal word: Danger | yes |
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - response: change in the listing (table) | yes |
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |

acc. to Regulation (EC) No. 1907/2006 (REACH)

® BOTH

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO

article number: **K302**

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|--|--------------------------|
| 2.3 | | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |

acc. to Regulation (EC) No. 1907/2006 (REACH)

L(+)-Tartaric acid ≥99,5 %, p.a., ACS, ISO



article number: **K302**

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|----------------------------|
| H318 | Causes serious eye damage. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.