

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**
Version: **4.1 en**
Replaces version of: 2022-07-08
Version: (4)

date of compilation: 2015-06-29
Revision: 2022-07-11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|---------------------------------|
| Identification of the substance | Sodium azide ≥99 %, p.a. |
| Article number | K305 |
| EC number | 247-852-1 |
| CAS number | 26628-22-8 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for squirting or spraying. Do not use for products which come into contact with food-stuffs. Do not use for private purposes (household). |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|-------------------------------------------------------|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|-------------------------------------------------------|-----------|---------------------------|------------------|
| 3.1O | Acute toxicity (oral) | 2 | Acute Tox. 2 | H300 |
| 3.1D | Acute toxicity (dermal) | 1 | Acute Tox. 1 | H310 |
| 3.1I | Acute toxicity (inhal.) | 2 | Acute Tox. 2 | H330 |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |
| 4.1A | Hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 1 | Aquatic Chronic 1 | H410 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|---------------------------------------------|
| EUH032 | contact with acids liberates very toxic gas |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS06, GHS08,
GHS09



Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled
H373 May cause damage to organs (brain) through prolonged or repeated exposure
H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P270 Do not eat, drink or smoke when using this product
P273 Avoid release to the environment
P280 Wear protective gloves/protective clothing

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P310 Immediately call a POISON CENTER/doctor

Supplemental hazard information

EUH032 Contact with acids liberates very toxic gas.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide $\geq 99\%$, p.a.

article number: K305

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|--------------|
| Name of substance | Sodium azide |
| Molecular formula | N_3Na |
| Molar mass | 65,01 g/mol |
| CAS No | 26628-22-8 |
| EC No | 247-852-1 |

| Substance, Specific Conc. Limits, M-factors, ATE | | | |
|--------------------------------------------------|-----------|----------------------------------------|---------------------------------------------|
| Specific Conc. Limits | M-Factors | ATE | Exposure route |
| - | - | 27 mg/kg 20 mg/kg >0,054 mg/l/4h | oral dermal inhalation: dust/ mist |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider. Symptoms can occur only after several hours.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Call a physician in any case.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Nausea, Vomiting, Headache, Vertigo, Unconsciousness, Circulatory collapse, Acute respiratory distress

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
dry extinguishing powder, D-powder, dry sand

Unsuitable extinguishing media

water, foam, carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [mg/m ³] | STEL [mg/m ³] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|------------|------------|--------------------------|---------------------------|--------------------------------|----------|------------|
| EU | sodium azide | 26628-22-8 | IOELV | 0,1 | 0,3 | | H | 2000/39/EC |
| GB | dust | | WEL | 10 | | | i | EH40/2005 |
| GB | dust | | WEL | 4 | | | r | EH40/2005 |
| GB | sodium azide | 26628-22-8 | WEL | 0,1 | 0,3 | | | EH40/2005 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur
H Absorbed through the skin
i Inhalable fraction
r Respirable fraction

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

Notation

| | |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Human health values

| Relevant DNELs and other threshold levels | | | | |
|-------------------------------------------|-------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 0,164 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 46,7 µg/kg | human, dermal | worker (industry) | chronic - systemic effects |

Environmental values

| Relevant PNECs and other threshold levels | | | | |
|-------------------------------------------|-----------------|-------------------|------------------------------|------------------------------|
| End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| PNEC | 0,35 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 30 µg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 16,7 µg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| PNEC | 0,72 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

≥0,3 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|----------------------------------------------------------|------------------------------------------|
| Physical state | solid |
| Form | crystalline |
| Colour | colourless - white |
| Odour | odourless |
| Melting point/freezing point | ~370 °C |
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | 309 °C (ECHA) |
| Decomposition temperature | >370 °C |
| pH (value) | ~10 (in aqueous solution: 10 g/l, 20 °C) |
| Kinematic viscosity | not relevant |
| <u>Solubility(ies)</u> | |
| Water solubility | ~400 g/l at 20 °C |
| <u>Partition coefficient</u> | |
| Partition coefficient n-octanol/water (log value): | not relevant (inorganic) |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

| | |
|----------------------------------------|-----------------------------------------------|
| Soil organic carbon/water (log KOC) | 2,729 (ECHA) |
| Vapour pressure | not determined |
| <u>Density and/or relative density</u> | |
| Density | 1,846 g/cm ³ at 20 °C |
| Relative vapour density | information on this property is not available |
| Particle characteristics | No data available. |
| <u>Other safety parameters</u> | |
| Oxidising properties | none |

9.2 Other information

| | |
|-----------------------------------------------------|-------------------------------------------------------------|
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics: | There is no additional information. |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Potassium nitrate, Lead, Copper, Bromine, Water, Dimethyl sulphate, Dichloromethane, Acids, Nitric acid, Carbon disulfide, Sulphuric acid, Heavy metals,
=> Explosive properties

10.4 Conditions to avoid

Humidity. Keep away from heat. Decomposition takes place from temperatures above: >370 °C.

10.5 Incompatible materials

aluminium, lead, copper, Heavy metals

Release of toxic materials with

Acids.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

| Acute toxicity | | | | | |
|---------------------------|----------|---------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| inhalation: dust/ mist | LC50 | >0,054 – <0,52 mg/ /4h | rat | | ECHA |
| oral | LD50 | 27 mg/kg | rat | | TOXNET |
| dermal | LD50 | 20 mg/kg | rat | | TOXNET |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure.

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 2 | brain | if exposed |

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea

• If in eyes

Data are not available.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

• **If inhaled**

irritant effects, breathing difficulties, Dyspnoea

• **If on skin**

risk of absorption via the skin

• **Other information**

Other adverse effects: Cardiovascular system, Headache, Vertigo, Spasms, Circulatory collapse, Unconsciousness

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) | | | | |
|--------------------------|-----------|---------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 2,75 mg/l | fish | ECHA | 96 h |
| EC50 | 0,35 mg/l | algae | ECHA | 96 h |

| Aquatic toxicity (chronic) | | | | |
|----------------------------|-----------|----------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| EC50 | 79,3 mg/l | microorganisms | ECHA | 3 h |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

| | |
|------------------------------------------------------|--------------|
| The Organic Carbon normalised adsorption coefficient | 2,729 (ECHA) |
|------------------------------------------------------|--------------|

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADRRID | UN 1687 |
| IMDG-Code | UN 1687 |
| ICAO-TI | UN 1687 |

14.2 UN proper shipping name

| | |
|-----------|--------------|
| ADRRID | SODIUM AZIDE |
| IMDG-Code | SODIUM AZIDE |
| ICAO-TI | Sodium azide |

14.3 Transport hazard class(es)

| | |
|-----------|-----|
| ADRRID | 6.1 |
| IMDG-Code | 6.1 |
| ICAO-TI | 6.1 |

14.4 Packing group

| | |
|-----------|----|
| ADRRID | II |
| IMDG-Code | II |
| ICAO-TI | II |

14.5 Environmental hazards

hazardous to the aquatic environment

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

| | |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------|
| Proper shipping name | SODIUM AZIDE |
| Particulars in the transport document | UN1687, SODIUM AZIDE, 6.1, II, (D/E), environmentally hazardous |
| Classification code | T5 |
| Danger label(s) | 6.1, "Fish and tree" |
|  | |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 802(ADN) |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 500 g |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Emergency Action Code | 2XE |

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

| | |
|-------------------------------------------------------------------------------------|---------------------------|
| Classification code | T5 |
| Danger label(s) | 6.1 Fish and tree |
|  | |
| Environmental hazards | Yes Hazardous to water |
| Special provisions (SP) | 802(ADN) |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 500 g |
| Transport category (TC) | 2 |
| Hazard identification No | 60 |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|------------------------------------------|-------------------------------------------------|
| Proper shipping name | SODIUM AZIDE |
| Particulars in the shipper's declaration | UN1687, SODIUM AZIDE, 6.1, II, MARINE POLLUTANT |
| Marine pollutant | yes (hazardous to the aquatic environment) |
| Danger label(s) | 6.1, "Fish and tree" |
| | |
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 500 g |
| EmS | F-A, S-A |
| Stowage category | A |
| Segregation group | 17 - Azides |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|------------------------------------------|--------------------------------------------|
| Proper shipping name | Sodium azide |
| Particulars in the shipper's declaration | UN1687, Sodium azide, 6.1, II |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Danger label(s) | 6.1 |
| | |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 1 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---------------------------------------------------------------------------------------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| H1 | acute toxic (cat. 1) | 5 20 | 40) |

Notation

40) Category 1, all exposure routes

Deco-Paint Directive

| | |
|-------------|--------------|
| VOC content | 0 % 0 g/l |
|-------------|--------------|

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

Industrial Emissions Directive (IED)

| | |
|-------------|-------|
| VOC content | 0 % |
| VOC content | 0 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|----------------------------|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Sodium azide | Metals and their compounds | | a) | |

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| | |
|------------|-------------------------------------------------------------------------|
| AIIC | Australian Inventory of Industrial Chemicals |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 2.1 | | Classification acc. to GHS: change in the listing (table) | yes |
| 2.1 | | Supplemental hazard information: change in the listing (table) | yes |
| 2.1 | | The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses. | yes |
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger | | yes |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: K305

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2000/39/EC | Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium azide ≥99 %, p.a.

article number: **K305**

| Abbr. | Descriptions of used abbreviations |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|----------------------------------------------------------------------------|
| H300 | Fatal if swallowed. |
| H310 | Fatal in contact with skin. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs (brain) through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.