

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 1/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF	985083
Product name	NANOCOLOR total Nitrogen TNb 22
REACH Registration number(s):	see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.	
1 x 11 mL NO ₃ /N (R2)	UFI: WE6U-A31D-7208-6G1H
20 x 4 mL total Nitrogen TN _b 22 (R0)	UFI: 6NMU-83AH-D20G-21SF
1 x 20x 14 mg NANOFIX Compensation reagent	
20 x 0,18 g Decomposition tube TN _b 22 (RA)	UFI: 448U-E3UA-C205-E9PT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0

E-mail: sds@mn-net.com (mcsds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service
 DE: Gemeinsames Gif tinformat ionszentrum (GGIZ)
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

Lieferant / Supplier:
 Carl Roth GmbH & Co. KG
 Schoemperlenstr. 3-5
 76185 Karlsruhe, Germany
 +49 721 5606 0
 sicherheit@carlroth.de

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



Signal word: DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H272	Ox. Liq. 2
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H314	Skin Corr. 1B
H317	Skin Sens. 1
H334	Resp. Sens. 1
H335	STOT SE 3
H336	STOT SE 3



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 2/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

0,18 g Decomposition tube TN_b 22 (RA)



GHS03 GHS07 GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H272	Ox. Liq. 2
H302	Acute Tox. 4 oral
H317	Skin Sens. 1
H334	Resp. Sens. 1
H335	STOT SE 3

11 mL NO₃/N (R2)



GHS02 GHS07

Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H336	STOT SE 3

4 mL total Nitrogen TN_b 22 (R0)



GHS05 GHS07

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H314	Skin Corr. 1B

20x 14 mg NANOFIX Compensation reagent

Signal word Do not need labelling as hazardous
-

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According CLP directive inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensiblizing substances. Oxidizing mixtures with signal word: **DANGER** and **H272** must not be labelled with H and P phrases until 125 mL. Metal corrosive solutions **do not have to be** labelled with GHS symbol, signal word, H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2.1.3).

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 3/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

0,18 g Decomposition tube TN b 22 (RA)



Signal word: DANGER
 H317, H334
 May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 P280sh
 Wear protective gloves/eye protection.

11 mL NO₃/N (R2)



Signal word: WARNING

4 mL total Nitrogen TN b 22 (R0)




Signal word: DANGER
 H314
 Causes severe skin burns and eye damage.
 P260sh, P280sh, P303+361+353, P305+351+338, P310
 Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

20x 14 mg NANOFIX Compensation reagent

Do not need labelling as hazardous
 Signal word: -

Label elements of the complete product



Signal word: DANGER
 H314, H317, H334
 Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 P260sh, P280sh, P303+361+353, P305+351+338, P310
 Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 4/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

0,18 g Decomposition tube TN_b 22 (RA)

Substance name: *sodium carbonate*
CAS No.: 497-19-8

Substance rating: H319, Eye Irrit. 2
Formula: Na₂CO₃
Pseudonym (de): Soda
REACH Reg. No.: 01-2119485498-19-xxxx
EC No.: 207-838-8
Concentration: 20 - <50 %
acc. CLP (GHS): H319, Eye Irrit. 2
Indice No.: 011-005-00-2

Substance name: *potassium peroxydisulfate*
CAS No.: 7727-21-1

Substance rating: H272, Ox. Sol. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2,
H334, Resp. Sens. 1, H335, STOT SE 3
Formula: K₂O₈S₂
Pseudonym (de): Kaliumpersulfat
REACH Reg. No.: 01-2119495676-19-xxxx
EC No.: 231-781-8
Concentration: 60 - <80 %
acc. CLP (GHS): H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2,
H334, Resp. Sens. 1, H335, STOT SE 3
Indice No.: 016-061-00-1

4 mL total Nitrogen TN_b 22 (R0)

Substance name: *o-phosphoric acid*
CAS No.: 7664-38-2

Substance rating: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1B
Formula: H₃PO₄•H₂O
Pseudonym (de): Orthophosphorsäure, E338
REACH Reg. No.: 01-2119485924-24-xxxx
EC No.: 231-633-2
Concentration: 25 - <40 %
acc. CLP (GHS): H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1B
Indice No.: 015-011-00-6

Substance name: *sulfuric acid*
CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1B
Formula: H₂SO₄(•H₂O)
REACH Reg. No.: 01-2119458838-20-xxxx
EC No.: 231-639-5
Specific concentration limit: Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 1A; H314 c ≥ 15%
Concentration: 51 - <65 %
acc. CLP (GHS): H314, Skin Corr. 1B
Indice No.: 016-020-00-8



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 5/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

20x 14 mg NANOFIX Compensation reagent

Substance name: *sodium sulfite*
CAS No.: 7757-83-7

Substance rating: No criteria for classification or naming of chemical not required.
Formula: Na_2SO_3 , E221
Pseudonym (de): E221, Schwefligsaures Natrium
REACH Reg. No.: 01-2119537420-49-xxxx
EC No.: 231-821-4
Concentration: 70 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

11 mL NO_3/N (R2)

Substance name: *2-propanol*
CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, STOT SE 3
Formula: $\text{C}_3\text{H}_8\text{O}$
Pseudonym (de): Isopropanol, IPA, Propan-2-ol
REACH Reg. No.: 01-2119457558-25-XXXX
EC No.: 200-661-7
Concentration: 35 - <50 %
acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, STOT SE 3

Indice No.: 603-117-00-0

Substance name: *2,6-dimethylphenol*
CAS No.: 576-26-1

Substance rating: H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H314, Skin Corr. 1B, H411, Aquatic Chronic 2
Formula: $\text{C}_8\text{H}_{10}\text{O}$; $(\text{CH}_3)_2\text{-C}_6\text{H}_3\text{-OH}$
Pseudonym (de): 2,6-Xylenol
REACH Reg. No.: 01-2119552794-29-xxxx
EC No.: 209-400-1
Concentration: 0,1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 604-006-00-X

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 6/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization. Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.

Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 7/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3
Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

0,18 g Decomposition tube TN b 22 (RA)

Chemical: *sodium carbonate* CAS No.: 497-19-8
DNEL: 10 inh mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): -
E/e respirable

Chemical: *potassium peroxydisulfate* CAS No.: 7727-21-1

DNEL: [derm] 18,2 mg/kg bw/day; [inh] 2.06 mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): -
E/e respirable
NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: not listed

4 mL total Nitrogen TN b 22 (R0)

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
DNEL: 2.92 mg/m³
DNEL = Derived No-Effect Level (for workers)
EU value: [TWA] 1 / [STEL] 2 mg/m³
TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
E/e respirable
Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 1 mg/m³
NIOSH: TWA 1 / ST 3 mg/m³
NIOSH STEL: 3 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: TWA 1 mg/m³

Chemical: *sulfuric acid* CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m³
DNEL = Derived No-Effect Level (for workers)
PNEC (fresh water): 2.5 µg/L
PNEC = Predicted No Effect Concentration
EU value: 0.1 e mg/m³
TRGS 900 (DE): 0.1 E mg/m³
E/e respirable
Short-term exposure factor: 1 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 0,1 e mg/m³
NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 1 mg/m³

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite* CAS No.: 7757-83-7
DNEL: 298 inh mg/m³
DNEL = Derived No-Effect Level (for workers)
TRGS 900 (DE): -
E/e respirable



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 8/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

11 mL NO₃/N (R2)		
Chemical:	<i>2-propanol</i>	CAS No.: 67-63-0
DNEL:	[inh] 500 mg/m ³ DNEL = Derived No-Effect Level (for workers)	
PNEC (fresh water):	140.9 mg/L PNEC = Predicted No Effect Concentration	
TRGS 900 (DE):	200 ppm / 500 mg/m ³ E/e respirable	
Short-term exposure factor:	2 (II), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded	
SUVA(CH) MAK value:	200 ppm / 500 mg/m ³	
TRGS 903 (DE):	[Aceton B/b, U/b] 25 mg/L B blood, U urine, a no limitation, b end of exposition or shift	
NIOSH:	[TWA] 400 ppm / 980 mg/m ³	
NIOSH STEL:	500 ppm / 1225 mg/m ³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period	
OSHA:	[TWA] 400 ppm / 980 mg/m ³	
 Chemical: <i>2,6-dimethylphenol</i>		CAS No.: 576-26-1
NIOSH:	not listed ppm [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period	
OSHA:	not listed ppm	

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

0,18 g Decomposition tube TN_b 22 (RA)

a) State of aggregation:	solid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-30 %
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 9/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

- p) Specific gravity: no data available
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available

4 mL total Nitrogen TN b 22 (R0)

- a) State of aggregation: liquid
- b) Colour: colourless
- c) Odor: odorless
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: 0-1
- l) Kinematic viscosity: no data available
- m) Solubility in water: 0-100 %
- n) Dispersion coefficient (o/w) : no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: 1,79 g/cm³
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available

20x 14 mg NANOFIX Compensation reagent

- a) State of aggregation: solid (lyophilized)
- b) Colour: white
- c) Odor: odorless
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: no data available
- l) Kinematic viscosity: no data available
- m) Solubility in water: no data available
- n) Dispersion coefficient (o/w) : no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: no data available
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available

11 mL NO₃/N (R2)

- a) State of aggregation: liquid
- b) Colour: rose
- c) Odor: alcoholic
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: 18,5 °C
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: 6-8
- l) Kinematic viscosity: no data available
- m) Solubility in water: 0-100 %
- n) Dispersion coefficient (o/w) : no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: 0,9 g/cm³
- q) Relative vapour density (air=1) : no data available
- r) Particle size: no data available



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 10/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Properties relevant to substance groups

Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Persulfates decompose when heated by splitting off oxygen. Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

0,18 g Decomposition tube TN_b 22 (RA)

Chemical:	<i>sodium carbonate</i>	CAS No.: 497-19-8
TSCA Inventory:	listed	
Korea Exist.Chem.Inventory:	KE-31380	
LD50 _{orl rat} :	4090 mg/kg	
LC _{Low} _{orl rat} :	4000 mg/kg	
LC50 _{ihl rat} :	2,300 mg/L/2H	

Chemical:	<i>potassium peroxydisulfate</i>	CAS No.: 7727-21-1
-----------	----------------------------------	--------------------

TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	Yes (PEC/18)	Canada CEPA 1999: DSI Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-12177	
LD50 _{orl rat} :	802 mg/kg	

Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

TRGS 907 (DE): Sah

4 mL total Nitrogen TN_b 22 (R0)

Chemical:	<i>o-phosphoric acid</i>	CAS No.: 7664-38-2
TSCA Inventory:	listed	California Proposition 65 List: not listed
ACGIH:	1 ppm	
Exposure Routes:	inhalation, ingestion, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)	



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 11/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-27427
 LD50 orl rat : 1530 mg/kg
 LC50 ihl rbt : 1,689 mg/L
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
 TRGS 905 (DE): R F C

Chemical: *sulfuric acid* CAS No.: 7664-93-9
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, teeth
 Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;
 dental erosion; eye, skin burns; dermatitis
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: Accident Precaution Chemical Yes
 Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.
 LD50 orl rat : 2140 mg/kg
 LC50 ihl mus : 0,85 mg/L/4H
 TRGS 905 (DE): Kat 4

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite* CAS No.: 7757-83-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-31612
 LD50 orl rat : 2610 mg/kg
 LC50 ihl rat : > 5,5 mg/L/4H

11 mL NO₃ /N (R2)

Chemical: *2-propanol* CAS No.: 67-63-0
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1230 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis
 Australia NICNAS: Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: PAC yes, Japan PDSCL: -
 Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)
 South Korea TCCA:
 Korea Exist.Chem.Inventory: KE-29363
 LD50 orl rat : 5045 mg/kg
 LC_Low orl hmn : 3570 mg/kg
 LC50 ihl rat : 25 mg/L/4H
 TRGS 905 (DE): R F C

Chemical: *2,6-dimethylphenol* CAS No.: 576-26-1
 TSCA Inventory: listed California Proposition 65 List: not listed
 Target Organs: Leber, Niere
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance Yes, Japan PDSCL: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-35435, >5% Toxic 97-1-274
 LD50 orl rat : 296 mg/kg
 LC_Low ihl rbt : 0,500 mg/L
 LD50 orl mus : 450 mg/kg



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 12/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

11.2 Other hazards

Possible endocrine disrupting effects
no data available

Other information
no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

0,18 g Decomposition tube TN_b 22 (RA)

Chemical:	<i>sodium carbonate</i>	CAS No.: 497-19-8
LC50 fish/96h :	300 mg/L	
EC50 daphnia/48h :	265 mg/L	
Water hazard class (DE):	1	WGK No.: 0222
Storage class (VCI):	12-13	

Chemical:	<i>potassium peroxydisulfate</i>	CAS No.: 7727-21-1
Water hazard class (DE):	1	WGK No.: 1350
Storage class (VCI):	5.1 B	

4 mL total Nitrogen TN_b 22 (R0)

Chemical:	<i>o-phosphoric acid</i>	CAS No.: 7664-38-2
LC50 fish/96h :	3-3.5 mg/L	
Water hazard class (DE):	1	WGK No.: 0392
Storage class (VCI):	8 B	

Chemical:	<i>sulfuric acid</i>	CAS No.: 7664-93-9
PNEC (fresh water) :	2.5 µg/L	
PNEC = Predicted No Effect Concentration		
LC50 fish/96h :	[NOEC, 65d] 25 µg/L	
EC50 daphnia/48h :	100 mg/L	
EC10 pseudomonas putita/16h :	[72h] 100 mg/L	
Water hazard class (DE):	1	WGK No.: 0182
Storage class (VCI):	8 B	

20x 14 mg NANOFIX Compensation reagent

Chemical:	<i>sodium sulfite</i>	CAS No.: 7757-83-7
LC50 fish/96h :	315 _{96h} mg/L	
EC10 pseudomonas putita/16h :	260 _{17h} mg/L	
Water hazard class (DE):	1	WGK No.: 0282
Dispersion coefficient (o/w) :	-4	
Storage class (VCI):	12-13	

11 mL NO₃ /N (R2)

Chemical:	<i>2-propanol</i>	CAS No.: 67-63-0
PNEC (fresh water) :	140.9 mg/L	
PNEC = Predicted No Effect Concentration		
LC50 fish/96h :	1400 mg/L	
EC50 daphnia/48h :	13.3 g/L	
IC50 scenedesmus quadricauda/72h :	>1000 mg/L	
EC10 pseudomonas putita/16h :	EC5: 1050 mg/L	
Water hazard class (DE):	1	WGK No.: 0135
Dispersion coefficient (o/w) :	0,05	
Storage class (VCI):	3	

Chemical:	<i>2,6-dimethylphenol</i>	CAS No.: 576-26-1
LC50 pimephales promelas/96h :	22-27 mg/L	
EC50 daphnia/48h :	11.2 mg/L	
Water hazard class (DE):	2	WGK No.: 1689
Dispersion coefficient (o/w) :	2,36	
Storage class (VCI):	6.1 C	



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 13/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9 14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport ICAO

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) class 5.1 III, **Excepted Quantities** ($\leq 30 \text{ mL} / \sum \leq 1 \text{ L}$) = ADR/ IATA E1

UN 1993 class 3 II, class 8 II, **Excepted Quantities** ($\leq 30 \text{ mL} / \sum \leq 500 \text{ mL}$) = ADR/ IATA E2

or

14.1 UN number: 1993 14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol mixture)

14.3 Class: 3 14.4 Packing group: II

Road transport ADR

Classification code: F1 Tunnel restriction code: E

Limited Quantity: 1 L

Excepted Quantity: E 2 Special instructions: 640C

Air transport ICAO

Limited Quantity: LQ 4

Excepted Quantity: E 2

PAX: 353 max. weight PAX: 5 L

CAO: 364 max. weight CAO: 60 L

Maritime transport IMDG

EmS: F-E, S-E Storage category: B

14.1 UN number: 3215 14.2 UN proper shipping name: Persulphates, inorganic, n.o.s.

14.3 Class: 5.1 14.4 Packing group: III

Road transport ADR

Classification code: O2 Tunnel restriction code: E

Limited Quantity: 5 Kg

Excepted Quantity: E 1

Air transport ICAO

Limited Quantity: LQ 12

Excepted Quantity: E 1



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 14/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

PAX: 559 max. weight PAX: 25 Kg
 CAO: 563 max. weight CAO: 100 Kg
Maritime transport IMDG
 EmS: F-A, S-Q Storage category: B
 Maritime pollutant (5.2.1.6): P* (Limited Quantity (LQ) until 5 L/kg per inner package)

14.1 UN number: 3264
14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (o-phosphoric acid, sulfuric acid solution)
14.3 Class: 8 14.4 Packing group: II
Road transport ADR
 Classification code: C1
 Limited Quantity: 1 L Tunnel restriction code: E
 Excepted Quantity: E 2
Air transport ICAO
 Limited Quantity: LQ 22
 Excepted Quantity: E 2
 PAX: 851 max. weight PAX: 1 L
 CAO: 855 max. weight CAO: 30 L
Maritime transport IMDG
 EmS: F-A, S-B Storage category: B

- 14.5 Environmental hazards**
none, contains only small quantities of hazardous substances
- 14.6 Special precautions for user**
not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**
Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
 TRGS 500, Protective measures, Mai 2008
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
 Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment
not necessary for these small amounts

SECTION 16: Other information

- 16.1 Changes compared to the last version**
Between versions 2.2.3.16 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 14 substance data corrected
- 16.2 List of H and P phrases**
 - 16.2.1 List of relevant H phrases**
H226 Flammable liquid and vapour.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 15/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

16.2.2 List of relevant P phrases

P260sh	Do not breathe dust/vapours.
P280sh	Wear protective gloves/eye protection.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
 TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

 Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU

 2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083	NANOCOLOR total Nitrogen TNb 22	Page: 16/17
Printing date: 12.01.2023	Date of issue: 26.09.2022	Version: 2.2.3.16

CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985083

NANOCOLOR total Nitrogen TNb 22

Page: 17/17

Printing date: 12.01.2023

Date of issue: 26.09.2022

Version: 2.2.3.16

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com