

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 1/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 985092
 Product name NANOCOLOR total Nitrogen TNb 60

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 4 mL decomposition tubes A (RA)
 1 x 20x 14 mg NANOFIX Compensation reagent
 1 x 4 g NanOx N Decomposition reagent
 1 x 11 mL NO₃/N (R2)
 20 x 4 mL total Nitrogen TN_b 60 (R0)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Neumann-Neander-Str. 6-8, 52355 Dueren, GERMANY
 Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS02 GHS03 GHS05 GHS07 GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H272	Ox. Sol. 2
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H314	Skin Corr. 1B
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H336, H335	STOT SE 3

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 2/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

2.1 Classification of the substance or mixture

4 mL decomposition tubes A (RA)

Signal word Do not need labelling as hazardous
-
No hazard class

20x 14 mg NANOFIX Compensation reagent

Signal word Do not need labelling as hazardous
-
No hazard class

4 g NanOx N Decomposition reagent



Signal word DANGER

Hazard identification	Hazard classes/categories
H272	Ox. Sol. 2
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H335	STOT SE 3

11 mL NO₃/N (R2)



Signal word WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H319	Eye Irrit. 2
H336, H335	STOT SE 3

4 mL total Nitrogen TN_b 60 (R0)



Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H302	Acute Tox. 4 oral
H314	Skin Corr. 1B

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 3/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

Oxidizing mixtures with signal word: **DANGER** and **H272** must not be labelled with H and P phrases **until 125 mL**.

Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

4 mL decomposition tubes A (RA)

Do not need labelling as hazardous

Signal word: -

20x 14 mg NANOFIX Compensation reagent

Do not need labelling as hazardous

Signal word: -

4 g NanOx N Decomposition reagent



GHS03 GHS07 GHS08

Signal word: DANGER

H317, H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P280sh, P342+311

Avoid breathing dust/vapours. Wear protective gloves/eye protection. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

11 mL NO₃ /N (R2)



GHS02 GHS07

Signal word: WARNING

4 mL total Nitrogen TN_b 60 (R0)



GHS05 GHS07

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 4/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. ---

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.
Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

4 mL decomposition tubes A (RA)

Chemical: *water*
 Classification: No criteria for classification or naming of chemical not required.
 Formula: H₂O
 TSCA Inventory: listed
 REACH Reg. No.: exempt, Annex IV
 EC No.: 231-791-2
 RTECS: ZC0110000
 KE No.: KE-35400
 Concentration: 90 - <100 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

CAS No.: 7732-18-5

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite*
 Classification: No criteria for classification or naming of chemical not required.
 Formula: Na₂SO₃, E221
 Pseudonym: sulfurous acid, disodium salt
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119537420-49-xxxx
 EC No.: 231-821-4
 RTECS: WE2150000
 KE No.: KE-31612
 Concentration: 70 - <100 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

CAS No.: 7757-83-7

4 g NanOx N Decomposition reagent

Chemical: *sodium carbonate*
 Classification: H319, Eye Irrit. 2
 Formula: Na₂CO₃
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119485498-19-xxxx
 EC No.: 207-838-8
 RTECS: VZ4050000
 KE No.: KE-31380
 Concentration: 20 - <50 %
 acc. CLP (GHS): H319, Eye Irrit. 2

CAS No.: 497-19-8

Indice No.: 011-005-00-2

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 6/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to the doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092	NANOCOLOR total Nitrogen TNb 60	Page: 7/14
Printing date: 01.10.2019	Date of issue: 20.05.2019	

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.
Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3
Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

4 mL decomposition tubes A (RA)

Chemical: *water* CAS No.: 7732-18-5

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite* CAS No.: 7757-83-7

DNEL: 298_{inh} mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -
E/e respirable

4 g NanOx N Decomposition reagent

Chemical: *sodium carbonate* CAS No.: 497-19-8

DNEL: 10_{inh} mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -
E/e respirable

Chemical: *potassium peroxydisulfate*

DNEL: [derm] 18,2 mg/kg bw/day; [inh] 2.06 mg/m³ CAS No.: 7727-21-1
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -
E/e respirable

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

11 mL NO₃/N (R2)

Chemical: *2,6-dimethylphenol* CAS No.: 576-26-1

NIOSH: not listed ppm
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed ppm

Chemical: *2-propanol*

DNEL: [inh] 500 mg/m³ CAS No.: 67-63-0
DNEL = Derived No-Effect Level (for workers)

PNEC_(fresh water): 140.9 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 8/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

E/e respirable
 Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
 SUVA(CH) MAK value: 200 ppm / 500 mg/m³
 TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L
B blood, U urine, a no limitation, b end of exposition or shift
 NIOSH: [TWA] 400 ppm / 980 mg/m³
 NIOSH STEL: 500 ppm / 1225 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: [TWA] 400 ppm / 980 mg/m³

4 mL total Nitrogen TNb 60 (R0)

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2

DNEL: 2.92 mg/m³
DNEL = Derived No-Effect Level (for workers)

EU value: [TWA] 1 / [STEL] 2 mg/m³
 TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
 E/e respirable

Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 1 mg/m³
 NIOSH: TWA 1 / ST 3 mg/m³
 NIOSH STEL: 3 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: TWA 1 mg/m³

Chemical: *sulfuric acid* CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC^(fresh water): 2.5 µg/L
PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m³
 TRGS 900 (DE): 0.1 E mg/m³
 E/e respirable

Short-term exposure factor: 1 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³
 NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: [TWA] 1 mg/m³

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 9/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

4 mL decomposition tubes A (RA)

Appearance: liquid	Colour: colourless	Odor: odorless
pH:	6-8	
Specific gravity:	1,00 g/cm ³	

20x 14 mg NANOFIX Compensation reagent

Appearance: solid (lyoph.)	Colour: white	Odor: odorless
----------------------------	---------------	----------------

4 g NanOx N Decomposition reagent

Appearance: solid	Colour: colourless	Odor: odorless
pH:	5-7	
Solubility in water:	0-30 %	

11 mL NO₃/N (R2)

Appearance: liquid	Colour: rose	Odor: alcoholic
pH:	6-8	
Flash point:	18,5 °C	
Specific gravity:	0,9 g/cm ³	
Solubility in water:	0-100 %	

4 mL total Nitrogen TN_b 60 (R0)

Appearance: liquid	Colour: colourless	Odor: odorless
pH:	0-1	
Specific gravity:	1,79 g/cm ³	
Solubility in water:	0-100 %	

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. Observe labeled storage temperature. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

4 mL decomposition tubes A (RA)

Chemical:	water	CAS No.: 7732-18-5
TSCA Inventory:	listed	
Korea Exist.Chem.Inventory:	KE-35400	

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 11/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

4 mL total Nitrogen TN_b 60 (R0)

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-27427
 LD50_{orl rat}: 1530 mg/kg
 LC50_{ihl rbt}: 1.689 mg/L
 LD50_{drm rbt}: 2750 mg/kg
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
 TRGS 905 (DE): R_F C

Chemical: *sulfuric acid* CAS No.: 7664-93-9
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, teeth
 Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis; dental erosion; eye, skin burns; dermatitis
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
 Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)
 South Korea TCCA: Accident Precaution Chemical Yes
 Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.
 LD50_{orl rat}: 2140 mg/kg
 LC50_{ihl rat}: [8h] 600/ [4h] 850 mg/m³
 TRGS 905 (DE): Kat 4

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

4 mL decomposition tubes A (RA)

Chemical: *water* CAS No.: 7732-18-5

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite* CAS No.: 7757-83-7
 LC50_{fish/96h}: 315_{96h} mg/L
 EC10_{pseudomonas putita/16h}: 260_{17h} mg/L
 Water hazard class (DE): 1 WGK No.: 0282
 Dispersion coefficient_(octanol-water): -4
 Storage class (VCI): 12-13

4 g NanOx N Decomposition reagent

Chemical: *sodium carbonate* CAS No.: 497-19-8
 LC50_{fish/96h}: 300 mg/L
 EC50_{daphnia/48h}: 265 mg/L
 Water hazard class (DE): 1 WGK No.: 0222
 Storage class (VCI): 12-13

Chemical: *potassium peroxydisulfate* CAS No.: 7727-21-1
 Water hazard class (DE): 1 WGK No.: 1350
 Storage class (VCI): 5.1 B

11 mL NO₃/N (R2)

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092

NANOCOLOR total Nitrogen TNb 60

Page: 13/14

Printing date: 01.10.2019

Date of issue: 20.05.2019

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** (≤ 30 mL/ $\Sigma \leq 500$ mL) = ADR/ IATA E2
or**14.1 UN number: 3215 14.2 UN proper shipping name: Persulphates, inorganic, n.o.s.****14.3 Class: 5.1 14.4 Packing group: III***Road transport*

Classification code: O2

Limited Quantity: 5 Kg

Tunnel restriction code: E

Excepted Quantity: E 1

Air transport

PAX: 559

max. weight PAX: 25 Kg

CAO: 563

max. weight CAO: 100 Kg

Maritime transport

EmS: F-A, S-Q

Storage category: B

Maritime pollutant (5.2.1.6): P* (Limited Quantity (LQ) until 5 L/kg per inner package)

14.1 UN number: 3264**14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (o-phosphoric acid, sulfuric acid solution)****14.3 Class: 8 14.4 Packing group: II***Road transport*

Classification code: C1

Limited Quantity: 1 L

Tunnel restriction code: E

Excepted Quantity: E 2

Air transport

PAX: 851

max. weight PAX: 1 L

CAO: 855

max. weight CAO: 30 L

Maritime transport

EmS: F-A, S-B

Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013

German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -

GefStoffV), revised on November 2010, according to Directive 98/24/EC

TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products,

updated October 2011

MN Leaflet/User manual, also see www.mn-net.com

Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information**16.1 List of H and P phrases****16.1.1 List of relevant H phrases**

H226	Flammable liquid and vapour.
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985092	NANOCOLOR total Nitrogen TNb 60	Page: 14/14
Printing date: 01.10.2019	Date of issue: 20.05.2019	

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

16.1.2 List of relevant P phrases

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P260D Do not breathe vapours.
- P260sh Do not breathe dust/vapours.
- P261sh Avoid breathing dust/vapours.
- P264W Wash with water thoroughly after handling.
- P280sh Wear protective gloves/eye protection.
- P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P330 Rinse mouth.
- P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P390 Absorb spillage to prevent material damage.
- P403+233 Store in a well-ventilated place. Keep container tightly closed.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

- Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
- Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
- Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
- TRGS 900, German engineering rules governing limits in air at work, updated 03/2018
- SUVA .CH, Limits in air at work 2009, revised on 01.2009
- TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011
- KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

