

# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985073 NANOCOLOR Sulfide 3 Page: 1/13 Printing date: 12.01.2023 Date of issue: 26.09.2022 Version: 2.2.2.16

## SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier** 

> REF 985073

Product name NANOCOLOR Sulfide 3

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

20 x 0.5 mL Sulfide 3 (R0) UFI: XSGU-G38N-M206-9PJJ 1 x 1.5 g Sulfide 3 (R2) UFI: VDTT-F3DT-A20Y-KPFG

1 x 5 mL Sulfide 3 (R3)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

#### 1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com) (G Roth GmbH + CC Lieferant

1.4 Emergency telephone number

You find our current versions of SDS in Internet:

76185 Karlsruhe, Germany 76185 Karlsrune, 76185 sicherheit@carlroth.de

# **SECTION 2: Hazard identification**

#### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008





GHS05

Signal word **DANGER** 

Hazard identification Hazard classes/categories

H314 Skin Corr. 1B H412 Aquatic Chronic 3

#### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1.5 g Sulfide 3 (R2)

Do not need labelling as hazardous

Signal word

Hazard identification Hazard classes/categories H412 Aquatic Chronic 3



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 2/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

0.5 mL Sulfide 3 (R0)



GHS05

Signal word DANGER

Hazard identification Hazard classes/categories

H314 Skin Corr. 1B

5 mL Sulfide 3 (R3)

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

1.5 g Sulfide 3 (R2)



GHS07

Signal word: WARNING

0.5 mL Sulfide 3 (R0)



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

5 mL Sulfide 3 (R3)

Do not need labelling as hazardous Signal word: -

### Label elements of the complete product



GHS05

Signal word: DANGER



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 3/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

#### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive.

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

### Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects

no data available

# **SECTION 3: Composition / information on ingredients**

### 3.1 Substances or 3.2 Mixtures

1.5 g Sulfide 3 (R2)

Substance name: aminosulfonic acid (sulfamic acid)

CAS No.: 5329-14-6

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H412, Aquatic Chronic 3

Formula:  $H_3 NO_3 S$ ;  $NH_2$ - $SO_3 H$  Pseudonym (de): Amidosulfonsäure REACH Reg. No.: 01-2119488633-28-xxxx

EC No.: 226-218-8 Indice No.: 016-026-00-0

Concentration: 90 - <100 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H412, Aquatic Chronic 3

5 mL Sulfide 3 (R3)

Substance name: sulfuric acid CAS No.: 5464-93-9

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: H <sub>2</sub> SO <sub>4</sub> •H <sub>2</sub> O REACH Reg. No.: 01-2119458838-20-xxxx

EC No.: 231-639-5 Indice No.: 016-020-00-8

Concentration: 1 - <5 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Substance name: *iron(III) chloride* CAS No.: 7705-08-0

Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1

Formula: FeCl <sub>3</sub>
Pseudonym (de): Ferritrichlorid

REACH Reg. No.: 01-2119497998-05-xxxx

EC No.: 231-729-4 Concentration: 1 - <2 %

acc. CLP (GHS): The criteria for classification are not fulfilled.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +43 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 4/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

0.5 mL Sulfide 3 (R0)

EC No.:

Substance name: sulfuric acid CAS No.: sulfuric acid 7664-93-9

Substance rating: H314, Skin Corr. 1B Formula: H  $_2$  SO  $_4$  (•H  $_2$  O) REACH Reg. No.: 01-2119458838-20-xxxx

231-639-5 Indice No.: 016-020-00-8 ntration limit: Eye Irrit. 2; H319:  $5 \% \le C < 15 \%$  - Skin Irrit. 2; H315:  $5 \% \le C < 15 \%$  - Skin Corr

Specific concentration limit: 1A; H314 c ≥ 15%

Concentration: 51 - <65 % acc. CLP (GHS): H314, Skin Corr. 1B

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTREES ensure that the patient inhales oxygen. ---

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

#### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 5/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

#### 5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed

## 6.2 Environmental precautions

Avoid contact of substance/mixture to environment. **PBT:**not applicable **vPvB:**not applicable

#### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.

#### 6.4 Reference to other sections

see information in section 5.4,7,8 and 13

### SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

## 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): 8B Water hazard class (DE): 3

## 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls /personal protection**

# 8.1 Control parameters

1.5 g Sulfide 3 (R2)

Chemical: aminosulfonic acid (sulfamic acid) CAS No.: 5329-14-6

DNEL: [derm] 10 mg/kg bw/d; [inh] 70,5 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 1.8 mg/L PNEC = Predicted No Effected Concentration

5 mL Sulfide 3 (R3)

Chemical: sulfuric acid CAS No.: 7664-93-9

DNEL: 50 µg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L
PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 0.1 E mg/m³

Short-term exposure factor: 1 (I)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# CHEREY-NAGEI



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985073 NANOCOLOR Sulfide 3 Page: 6/13 Printing date: 12.01.2023 Date of issue: 26.09.2022 Version: 2.2.2.16

> SUVA(CH) MAK value: 0,1 e mg/m3

i: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); TWA 1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH:

[TWA] 1 mg/m<sup>3</sup> OSHA:

iron(III) chloride CAS No.: 7705-08-0 Chemical:

SUVA(CH) MAK value: 1 e mg/m<sup>3</sup>

0.5 mL Sulfide 3 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

[inh] 50 µg/m3 DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): 2.5 µg/L PNEC = Predicted No Effected Concentration

EU value: 0.1 e mg/m<sup>3</sup> TRGS 900 (DE): 0.1 E mg/m<sup>3</sup> E/e respirable Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m3

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m<sup>3</sup>

#### 8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

Skin protection / Hand protection 8.2.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

Skin protection 8.2.4

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

#### 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

### 1.5 g Sulfide 3 (R2)

a) State of aggregation: solid b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available no data available f) Flammability: g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: < 2

I) Kinematic viscosity: no data available

m) Solubility in water: 0-17 %



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

www.mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 7/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

n) Dispersion coefficient <sub>(O/W)</sub>:
 o) Vapour pressure (20°C):
 p) Specific gravity:
 q) Relative vapour density <sub>(air=1)</sub>:
 no data available
 no data available
 no data available
 no data available

## 5 mL Sulfide 3 (R3)

a) State of aggregation: liquid slightly yellow b) Colour: c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 1-2 I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity. 1,0 g/cm<sup>3</sup> q) Relative vapour density (air=1): no data available r) Particle size: no data available

### 0.5 mL Sulfide 3 (R0)

a) State of aggregation: liquid b) Colour: colourless c) Odor: d) Melting point: odorless no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): h) Flash point: no data available no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: I) Kinematic viscosity: no data available 0-100 % m) Solubility in water: n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1,42 g/cm<sup>3</sup> q) Relative vapour density (air=1): no data available r) Particle size: no data available

## 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups** 

Substances are highly corrosive.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Strong CORROSIVE, no further data available.

### 10.2 Chemical stability

no known instability.



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS No.: 5329-14-6

# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 8/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

## 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

#### 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

## 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

## 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1.5 g Sulfide 3 (R2)

Chemical: aminosulfonic acid (sulfamic acid)

TSCA Inventory: listed

Target Organs: affect the eye or visual capacity Symptoms: conjunctivitis; corneal damage

LD50 <sub>orl rat</sub> 2065 mg/kg

5 mL Sulfide 3 (R3)

Chemical: sulfuric acid CAS No.: 7664-93-9

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact Target Organs: Eyes, skin, respiratory system, teeth

Symptoms: Eyes, skin, respiratory system, to

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570 LD50 <sub>orl rat</sub>: 2140 mg/kg LC50 <sub>ihl mus</sub>: 0,85 mg/L/4H

TRGS 905 (DE): R F C

Chemical: iron(III) chloride CAS No.: 7705-08-0

TSCA Inventory: listed
Japan ISHL: listed >1,0%/>1,0%
LD50 orl rat: 450 mg/kg

0.5 mL Sulfide 3 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, teeth

Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;

dental erosion; eye, skin burns; dermatitis

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

LD50 <sub>orl rat</sub>: 2140 mg/kg LC50 <sub>ihl mus</sub>: 0,85 mg/L/4H

TRGS 905 (DE): Kat 4



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germanv
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985073 NANOCOLOR Sulfide 3 Page: 9/13 Printing date: 12.01.2023 Date of issue: 26.09.2022 Version: 2.2.2.16

#### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

## **SECTION 12: Ecological information**

#### 12.1 **Toxicity**

Following information is valid for pure substances.

1.5 g Sulfide 3 (R2)

aminosulfonic acid (sulfamic acid) Chemical: CAS No.: 5329-14-6

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 1.8 mg/L

LC50 fish/96h: [4d] 70.3 mg/L EC50 daphnia/48h: [48h=24h] 71.6 mg/L IC50 scenedesmus quadricauda/72h: [72h] 48 mg/L Water hazard class (DE): WGK No.: 1266

Dispersion coefficient (o/w): -4.34 Storage class (VCI):

5 mL Sulfide 3 (R3)

sulfuric acid Chemical: CAS No.: 7664-93-9

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 2.5 µg/L

LC50 fish/96h: [NOEC, 65d] 25 µg/L EC50 daphnia/48h: 100 mg/L EC10 pseudomonas putita/16h : Water hazard class (DE): [72h] 100 mg/L

WGK No.: 0182

Storage class (VCI): 8 B

Chemical: iron(III) chloride CAS No.: 7705-08-0

LC50 fish/96h: 23 <sub>24h</sub> mg/L EC50 daphnia/48h 29.7 mg/L

Water hazard class (DE): WGK No.: 0515

Storage class (VCI):

0.5 mL Sulfide 3 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 2.5 µg/L

LC50 fish/96h: [NOEC, 65d] 25 µg/L EC50 daphnia/48h: 100 mg/L EC10 pseudomonas putita/16h: [72h] 100 mg/L

Water hazard class (DE): WGK No.: 0182

Storage class (VCI):

#### 12.2 Persistence and degradability

not necessary

#### 12.3 Bioaccumulative potential

not necessary

#### 12.4 Mobility in soil

not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

#### 12.6 **Endocrine disrupting properties**

no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 10/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

### 12.7 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

#### 13.1 Waste treatment methods

Not necessary, see above.

# **SECTION 14: Transport information**

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit 14.3. Class: 9 14.4. Packing group: I

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport ICAO

PAX: 960 max. weight PAX: 10 KG CAO: 960 max. weight CAO: 10 KG Maritime transport IMDG EmS: F-A, S-P Storage category: A

Or use Alternative declaration for transportation:

UN No.: (see below) class 8 II, **Excepted Quantities** (≤30 mL/∑≤500 mL) = ADR/ IATA E2

or

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (aminosulfonic acid (sulfamic acid), sulfuric acid solution)

14.3 Class: 8 14.4 Packing group: II

Road transport ADR Classification code: C1

Limited Quantity: 1 L Tunnel restriction code: E

Excepted Quantity: E 2

Air transport ICAO

Limited Quantity: LQ 22 Excepted Quantity: E 2

PAX: 851 max. weight PAX: 1 L CAO: 855 max. weight CAO: 30 L

Maritime transport IMDG

EmS: F-A, S-B Storage category: B

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

# 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



# Safety Data Sheet

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985073 NANOCOLOR Sulfide 3 Page: 11/13 Printing date: 12.01.2023 Date of issue: 26.09.2022 Version: 2.2.2.16

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation) Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

#### 15.2 Chemical safety assessment

not necessary for these small amounts

### **SECTION 16: Other information**

#### 16.1 Changes compared to the last version

Between versions 2.2.2.16 and 2.2.2.2 following changes were applied: - 14 substance data corrected

#### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H314 Causes severe skin burns and eye damage.

Causes skin irritation. H315

Causes serious eye irritation. H319

H412 Harmful to aquatic life with long lasting effects.

#### 16.2.2 List of relevant P phrases

P260sh Do not breathe dust/vapours.

P280sh Wear protective gloves/eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P303+361+353 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.
Immediately call a POISON CENTER/doctor. P310

#### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 985073 NANOCOLOR Sulfide 3 Page: 12/13 Printing date: 12.01.2023 Date of issue: 26.09.2022 Version: 2.2.2.16

#### 16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.6 Legend / Abbreviations

according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act:

BAT: biological workplace tolerance value

Cargo Aircraft Only CAO.

Carc: carcinogen

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

corrosive Corr:

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam:

Derived No-Effect Level (for workers) DNEL:

dermal derm: dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: **European Community** 

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

FU: **Furopean Union** fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

qpq:

ĬĊĂO: International Civil Aviation Organization

inhaled ihl:

IMDG: International Maritime Dangerous Goods Code intravenous

intrav: intraperitonaeal ipt:

ISHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% letale dosis 50% I D50:

leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Met: Metall mus: mouse Muta: mutagen

National Institute for Occupational Safety and Health (US) NIOSH:

NRD: Non-rapidly degradable

onchorhynchus mykiss: fish, rainbow trout

orl:

OSHA: Occupational Safety and Health Administration PAX. transport on passenger planes allowed PBT. persistent, bioaccumulating, toxic substance

pH: pH value

pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

PVC: polyvinyl chloride quail: bird, quail rat: rat rabbit rbt:

RD: rapidly degradable

RF.

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

item number, reference number RFF

Reg.No.: rRegistration number



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

# according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 985073
 NANOCOLOR Sulfide 3
 Page: 13/13

 Printing date: 12.01.2023
 Date of issue: 26.09.2022
 Version: 2.2.2.16

Repr: harmful to reproduction

Resp: respiratory

RIP: REACH Implementations Projects

scu: sub cutan
SDS: safety data sheet
Sens: sensitisation

STEL: short term exposure limit
STOT: Specific Target Organ Toxicity
SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox: toxic

TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

# 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



Software: M2 V 6.0.28.156

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com