

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 1/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 985089
 Product name NANOCOLOR Sulfite 10

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 1 mL Sulfite 10 (R0) UFI: N89U-03TG-A20K-1R8N
 1 x 5 mL Sulfite 10 (R2) UFI: 9WNU-U3PF-Y20W-Y5HE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ)
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

Lieferant / Supplier
 Carl Roth GmbH + Co KG
 Schoemperlenstr. 3-5
 76185 Karlsruhe, Germany
 +49 721 5606 0
sicherheit@carlroth.de

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS07 GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral
H360FD	Repr. 1B
H373	STOT RE 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1 mL Sulfite 10 (R0)



GHS08



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 2/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

Signal word	DANGER
Hazard identification	Hazard classes/categories
H360FD	Repr. 1B

5 mL Sulfite 10 (R2)



GHS07 GHS08

Signal word	WARNING
Hazard identification	Hazard classes/categories
H302 H373	Acute Tox. 4 oral STOT RE 2

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

1 mL Sulfite 10 (R0)



GHS08

Signal word: DANGER
 H360FD
 May damage fertility. May damage the unborn child.
 P201, P280sh, P405
 Obtain special instructions before use. Wear protective gloves/eye protection. Store locked up.

5 mL Sulfite 10 (R2)



GHS07 GHS08

Signal word: WARNING

Label elements of the complete product



GHS07 GHS08

Signal word: DANGER
 H360FD
 May damage fertility. May damage the unborn child.
 P201, P280sh, P405
 Obtain special instructions before use. Wear protective gloves/eye protection. Store locked up.



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089

NANOCOLOR Sulfite 10

Page: 3/11

Printing date: 12.01.2023

Date of issue: 24.10.2022

Version: 2.2.2.4

2.3 Other hazards

Possible hazards from physicochemical properties

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities. May damage fertility. May damage the unborn child.

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

5 mL Sulfite 10 (R2)

Substance name: *ethylene glycol*
CAS No.: 107-21-1

Substance rating: H302, Acute Tox. 4 oral, H373, STOT RE 2

Formula: $C_2H_6O_2$

Pseudonym (de): Glycol

REACH Reg. No.: 01-2119456816-28-XXXX

EC No.: 203-473-3

Indice No.: 603-027-00-1

Concentration: 80 - <100 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H373, STOT RE 2

Substance name: *chemicals/mixture until 1%*

CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.

Concentration: 0,1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

1 mL Sulfite 10 (R0)

Substance name: *boric acid*
CAS No.: 10043-35-3

Substance rating: H360FD, Repr. 1B

Formula: H_3BO_3

Pseudonym (de): Orthoborsäure, E284

REACH Reg. No.: 01-2119486683-25-0024

SVHC listed: listed (18/06/2010) Cand. Lst. REACH Art59(10)

EC No.: 233-139-2

Indice No.: 005-007-00-2

Concentration: 0,3 - <0,5 %

acc. CLP (GHS): H360FD, Repr. 1B

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 4/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

- 4.1.2 After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).
- 4.1.3 After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---
- 4.1.4 After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested.
- 4.2 Most important symptoms and effects, both acute and delayed**

CMR Effekte:

- 4.3 Indication of any immediate medical attention and special treatment needed**

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
 - 5.1.1 Suitable extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
 - 5.1.2 Unsuitable extinguishing media**
no data available
- 5.2 Special hazards arising from the substance or mixture**
Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters**
No, for listed product.Product package burns like paper or plastic.
- 5.4 Additional information**

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
- 6.2 Environmental precautions**
PBT: not applicable
vPvB: not applicable
- 6.3 Methods and material for containment and cleaning up**
Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections**

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**
Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.
- 7.2 Conditions for safe storage, including any incompatibilities**
Safe storage is guaranteed in the original packaging . Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1
Storage class (VCI): 6.1D



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 5/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

5 mL Sulfite 10 (R2)

Chemical: *ethylene glycol* CAS No.: 107-21-1
 DNEL: [inh] 35 mg/m³
DNEL = Derived No-Effect Level (for workers)
 TRGS 900 (DE): 10 ppm / 26 mg/m³
E/e respirable
 SUVA(CH) MAK value: 10 ppm / 26 mg/m³
 NIOSH: [Ceiling] 50 ppm
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: none
 Chemical: *chemicals/mixture until 1%* CAS No.: -

1 mL Sulfite 10 (R0)

Chemical: *boric acid* CAS No.: 10043-35-3
 DNEL: [derm] 392 mg/kg bw/day; [inh] 8.3 mg/m³
DNEL = Derived No-Effect Level (for workers)
 PNEC (fresh water): 2.9 mg/L
PNEC = Predicted No Effect Concentration
 TRGS 900 (DE): 0.5 E mg/m³
E/e respirable
 Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
 SUVA(CH) MAK value: [Bor][MAK] 1,8e/[STEL] 1,8e mg/m³
 NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: not listed

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089

NANOCOLOR Sulfite 10

Page: 6/11

Printing date: 12.01.2023

Date of issue: 24.10.2022

Version: 2.2.2.4

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

5 mL Sulfite 10 (R2)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	organic
d) Melting point:	no data available
e) Boiling point:	117 (39 hPa) °C
f) Flammability:	no data available
g) Explosive limits (lower / upper):	1,8 ... 12,8 Vol%
h) Flash point:	116 °C
i) Flashing temperature:	410 °C
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,11 g/cm ³
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

1 mL Sulfite 10 (R0)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	8,5
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.
Properties relevant to substance groups

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089

NANOCOLOR Sulfite 10

Page: 7/11

Printing date: 12.01.2023

Date of issue: 24.10.2022

Version: 2.2.2.4

10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

5 mL Sulfite 10 (R2)

Chemical: *ethylene glycol* CAS No.: 107-21-1
 TSCA Inventory: listed California Proposition 65 List: listed, developmental
 Korea Exist.Chem.Inventory: KE-13169
 LD50 orl rat : 4700 mg/kg
 LC_{Low} orl hmn : 786 mg/kg
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
 Chronic Effects: May cause damage to organs through prolonged or repeated exposure.

Chemical: *chemicals/mixture until 1%* CAS No.: -
 TSCA Inventory: all listed, <1%
 Korea Exist.Chem.Inventory: listed

1 mL Sulfite 10 (R0)

Chemical: *boric acid* CAS No.: 10043-35-3
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: PRTR: ≥1,0%B class I, Japan PDSCCL: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-03499
 LD50 orl rat : > 3765 mg/kg
 LC50 ihl rat : 2,12 mg/L/4H

Carcinogenic Effects: May damage fertility. May damage the unborn child.

EU carcinogen: R_D 1B, R_F 1B
 TRGS 905 (DE): R_E 2, R_F 2

11.2 Other hazards

Possible endocrine disrupting effects
 no data available

Other information
 no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

5 mL Sulfite 10 (R2)

Chemical: *ethylene glycol* CAS No.: 107-21-1
 LC50 pimephales promelas/96h : [NOEC, 7d] 39.14 g/L
 LC50 leuciscus idus/96h : [NOEC, 48h] >10 g/L
 LC50 fish/96h : 18.5 g/L
 EC50 daphnia/48h : 41 / [24h] 74 mg/L
 Water hazard class (DE): 1 WGK No.: 0105
 Dispersion coefficient (o/w) : -1,36
 Storage class (VCI): 12-13



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 8/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

Chemical: *chemicals/mixture until 1%*
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

CAS No.: -

1 mL Sulfite 10 (R0)

Chemical: *boric acid*
 PNEC (fresh water): 2.9 mg/L
 PNEC = Predicted No Effect Concentration
 LC50 fish/96h: [4d] 79.7 mg/L
 EC50 daphnia/48h: 91-165 mg/L
 IC50 scenedesmus quadricauda/72h: [72h] 52.4 mg/L
 EC10 pseudomonas putida/16h: [EC10] 10 mg/L
 Water hazard class (DE): 1 WGK No.: 0315
 Dispersion coefficient (o/w): -1,09
 Storage class (VCI): 6.1 D

CAS No.: 10043-35-3

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according to the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 9/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment
 not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.2.4 and 2.2.2.2 following changes were applied: - 2 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

- H302 Harmful if swallowed.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

16.2.2 List of relevant P phrases

- P201 Obtain special instructions before use.
- P280sh Wear protective gloves/eye protection.
- P405 Store locked up.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 ArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

- KÜHN, BIRETT, Leaflets on hazardous materials, 2021
- Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
- Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at work SUVA .CH, limit values in the air at work 2009, revised on 01/2009
- Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
- Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
- Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
- Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
- Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)
- TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016
- Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress (11th ATP)
- Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
- Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
- TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
- Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
- Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
- Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
- Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
- Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

revisions/updates

- Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
- 2014-04 adjustment according Regulation 487/2013/EU
- 2016-03 adjustment according Regulation 1221/2015/EU
- 2017-11 adjustment according the ECHA registration dossier
- 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 10/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxigen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal
- dog: dog
- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not spezified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fisch, rainbow trout
- orl: oral
- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed
- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fisch, fathead minnow
- PNEC: Predicted No Effect Concentration
- PROC 15: Process category 'for laboratory use'
- PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
- PVC: polyvinyl chloride
- quail: bird, quail
- rat: rat
- rbt: rabbit
- RD: rapidly degradable
- RE: repeated
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- REF: item number, reference number
- Reg.No.: rRegistration number
- Repr: harmful to reproduction
- Resp: respiratory
- RIP: REACH Implementations Projects
- scu: sub cutan
- SDS: safety data sheet
- Sens: sensitisation



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985089	NANOCOLOR Sulfite 10	Page: 11/11
Printing date: 12.01.2023	Date of issue: 24.10.2022	Version: 2.2.2.4

- STEL: short term exposure limit
- STOT: Specific Target Organ Toxicity
- SVHC: Substance of Very High Concern
- t/a: tons per year
- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com