

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034	NANOCOLOR CATIONIC SURFACTANTS 4	Page: 1/14
Printing date: 12.01.2023	Date of issue: 04.07.2022	Version: 2.2.4.2

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF: 985034  
 Product name: NANOCOLOR CATIONIC SURFACTANTS 4  
 REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.  
 20 x 6 mL Cationic Surfactants 4 (R0+R1) UFI: 0D5U-73RM-J20A-8D1R  
 1 x 11 mL Cationic Surfactants 4 (R2) UFI: Y7NU-T359-H20X-PEUW

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.  
**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0  
 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ)  
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>  
 You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>  
 Lieferant / Supplier: Carl Roth GmbH + Co KG  
 Schoemperlenstr. 3-5  
 76185 Karlsruhe, Germany  
 +49 721 5606 0  
 sicherheit@carlroth.de

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



Signal word	DANGER
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H331	Acute Tox. 3 inh.
H336	STOT SE 3
H351	Carc. 2
H361	Repr. 2
H371	STOT SE 2
H372	STOT RE 1

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 2/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

## 11 mL Cationic Surfactants 4 (R2)



GHS02

Signal word: WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3

## 6 mL Cationic Surfactants 4 (R0+R1)



GHS06



GHS07



GHS08

Signal word: DANGER

Hazard identification	Hazard classes/categories
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H331	Acute Tox. 3 inh.
H336	STOT SE 3
H351	Carc. 2
H361	Repr. 2
H371	STOT SE 2
H372	STOT RE 1

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

## 11 mL Cationic Surfactants 4 (R2)



GHS02

Signal word: WARNING

## 6 mL Cationic Surfactants 4 (R0+R1)



GHS06



GHS08

Signal word: DANGER

H331, H351, H361, H372

Toxic if inhaled. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

P201, P260sh, P280sh, P311, P405

Obtain special instructions before use. Do not breathe dust/vapours. Wear protective gloves/eye protection. Call a POISON CENTER/doctor. Store locked up.

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 3/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

## Label elements of the complete product



GHS02



GHS06



GHS08

Signal word: DANGER

H331, H351, H361, H372

Toxic if inhaled. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

P201, P260sh, P280sh, P311, P405

Obtain special instructions before use. Do not breathe dust/vapours. Wear protective gloves/eye protection. Call a POISON CENTER/doctor. Store locked up.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

### Information pertaining to particular risks to human and possible symptoms

Cause severe after inhalation of vapours, impairments of health or can lead to death even when only ingested in small quantities. Cause after oral intake, impairments of health when ingested in small quantities. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. The labelling with GHS06 would indicate acute toxicity hazard which is not given by the closed cuvette system.

### Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

### Possible endocrine disrupting effects

no data available

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 6 mL Cationic Surfactants 4 (R0+R1)

Substance name: *citrate buffer solution*

CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.

Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *methanol*

CAS No.: 67-56-1

Substance rating: H225, Flam. Liq. 2, H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H331, Acute Tox. 3 inh.,

H370, STOT SE 1

Formula: CH<sub>4</sub>O, CH<sub>3</sub>OH

Pseudonym (de): Methylalkohol

REACH Reg. No.: 01-2119433307-44-xxxx

EC No.: 200-659-6

Indice No.: 603-001-00-X

Concentration: 1 - <2,5 %

acc. CLP (GHS): H371, STOT SE 2



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 5/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

## 4.3 Indication of any immediate medical attention and special treatment needed

In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

### 5.4 Additional information

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

PBT: not applicable  
vPvB: not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains. Not for organic solvents (see section 13).

### 6.4 Reference to other sections

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging. Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3  
Water hazard class (DE): 3

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, and store in a well-ventilated place at max. 25 °C, away or preferably separate from substances with which a hazardous reaction could take place, so that they are not immediately accessible to outside parties. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 6/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 6 mL Cationic Surfactants 4 (R0+R1)

Chemical: *citrate buffer solution*

CAS No.: -

Chemical: *methanol*

CAS No.: 67-56-1

DNEL: [derm] 40 mg/kg bw/day; [inh] 260 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 20.8 mg/L

PNEC = Predicted No Effect Concentration

EU value: [TWA] 200 ppm / 260 mg/m<sup>3</sup>

TRGS 900 (DE): 200 ppm / 270 mg/m<sup>3</sup>

E/e respirable

Short-term exposure factor: 4 (II), H, Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm/ 260 mg/m<sup>3</sup>

SUVA(CH) BAT value: [U/c,b] 30 mg/L

TRGS 903 (DE): U/c,b 30 mg/L

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA, skin] 200 ppm / 260 mg/m<sup>3</sup>

NIOSH STEL: 250 ppm / 325 mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 200 ppm / 260 mg/m<sup>3</sup>

Chemical: *chloroform*

CAS No.: 67-66-3

DNEL: [derm] 0.94 mg/kg bw/day; [inh] 2.5 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.146 mg/L

PNEC = Predicted No Effect Concentration

EU value: 0.5 ppm / 2.5 mg/m<sup>3</sup>

TRGS 900 (DE): 0,5 mL/m<sup>3</sup> / 2,5 mg/m<sup>3</sup>

E/e respirable

Short-term exposure factor: 2 (II), H, X, Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,5 ppm / 2,5 mg/m<sup>3</sup>

NIOSH: Ca ST 2 ppm / 9.78<sub>60 min</sub> mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 50 ppm / 240 mg/m<sup>3</sup>

Chemical: *water*

CAS No.: 7732-18-5

#### 11 mL Cationic Surfactants 4 (R2)

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L

PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m<sup>3</sup>

E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m<sup>3</sup>

NIOSH: [TWA] 1000 ppm / 1900 mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m<sup>3</sup>

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

#### 8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

#### 8.2.2 Skin protection / Hand protection



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 7/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril, for chlorinated carbons consist of viton (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

**8.2.3 Eye / Face Protection**

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

**8.2.4 Skin protection**

Recommended to avoid contamination with these hazards.

**8.2.5 Personal hygiene**

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

**8.2.6 Thermal hazards**

no data available

**8.3 Limitation and monitoring of environmental exposure**

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**6 mL Cationic Surfactants 4 (R0+R1)**

a) State of aggregation:	liquid (2 phases)
b) Colour:	colourless
c) Odor:	like chloroform
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	2,0
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

**11 mL Cationic Surfactants 4 (R2)**

a) State of aggregation:	liquid
b) Colour:	blue
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0,98 g/cm³
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available





# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034	NANOCOLOR CATIONIC SURFACTANTS 4	Page: 8/14
Printing date: 12.01.2023	Date of issue: 04.07.2022	Version: 2.2.4.2

## 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.  
**Properties relevant to substance groups**

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

No further data available.

### 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 6 mL Cationic Surfactants 4 (R0+R1)

Chemical: *citrate buffer solution* CAS No.: -  
 TSCA Inventory: all listed  
 Korea Exist.Chem.Inventory: listed

Chemical: *methanol* CAS No.: 67-56-1  
 TSCA Inventory: listed California Proposition 65 List: listed, developmental  
 ACGIH: 200 ppm / 160 mg/m<sup>3</sup>  
 Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, central nervous system, gastrointestinal tract  
 Symptoms: irritation eyes, skin, upper respiratory system; headache, drowsiness, dizziness, nausea, vomiting;  
 visual disturbance, optic nerve damage (blindness)  
 Australia NICNAS: Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: PAC yes, Japan PDSCL: Deleterious Substance  
 Japan ISHL: listed ≥0,3%/≥0,1%, Article 57-2 (SDS required)  
 South Korea TCCA: Accident Precaution Chemical yes  
 Korea Exist.Chem.Inventory: KE-23193, Toxic 97-1-80  
 LD50 orl rat : 5628 mg/kg  
 LC<sub>Low</sub> ihl rat : 64,000 mg/L/4H  
 LC<sub>Low</sub> orl hmn : 143 mg/kg  
 LC50 ihl rat : >80 mg/L/4H  
 LD50 orl mus : 7300 mg/kg

Chronic Effects:  
 TRGS 905 (DE): R F C

Chemical: *chloroform* CAS No.: 67-66-3  
 TSCA Inventory: listed California Proposition 65 List: listed: cancer, developmental  
 ACGIH: 10 ppm  
 Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact  
 Target Organs: Liver, kidneys, heart, eyes, skin, central nervous system  
 Symptoms: irritation eyes, skin; dizziness, mental dullness, nausea, confusion; headache, lassitude (weakness, exhaustion); anesthesia; enlarged liver; [potent  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: PCA Yes, PRTR: ≥1,0% class I, Japan PDSCL: Deleterious Substance



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034	NANOCOLOR CATIONIC SURFACTANTS 4	Page: 9/14
Printing date: 12.01.2023	Date of issue: 04.07.2022	Version: 2.2.4.2

Japan ISHL: listed  $\geq 1,0\%$ / $\geq 0,1\%$ , Article 57-1+2 (Labelling&SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-34076, Toxic 97-1-281  
 LD50 orl rat : 908 mg/kg  
 LC<sub>Low</sub> ihl hmn : 25 mg/L  
 LC<sub>Low</sub> orl hmn : 140 mg/kg  
 LC<sub>Low</sub> orl rbt : 500 mg/kg  
 LC50 ihl rat : 9,17 mg/L/6H  
 Acute Effects: Cause severe after inhalation of vapours, impairments of health or can lead to death even when only ingested in small quantities. Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.  
 Chronic Effects:  
 Carcinogenic Effects: Suspected of causing cancer. Suspected of damaging fertility or the unborn child.  
 EU carcinogen: carc. 2, repr. 2  
 TRGS 905 (DE): K 1B, M 2, R D 2

Chemical: *water* CAS No.: 7732-18-5  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-35400  
 LD50 orl rat : > 90000 mg/kg

**11 mL Cationic Surfactants 4 (R2)**  
 Chemical: *ethanol* CAS No.: 64-17-5  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 ACGIH: 1000 ppm  
 Exposure Routes: inhalation, ingestion, skin and/or eye contact  
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system  
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: listed  $\geq 0,1\%$ / $\geq 0,1\%$ , Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-13217  
 LD50 orl rat : 6200 mg/kg  
 LC<sub>Low</sub> ihl gpg : 21,900 mg/L  
 LC<sub>Low</sub> orl hmn : 1400 mg/kg  
 LC50 ihl mus : 123,4 mg/L/4H  
 LC50 ihl rat : 115,9-133,8 mg/L/4H  
 LD50 orl mus : 3450 mg/kg  
 TRGS 905 (DE): K5, M5, R F C

## 11.2 Other hazards

**Possible endocrine disrupting effects**  
 no data available

**Other information**  
 no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

**6 mL Cationic Surfactants 4 (R0+R1)**  
 Chemical: *citrate buffer solution* CAS No.: -  
 Water hazard class (DE): 0  
 Storage class (VCI): 12

Chemical: *methanol* CAS No.: 67-56-1  
 PNEC (fresh water) : 20.8 mg/L  
 PNEC = Predicted No Effect Concentration  
 LC50 daphnia magna/48h : [24h] 23.5 g/L  
 LC50 pimephales promelas/96h : 29.4 g/L  
 LC50 fish/96h : 15.4 g/L  
 EC50 daphnia/48h : >10 g/L



# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 10/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

IC50 *scenedesmus quadricauda*/72h : [IC5 8d] 8000 mg/L  
 EC10 *pseudomonas putida*/16h : [EC5] 6.6 g/L  
 Water hazard class (DE): 2 WGK No.: 0145  
 Dispersion coefficient (o/w) : -0,77  
 Storage class (VCI): 3

Chemical: *chloroform* CAS No.: 67-66-3  
 PNEC (fresh water) : 0.146 mg/L  
 PNEC = Predicted No Effect Concentration

LC50 fish/96h : 18 mg/L  
 EC50 *daphnia*/48h : 6.3<sup>21d</sup> NOEC mg/L  
 Water hazard class (DE): 3 WGK No.: 0054  
 Dispersion coefficient (o/w) : 1,97  
 Storage class (VCI): 12

Chemical: *water* CAS No.: 7732-18-5

### 11 mL Cationic Surfactants 4 (R2)

Chemical: *ethanol* CAS No.: 64-17-5  
 PNEC (fresh water) : 0.96 mg/L  
 PNEC = Predicted No Effect Concentration

LC50 *daphnia magna*/48h : >100 g/L  
 LC50 *pimephales promelas*/96h : 13.4-15.1 g/L  
 LC50 *leuciscus idus*/96h : [48h] 8.14 g/L  
 LC50 fish/96h : 13 g/L  
 EC50 *daphnia*/48h : 9.3-14.2 g/L  
 IC50 *scenedesmus quadricauda*/72h : [7d] 5000 mg/L  
 EC10 *pseudomonas putida*/16h : [EC5] 6500 mg/L  
 Water hazard class (DE): 1 WGK No.: 0096  
 Dispersion coefficient (o/w) : -0,31  
 Storage class (VCI): 3

## 12.2 Persistence and degradability

not necessary

## 12.3 Bioaccumulative potential

not necessary

## 12.4 Mobility in soil

not necessary

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Or collect in solvent waste (waste code number 07 07 04). Close container tightly.

### 13.1 Waste treatment methods

Not necessary, see above.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 11/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

## SECTION 14: Transport information

**14.1. UN number:** 3316

**14.2. UN proper shipping name:** Chemical Kit

**14.3. Class:** 9 **14.4. Packing group:** II

*Road transport ADR*

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

*Air transport ICAO*

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

*Maritime transport IMDG*

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

**14.1 UN number:** 1888 **14.2 UN proper shipping name:** Chloroform

**14.3 Class:** 6.1 **14.4 Packing group:** III

*Road transport ADR*

Classification code: T1 Tunnel restriction code: E

Limited Quantity: 5 L

Excepted Quantity: E 1

*Air transport ICAO*

Limited Quantity: LQ 7

Excepted Quantity: E 1

PAX: 680 max. weight PAX: 60 L

CAO: 680 max. weight CAO: 220 L

*Maritime transport IMDG*

EmS: F-A, S-A Storage category: A

**14.1 UN number:** 1992 **14.2 UN proper shipping name:** Flammable liquid, toxic, n.o.s. (methanol solution)

**14.3 Class:** 3 **14.4 Packing group:** III

*Road transport ADR*

Classification code: FT1 Tunnel restriction code: E

Limited Quantity: 5 L

Excepted Quantity: E 1 Special instructions: 274

*Air transport ICAO*

Limited Quantity: LQ 7

Excepted Quantity: E 1

PAX: 355 max. weight PAX: 60 L

CAO: 366 max. weight CAO: 220 L

*Maritime transport IMDG*

EmS: F-E, S-D Storage category: A

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

### 14.6 Special precautions for user

not necessary

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015

Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 12/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
 TRGS 561, Activities involving carcinogenic metals and their compounds, Oct 2017  
 MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
 If necessary, observe other country-specific regulations.

## 15.2 Chemical safety assessment not necessary for these small amounts

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.2.4.2 and 2.2.2.2 following changes were applied: - 2 composition data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

#### 16.2.2 List of relevant P phrases

P201	Obtain special instructions before use.
P260sh	Do not breathe dust/vapours.
P280sh	Wear protective gloves/eye protection.
P311	Call a POISON CENTER/doctor.
P405	Store locked up.

### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at work SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress Text (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034

NANOCOLOR CATIONIC SURFACTANTS 4

Page: 13/14

Printing date: 12.01.2023

Date of issue: 04.07.2022

Version: 2.2.4.2

*2017-11 adjustment according to the ECHA registration dossier  
2022-11 adjustment according to Regulation 878/2020/EU*

## 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.6 Legend / Abbreviations

acc: according  
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road  
 Act: acute  
 BAT: biological workplace tolerance value  
 CAO: Cargo Aircraft Only  
 Carc: carcinogen  
 CAS: Chemical Abstracts Service  
 CLP: Classification, Labelling and Packaging regulation  
 CMR: carcinogen, mutagen, reproduction toxic  
 Corr: corrosive  
 COD: chemical oxygen demand  
 CSCL: Chemical Substance Control Law (Jp)  
 Dam: damage  
 DNEL: Derived No-Effect Level (for workers)  
 derm: dermal  
 dog: dog  
 EC10: Concentration causing a toxic effect in 10% of the test organisms  
 EC: European Community  
 EC-Nr: Substance number of the EC substance inventory  
 EmS: Guide to accident management measures on ships  
 EU: European Union  
 fish: fish (not specified)  
 GHS: Global Harmonized System of Classification and Labeling of Chemicals  
 gpg: guinea pig  
 ICAO: International Civil Aviation Organization  
 ihl: inhaled  
 IMDG: International Maritime Dangerous Goods Code  
 intrav: intravenous  
 ipt: intraperitoneal  
 ISHL: Industrial Safety and Health Law (Jp)  
 LC50: letale concentration 50%  
 LD50: letale dosis 50%  
 leuciscus idus: fisch, ide, orfe  
 MAK: maximum workplace concentration  
 Met: Metall  
 mus: mouse  
 Muta: mutagen  
 NIOSH: National Institute for Occupational Safety and Health (US)  
 NRD: Non-rapidly degradable  
 onchorhynchus mykiss: fisch, rainbow trout  
 orl: oral  
 OSHA: Occupational Safety and Health Administration  
 PAX: transport on passenger planes allowed  
 PBT: persistent, bioaccumulating, toxic substance  
 pH: pH value  
 pimephales promelas: fisch, fathead minnow  
 PNEC: Predicted No Effect Concentration  
 PROC 15: Process category 'for laboratory use'  
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
 PVC: polyvinyl chloride  
 quail: bird, quail  
 rat: rat  
 rbt: rabbit  
 RD: rapidly degradable



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985034	NANOCOLOR CATIONIC SURFACTANTS 4	Page: 14/14
Printing date: 12.01.2023	Date of issue: 04.07.2022	Version: 2.2.4.2

- RE: repeated
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- REF: item number, reference number
- Reg.No.: rRegistration number
- Repr: harmful to reproduction
- Resp: respiratory
- RIP: REACH Implementations Projects
- scu: sub cutan
- SDS: safety data sheet
- Sens: sensitisation
- STEL: short term exposure limit
- STOT: Specific Target Organ Toxicity
- SVHC: Substance of Very High Concern
- t/a: tons per year
- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com