CHEREY-NAGE



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

QUANTOFIX Potassium Page: 1/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier**

REF 91316

no data available **QUANTOFIX** Potassium REACH Registration number(s): see SECTION 3.1/3.2 or

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 100 test strips 2 x 25 mL Potassium-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Information not necessary.

You find our current versions of SDS in Internet:

Carl Roth GmbH + Co KG Carl Roth Gmbri 3-5

Carl Roth Gmbri 4-6

Carl Roth 76185 Karlsruhe, Germany +49 721 5606 0 sicherheit@carlroth.de

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

Classification of the substance or mixture according to Regulation (EC) 1272/2008

25 mL Potassium-1

Do not need labelling as hazardous

Signal word

No hazard class

100 test strips

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008



Software: M2 V 6.0.20.60

2.1

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91316
 QUANTOFIX Potassium
 Page: 2/10

 Printing date: 22.11.2022
 Date of issue: 24.10.2022
 Version: 2.2.2.4

25 mL Potassium-1

Do not need labelling as hazardous

Signal word: -

100 test strips

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product

Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

25 mL Potassium-1

Substance name: nitric acid CAS No.: 7697-37-2

Substance rating: H272, Ox. Liq. 3, H290, Met. Corr. 1, H314, Skin Corr. 1A, H331, Acute Tox. 3 inh.

Formula: HNO 3 •H 2 O

Pseudonym (de): Hydrogennitrat, Scheidewasser

REACH Reg. No.: 01-2119487297-23-xxxx

EC No.: 231-714-2 Indice No.: 007-004-00-1

Concentration: 0,1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

100 test strips

Substance name: cellulose paper CAS No.: cellulose paper

Substance rating: No criteria for classification or naming of chemical not required.

Formula: $(C_6 H_{10} O_5)_n$ REACH Reg. No.: exempt, Annex IV EC No.: 232-674-9 Concentration: 1 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled. Substance name: chemicals/mixture until 1%

CAS No.:

Substance rating: No criteria for classification or naming of chemical not required.

Concentration: 0,1 - <1

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: PVC foil (CAS 9002-86-2)

CAS No.:

Substance rating:

No criteria for classification or naming of chemical not required.

Concentration: 95 - <100 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.0.20.60



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91316 **QUANTOFIX** Potassium Page: 3/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

After SKIN Contact 4.1.1

Remove dust with wetted tissue. Not necessary.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes Not necessary.

After INHALATION of vapours 4.1.3

Not necessary. After inhalation of dust fresh air should be inhaled. ---

After ORAL Intake 4.1.4 Not necessary.

4.2 Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed 4.3

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Not necessary.

6.2 **Environmental precautions**

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

QUANTOFIX Potassium Page: 4/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): 8R

Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

SECTION 8: Exposure controls /personal protection

8.1 **Control parameters**

25 mL Potassium-1

Chemical: CAS No.: 7697-37-2

DNEL: [inh] (1.3) mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): no hazard ider PNEC = Predicted No Effected Concentration no hazard identified

EU value: 1 ppm / 2.6 mg/m³ TRGS 900 (DE): 1 ppm / 2,6 mg/m³ E/e respirable

Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 5 mg/m³ NIOSH: [TWA] 2 ppm / 5 mg/m³ NIOSH STEL:

NIOSH STEL: 4 ppm / 10 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 500 lbs) n/a; [TWA] 2 ppm / 5

mg/m³

100 test strips

cellulose paper CAS No.: 9004-34-6 Chemical:

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m³

E/e respirable

SUVA(CH) MAK value:

NIOSH:

: TWA 10 (total) / 5 (resp) mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m³

Chemical: chemicals/mixture until 1% CAS No .: -PVC foil (CAS 9002-86-2) Chemical: CAS No .: -

8.2 **Exposure controls**

Not necessary.

Respiratory protection 8.2.1

Not necessary.

8.2.2 Skin protection / Hand protection

Not necessary.

8.2.3 Eye / Face Protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91316
 QUANTOFIX Potassium
 Page: 5/10

 Printing date: 22.11.2022
 Date of issue: 24.10.2022
 Version: 2.2.2.4

Information not necessary.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

25 mL Potassium-1

a) State of aggregation:

b) Colour: colourless c) Odor: red d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): h) Flash point: no data available no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 2-3 I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1,00 g/mL q) Relative vapour density (air=1): no data available r) Particle size: no data available

100 test strips

a) State of aggregation:

colourless b) Colour: c) Odor: red d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: no data available no data available I) Kinematic viscosity: m) Solubility in water: no data available n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available r) Particle size: no data available

9.2 Other information

Properties relevant to substance groups



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

 REF: 91316
 QUANTOFIX Potassium
 Page: 6/10

 Printing date: 22.11.2022
 Date of issue: 24.10.2022
 Version: 2.2.2.4

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to avoid

Not known.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

25 mL Potassium-1

Chemical: nitric acid CAS No.: 7697-37-2

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, teeth
Symptoms: Eyes, skin, respiratory system, teeth
irritation eyes, skin, mucous membrane; delayed pulmonary edema, pneumonitis, bronchitis; dental

erosion

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance

Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-25911, >10% Toxic 97-1-246, Acc. Precaution Chem.

LC_Low _{orl hmn}: 1500 mg/kg/NOAEC LC50 _{ihl rat}: 2,65 mg/L/4H

TRGS 905 (DE): R F D

100 test strips

Chemical: cellulose paper CAS No.: 9004-34-6

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane
Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-05339
LD50 orl rat: > 5000 mg/kg
LC50 ihl rat: > 5,800 mg/L/4H

Chemical: chemicals/mixture until 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

TSCA Inventory: listed



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91316 **QUANTOFIX** Potassium Page: 7/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

25 mL Potassium-1

Chemical: nitric acid CAS No.: 7697-37-2

PNEC (fresh water):
PNEC = Predicted No Effected Concentration no hazard identified

LC50 daphnia magna/48h: 180 mg/L LC50 _{fish/96h}: Water hazard class (DE): [4d] 12 g/L

WGK No.: 0414

8 B Storage class (VCI):

100 test strips

Chemical: cellulose paper CAS No.: 9004-34-6

Water hazard class (DE): nwg Storage class (VCI):

chemicals/mixture until 1% Chemical: CAS No : -

Water hazard class (DE): Storage class (VCI): 12-13

Chemical: PVC foil (CAS 9002-86-2) CAS No .: -

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 **Endocrine disrupting properties**

no data available

Other adverse effects 12.7

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

SECTION 14: Transport information

14.1 - 14.4 Not necessary

14.5 **Environmental hazards**

none



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91316 **QUANTOFIX** Potassium Page: 8/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.2.4 and 2.2.2.2 following changes were applied: - 2 substance data corrected

16.2 List of H and P phrases

- 16.2.1 List of relevant H phrases
- 16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

None

16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009
Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress

Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET

Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019

Regulation 878/2020/EU

Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Revisions/Updates

Reason for revision:

2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 Adjustment of Regulation 487/2013/EU

2016-03 Adjustment of Regulation 1221/2015/EU

2017-11 adaptation of the ECHA registration dossier 2022-11 Adjustment of Regulation 878/2020/EU

16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91316 **QUANTOFIX** Potassium Page: 9/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

according acc:

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act:

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service

Classification, Labelling and Packaging regulation CLP:

CMR: carcinogen, mutagen, reproduction toxic

Corr:

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm: dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

European Community EC:

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

European Union EU: fish (not spezified) fish:

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO: guinea pig

International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous intraperitonaeal ipt:

İSHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Met: Metall mus: mouse Muta:

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable

onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH value pH: pimephales promelas: fish, fathead minnow Predicted No Effected Concentration PNEC: PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

PVC: polyvinyl chloride bird, quail quail: rat: rat rbt: rabbit

RD: rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number

Reg.No.: rRegistration number harmful to reproduction Repr:

Resp: respiratory

RIP: **REACH Implementations Projects**

sub cutan SCU. SDS: safety data sheet Sens: sensitisation

STEL: short term exposure limit STOT: Specific Target Organ Toxicity SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox:



Software: M2 V 6.0.20.60

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 91316 **QUANTOFIX** Potassium Page: 10/10 Printing date: 22.11.2022 Date of issue: 24.10.2022 Version: 2.2.2.4

TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.