acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: **T168**Version: **5.0 en**date of compilation: 2015-10-20
Revision: 2022-12-15

Replaces version of: 2021-04-06

Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

Article number T168

EC number 200-835-2 CAS number 75-05-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against:

Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

of responsible for the safety data Department realth, safety and Environment

sicherheit@carlroth.de

1.4 Emergency telephone number

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312

United Kingdom (en) Page 1 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: T168



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07



Hazard statements

H225 Highly flammable liquid and vapour

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

United Kingdom (en) Page 2 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Acetonitrile

Molecular formula C₂H₃N

Molar mass $41,05 \, {}^{9}/_{mol}$

CAS No 75-05-8 EC No 200-835-2

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	469 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 11 ^{mg} / _l /4h	oral dermal inhalation: vapour

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eve contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Irritant effects, Conjunctival redness of the eyes, Following skin contact: Localised redness, oedema, pruritis and/or pain, Following ingestion: Vomiting, Irritation, Headaches and dizziness may occur, Following inhalation: Cough, pain, choking, and breathing difficulties

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acetonitrile	75-05-8	IOELV	40	70					Н	2006/15/ EC

United Kingdom (en) Page 5 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	acetonitrile	75-05-8	WEL	40	68	60	102				EH40/ 2005

Notation

Ceiling-C

H STEL

Ceiling value is a limit value above which exposure should not occur
Absorbed through the skin
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels									
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time					
DNEL	68 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects					
DNEL	68 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects					
DNEL	68 mg/m³	human, inhalatory	worker (industry)	chronic - local effects					
DNEL	68 mg/m³	human, inhalatory	worker (industry)	acute - local effects					
DNEL	32,2 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects					

Environmental values

Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time				
PNEC	10 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)				
PNEC	1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)				
PNEC	32 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)				
PNEC	40,5 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)				
PNEC	4,05 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)				
PNEC	2,23 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)				

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

United Kingdom (en) Page 6 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour characteristic - mild sweet

Melting point/freezing point -45,7 °C at 101.325 Pa (ECHA)

Boiling point or initial boiling point and boiling 81,65 °C at 1.013 hPa (ECHA)

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 50 g/m³ (LEL) - 274 g/m³ (UEL) /

4,4 vol% (LEL) - 16 vol% (UEL)

United Kingdom (en) Page 7 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168

Flash point 2 °C at 1.013 hPa (c.c.)

Auto-ignition temperature 524 °C at 101.325 Pa (ECHA) (auto-ignition tem-

perature (liquids and gases))

Decomposition temperature not relevant pH (value) $9-10 (20 \degree C)$

Kinematic viscosity $0,443 \, ^{\text{mm}^2}/_{\text{s}}$ at 20 °C Dynamic viscosity $0,35 \, \text{mPa}$ s at 20 °C

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): -0,34 (pH value: ~7, 25 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,654 (ECHA)

Vapour pressure 94,51 hPa at 20 °C

Density and/or relative density

Density $0.79 \, {}^{9}/_{cm^3}$ at 20 °C (ECHA)

Relative vapour density 1,42 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

Refractive index 1,344

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United Kingdom (en) Page 8 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



Violent reaction with: strong oxidiser, Peroxides, Strong acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	469 ^{mg} / _{kg}	mouse		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United Kingdom (en) Page 9 / 21



10.3 Possibility of hazardous reactions

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, dizziness

• If in eyes

Causes serious eye irritation

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc

Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)								
Endpoint	Value	Species	Source	Exposure time				
LC50	1.640 ^{mg} / _l	fish	ECHA	96 h				
ErC50	9.696 ^{mg} / _l	algae	ECHA	72 h				

Aquatic toxicity (ch	ronic)			
Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 ^{mg} / _l	microorganisms	ECHA	30 min

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability							
Process	Degradation rate	Time					
biotic/abiotic	98 %	28 d					
carbon dioxide generation	70 %	21 d					

United Kingdom (en) Page 10 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



n-octanol/water (log KOW) -0,34 (pH value: ~7, 25 °C) (ECHA)
--

12.4 Mobility in soil

Henry's law constant	3,5 ^{Pa m³} / _{mol} at 20 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,654 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 11 / 21



Does not significantly accumulate in organisms.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1648 IMDG-Code UN 1648 ICAO-TI UN 1648

14.2 UN proper shipping name

ADRRID ACETONITRILE IMDG-Code ACETONITRILE ICAO-TI Acetonitrile

14.3 Transport hazard class(es)

ADRRID 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ACETONITRILE

Particulars in the transport document UN1648, ACETONITRILE, 3, II, (D/E)

Classification code F1
Danger label(s) 3



Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E

United Kingdom (en) Page 12 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168

Hazard identification No 33
Emergency Action Code 2YE

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code F1

Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ACETONITRILE

Particulars in the shipper's declaration UN1648, ACETONITRILE, 3, II, 2°C c.c.

Marine pollutant Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-D
Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Acetonitrile

Particulars in the shipper's declaration UN1648, Acetonitrile, 3, II

Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

United Kingdom (en) Page 13 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content	100 % 790 ⁹ / _I
-------------	--

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	790 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) \prime SVHC - candidate list

not listed

United Kingdom (en) Page 14 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



Restrictions according to GB REACH, Annex 17

Name of substance	Name acc. to inventory	CAS No	No
Acetonitrile	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Acetonitrile	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

Legend

AIIC CICR Australian Inventory of Industrial Chemicals

CSCL-ENCS DSL ECSI

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Vorce Spiriting Chemicals Inventory IECSC

Korea Existing Chemicals Inventory

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TCSI TSCA

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 15 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Index No: 608-001-00-3		yes
1.1		EC number: 200-835-2	yes
1.1	EC number: 200-835-2	CAS number: 75-05-8	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
3.1	Index No: 608-001-00-3		yes
9.2	Temperature class (EU, acc. to ATEX): T1 (Maximum permissible surface temperature on the equipment: 450°C)		yes
11.1		Acute toxicity: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic): change in the listing (table)	yes
14.1	UN number: 1648	UN number or ID number	yes
14.1		ADRRID: UN 1648	yes
14.1		IMDG-Code: UN 1648	yes
14.1		ICAO-TI: UN 1648	yes
14.2	UN proper shipping name: ACETONITRILE	UN proper shipping name	yes

United Kingdom (en) Page 16 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.2	Hazardous ingredients: Acetonitrile		yes
14.2		ADRRID: ACETONITRILE	yes
14.2		IMDG-Code: ACETONITRILE	yes
14.2		ICAO-TI: Acetonitrile	yes
14.3	Transport hazard class(es): class 3 hazard - flammable liquids	Transport hazard class(es)	yes
14.3	Class: 3 (flammable liquids)		yes
14.3		ADRRID: 3	yes
14.3		IMDG-Code: 3	yes
14.3		ICAO-TI:	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group	yes
14.4		ADRRID: II	yes
14.4		IMDG-Code: II	yes
14.4		ICAO-TI: II	yes
14.5	Environmental hazards: none (non-environmentally hazardous acc. to the dangerous goods regulations)	Environmental hazards: non-environmentally hazardous acc. to the dan- gerous goods regulations	yes
14.8	UN number: 1648		yes
14.8	Class: 3		yes
14.8	Packing group: II		yes
14.8	Emergency Action Code: 2YE		yes
14.8		Emergency Action Code: 2YE	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3	yes

United Kingdom (en) Page 17 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: **T168**



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 33	yes
14.8	UN number: 1648		yes
14.8	Particulars in the shipper's declaration: UN1648, ACETONITRILE, 3, II, 12,8°C c.c.	Particulars in the shipper's declaration: UN1648, ACETONITRILE, 3, II, 2°C c.c.	yes
14.8	Class: 3		yes
14.8	Packing group: II		yes
14.8	UN number: 1648		yes
14.8	Class: 3		yes
14.8	Packing group: II		yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Danger label(s): change in the listing (table)	yes
15.1	• Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC): Not listed.		yes
15.1	• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS): Not listed.		yes
15.1	Regulation 850/2004/EC on persistent organic pollutants (POP): Not listed.		yes
15.1	• Restrictions according to REACH, Annex XVII		yes
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1	• Restrictions according to REACH, Title VIII: None.		yes
15.1	Directive 75/324/EEC relating to aerosol dispensers		yes
15.1	Filling batch		yes
15.1		Deco-Paint Directive	yes

United Kingdom (en) Page 18 / 21

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: **T168**




Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		VOC content: 100 % 790 ⁹ / _I	yes
15.1		Industrial Emissions Directive (IED)	yes
15.1		VOC content: 100 %	yes
15.1	Regulation 111/2005/EC laying down rules for the monitoring of trade between the Com- munity and third countries in drug precursors: not listed	VOC content: 790 ^g / _l	yes
15.1		Regulation on the marketing and use of explosives precursors: not listed	yes
15.1		Regulation on substances that deplete the ozone layer (ODS): not listed	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): not listed	yes
15.1		Regulation on persistent organic pollutants (POP): not listed	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1	Deco-Paint Directive (2004/42/EC)	Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1	VOC content: 100 % 782 ^g / _l		yes
15.1	National inventories: Substance is listed in the following national inventories:		yes
15.1		National inventories: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes

Page 19 / 21 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168





ADR ANDR ANDRE ATE CAS C Ceiling-C DGR DNEL EC50 EC NO Th	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) Acute Toxicity Estimate Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
ATE CAS C Ceiling-C DGR DNEL EC50 E EC No Th	Acute Toxicity Estimate Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
CAS C Ceiling-C DGR DNEL EC50 E EC No Th	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
Ceiling-C DGR DNEL EC50 E	Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
DGR DNEL EC50 E	Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
DNEL EC50 E EC No Th	Derived No-Effect Level Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
EC No Th	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval the EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
EC No Th	50 % changes in response (e.g. on growth) during a specified time interval he EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
	fier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-
EH40/2005	
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50 ≡	EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS "('Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50 Le	ethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50 Le	ethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million

United Kingdom (en) Page 20 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® ≥99,9 %

article number: T168



Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 21 / 21