MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075	VISOCOLOR alpha pH 5-9	Page: 1/10
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1	Product identifier
	REF 935075 no data available VISOCOLOR alpha pH 5-9 REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.
	1 x 24 mL pH 5-9 UFI: S8GU-F348-S207-AN25
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service, Supplier: DE: Gemeinsames Giftinformationszentrum (GGIZ) 99089 Erfurt tel. +49 361 730 730, <https: www.ggiz-erfurt.de=""> You find our current versions of SDS in Internet: You find our current versions of SDS in Internet: <http: html="" sds<="" www.mn-net.com=""></http:></https:>

+49 721 5606 0 <http://www.mn-net.com/SDS> sicherheit@carlroth.de

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008

.

	GHS02
Signal word	DANGER
Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008 24 mL pH 5-9

	GHS02
Signal word	DANGER
Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2



Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

2.2

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075	VISOCOLOR alpha pH 5-9	Page: 2/10
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

List of H phrases: see section 16.2

Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

24 mL pH 5-9



Signal word: DANGER

Label elements of the complete product



Signal word: DANGER

2.3 Other hazards

Possible hazards from physicochemical properties Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

24 mL pH 5-9

ւթ	JH 3-3			
	Substance name: CAS No.:	<i>ethanol</i> 64-17-5		
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: EC No.: Concentration: acc. CLP (GHS): Substance name: CAS No.:	(denatured with 1% 2-butanone / H225, Flam. Liq. 2 C $_2$ H $_6$ O; C $_2$ H $_5$ OH Äthylalkohol, vergällter Spiritus 01-2119457610-43-xxxx 200-578-6 90 - <100 % H225, Flam. Liq. 2 phenolphthalein (pH indicator) 77-09-8	1% 2-propanol) Indice No.:	603-002-00-5
	Substance rating: Formula: Pseudonym (de): REACH Reg. No.: SVHC listed: EC No.: Concentration:	H341, Muta. 2, H350, Carc. 1B, H C ₂₀ H ₁₄ O ₄ Indikator pH 8,2-9,8 01-2119498295-24-0000 listed (19/12/2011) Cand. Lst. R 201-004-7 0,01 - <0,1 %		604-076-00-1
	acc. CLP (GHS):	The criteria for classification are not fulfille	ed.	



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075		935075 VISOCOLOR alpha pH 5-9	
Printing date: 22.11.2022		Date of issue: 19.04.2022	Version: 2.2.2.2
	Substance name: CAS No.:	indicator dye(s) -	
	Substance rating: Concentration:	No criteria for classification or naming of chemical not required. 0,01 - <0,1 $\%$	
	acc. CLP (GHS):	The criteria for classification are not fulfilled.	
3.3	Remarks		
	When not listed, mixtures are	added with water [CAS No. 7732-18-5] to 100%.List of H and P pl	nrases: see section 16.2.
SHU	TION 4: First aid measu	res	
4.1	Description of first aid m	easures er zone to fresh air immediately. Ensure quiet, warmth, and provide	e resuscitation if necessary. If
	Description of first aid me Place insured person out of dange necessary contact medical advice After SKIN Contact	easures er zone to fresh air immediately. Ensure quiet, warmth, and provide	
4.1	Description of first aid me Place insured person out of dange necessary contact medical advice After SKIN Contact Remove contaminated clothin soap. After EYE Contact	easures er zone to fresh air immediately. Ensure quiet, warmth, and provide ng. Rinse the affected skin or mucous membrane thoroughly under nse thoroughly under running water with the eyelid wide open with	running water. (If possible) use
4.1 4.1.1 4.1.2	Description of first aid me Place insured person out of dange necessary contact medical advice After SKIN Contact Remove contaminated clothin soap. After EYE Contact After contact with the eyes rin running water (protect intact of After INHALATION of vapor	easures er zone to fresh air immediately. Ensure quiet, warmth, and provide ng. Rinse the affected skin or mucous membrane thoroughly under nse thoroughly under running water with the eyelid wide open with eye).	running water. (If possible) use
4.1 4.1.1	Description of first aid me Place insured person out of dange necessary contact medical advice After SKIN Contact Remove contaminated clothin soap. After EYE Contact After contact with the eyes rin running water (protect intact of After INHALATION of vapor After inhalation of foam or va After ORAL Intake	easures er zone to fresh air immediately. Ensure quiet, warmth, and provide ng. Rinse the affected skin or mucous membrane thoroughly under nse thoroughly under running water with the eyelid wide open with eye). urs	running water. (If possible) use

4.3 Indication of any immediate medical attention and special treatment needed No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media no data available

- 5.2 Special hazards arising from the substance or mixture DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Do not breathe vapours. Regular staff training is necessary.



DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075 Printing date: 22.11.2022		VISOCOLOR alpha pH 5-9	Page: 4/10
Printin	lg date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2
6.2	Environmental precautions not necessary		
6.3	Methods and material for c Bind any escaping liquid with inert al Collect small amounts of leaked liqu		
6.4	Reference to other sections	3	
SEC [.]	TION 7: Handling and sto	rage	
7.1	Precautions for safe handlin Handling in accordance with the test	ng instruction, that comes with the product.	
7.2	•	, including any incompatibilities ginal packaging . Storage class (German chemical industry): s 3 1	see chapter 12.1
7.2.1	Requirements for stock room Keep original product packages tight	s and containers ly closed during handling and storage.	
7.3	Specific end use(s) Product for analytical use.		
SEC	TION 8: Exposure control	s /personal protection	
8.1	Control parameters		
	DNEL = Derived No-Effect Lev PNEC (fresh water): 0. PNEC = Predicted No Effected TRGS 900 (DE): 20 Short-term exposure factor: 4 skin resorptive (H), respirator SUVA(CH) MAK value: 50 NIOSH: [T [TWA] Time-weighted average OSHA: [T Chemical: phenolphthalein NIOSH: no carcinogen) [TWA] Time-weighted average	erm] 343 mg/kg; [inh] 950 mg/m ³ el (for workers) 96 mg/L Concentration 90 mL/m ³ / 380 mg/m ³ a respirable (II), Y sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely exclude 90 ppm / 960 mg/m ³ WA] 1000 ppm / 1900 mg/m ³ to a reference period of 8 hours, [STEL] Short-term exposure limit related to WA] 1000 ppm / 1900 mg/m ³ (<i>pH indicator</i>) to a reference period of 8 hours, [STEL] Short-term exposure limit related to the tisted, NTP Report on Carcinogens (RoC) List Yes (Reasonation to a reference period of 8 hours, [STEL] Short-term exposure limit related to the tisted	a 15-minute period No.: 77-09-8 ably anticipated to be a human
		0.03	
8.2	Exposure controls Good ventilation and extraction syste level of cleanliness must be maintair	em in the room, floor resistant to chemicals with floor drainage led at the workplace.	and washing facilities. The highest
8.2.1	Respiratory protection No additional recommendations		
8.2.2	Skin protection / Hand protec	tion	

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

- MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com
 - CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Software: M2 V 6.0.20.60



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9	35075	VISOCOLOR alpha pH 5-9	Page: 5/10
Printing date: 22.11.2022		Date of issue: 19.04.2022	Version: 2.2.2.2
8.2.4	Skin protection Not necessary.		
8.2.5	with the skin, eyes and clothing. Rinse	and storage of food in work areas and at outdoor workp any clothing on which the substance has been spilled, a topping work and before eating, and then apply protecti	and soak it in water. Wash hands
8.2.6	Thermal hazards no data available		
8.3	Limitation and monitoring of environmental exposure Do not release product into environment.		
SECT	TION 9: Physical and chemica	l properties	
9.1	Information on basic physical an	d chemical properties	
	 24 mL pH 5-9 a) State of aggregation: b) Colour: c) Odor: d) Melting point: e) Boiling point: f) Flammability: g) Explosive limits (lower / upper): h) Flash point: i) Flashing temperature: j) Decomposition temperature: k) pH value: 	colourless red -114 °C 78 °C no data available $3.5 \dots 15 \text{ g/m}^3$ > 12 °C 425 °C no data available 7	

q) Relative vapour density _(air=1): r) Particle size:

1,59 no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. **Properties relevant to substance groups** Substances are highly volatile and form flammable gas-air mixtures.

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

- 10.2 Chemical stability no known instability.
- **10.3 Possibility of hazardous reactions** No further data available.
- 10.4 Conditions to avoid

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075	VISOCOLOR alpha pH 5-9	Page: 6/10
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

24 mL pH 5-9 Chemical:	ethan			CAS No.: 64-17-5	
TSCA Inventory:	eman	listed	California Proposition 65 List:		
ACGIH:		1000 ppm	California i roposition 05 Elst.	Hot listed	
Exposure Routes:			skin and/or eye contact		
Target Organs:				em, liver, blood, reproductive system	
Symptoms:				ssitude (weakness, exhaustion), narcosis; coug	h٠
liver damage; anemia	a. renro				,
Australia NICNAS:	a, ropro	not listed	Canada CEPA 1999: I	DSI ves	
Japan CSCL/PRTR:		not listed, Japan PDS			
Japan ISHL:			Article 57-2 (SDS required)		
South Korea TCCA:		not listed			
Korea Exist.Chem.In	ventorv				
LD50 orl rat :		6200 mg/kg			
LC Low ihl gpg :		21,900 mg/L			
LC LOW orl hmn :		1400 mg/kg			
LC50 ihl mus :		123,4 mg/L/4H			
LC50 ihl rat :		115,9-133,8 mg/L/4H	1		
LD50 orl mus :		3450 mg/kg			
on mao		5.5			
TRGS 905 (DE):		K5, M5, R _F C			
Chemical:	nheno	lphthalein (pH indicato	or)	CAS No.: 77-09-8	
TSCA Inventory:	pricilio	listed	California Proposition 65 List:		
Australia NICNAS:		not listed	Canada CEPA 1999: I		
Japan CSCL/PRTR:			gnated Chemical Substance, Ja		
Japan ISHL:		not listed	ghatoa ononnoar oabotanoo, oo		
South Korea TCCA:		not listed			
Korea Exist.Chem.In	ventorv				
LD50 orl rat :		> 1000 mg/kg			
of the		5° 5° 5			
EU carcinogen:				3, >5% Reproductive Toxicity cat. 3	
TRGS 905 (DE):		Karzinogenität Kat. 2			
Chemical:	indica	tor dye(s)		CAS No.: -	
TSCA Inventory:		all listed, <1%			

11.2 Other hazards

Possible endocrine disrupting effects no data available Other information no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

0.96 mg/L
>100 mg/L
13400 - 15100 mg/L
[48h] 8140 mg/L
13 g/L
9.3-14.2 g/L
[7d] 5000 mg/L
[EC5] 6500 mg/L
1 WGK No.: 0096
-0,31



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany www.mn-net.com
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

CAS No.: 64-17-5



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

D · · · ·	035075	VISOCOLOR alpha pH 5-9	Page: 7/10
Printing	g date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.
	Storage class (VCI):	3	
	Chemical: phe	enolphthalein (pH indicator)	CAS No.: 77-09-8
	Water hazard class (DE):	1	
	Dispersion coefficient (o/w		
	Storage class (VCI):	12-13	
	Chemical: ind. Storage class (VCI):	icator dye(s) 12-13	CAS No.: -
	Storage class (VCI).	12-13	
2.2	Persistence and degra	dability	
	not necessary		
2.3	Bioaccumulative poter	itial	
	not necessary		
12.4	Mobility in soil		
	not necessary		
2.5	Results of PBT and vP		
	This substance/mixture contain and very bioaccumulative (vPv		istent, bioaccumulative and toxic (PBT) or very persister
2.6	Endocrine disrupting p	,	
12.0	no data available	operties	
2.7	Other adverse effects		
	no additional data available		
SECT	FION 13: Disposal cor	isiderations	
			nd contact waste disposal company, where you will obta
	•	posal (waste code number 16 05 06).	
3.1	Waste treatment metho		
	Normally it is possible to empt	y small amounts (diluted!) into drains.	
		• · · ·	
		formation	
	FION 14: Transport in		
1	4.1. UN number: 3316		
1 1	4.1. UN number: 3316 4.2. UN proper shipping name:		
1 1 5	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 14.4. Road transport ADR	Chemical Kit Packing group: II	
1 1 <i>F</i> C	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 80ad transport ADR Classification code: M11	Chemical Kit	ansportation
1 1 <i>F</i> C <i>L</i>	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 14.4. Road transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3 Nir transport ICAO	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra	ansportation
1 1 <i>F</i> C <i>A</i> P	4.1. UN number:33164.2. UN proper shipping name:4.3. Class:94.4. Road transport ADRClassification code:M11Imited Quantity:acc. ADR 3.3Vir transport ICAOAX:960	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG	ansportation
1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 80ad transport ADR Classification code: M11 Imited Quantity: acc. ADR 3.3 Vir transport ICAO PAX: 960 CAO: 960 Maritime transport IMDG	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG	ansportation
1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number:33164.2. UN proper shipping name:4.3. Class:914.4. Road transport ADRClassification code:M11Imited Quantity:acc. ADR 3.3Air transport ICAOPAX:960CAO:960	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG	ansportation
1 1 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 4.3. Class: 9 Road transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3 ir transport ICAO PAX: 960 CAO: 960 Maritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A	ansportation
1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 4.3. Class: 9 Road transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3 vir transport ICAO PAX: 960 CAO: 960 Maritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for JN 1993 class 3 II, Excepted Qua	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A	ansportation
1 1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number:33164.2. UN proper shipping name:4.3. Class:94.4. Class:9Acad transport ADRClassification code:M11imited Quantity:acc. ADR 3.3Vir transport ICAOAX:960AAC:960CAO:960Maritime transport IMDGEmS:F-A, S-POr use Alternative declaration for IN 1993 class 3 II, Excepted Qua or4.1 UN number:199314.2	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 UN proper shipping name: Flammable liqu	
1 1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number:33164.2. UN proper shipping name:4.3. Class:94.4. Road transport ADRClassification code:M11Limited Quantity:acc. ADR 3.3Vir transport ICAOAX:960AAC:960CAO:960Maritime transport IMDGEmS:F-A, S-POr use Alternative declaration forJN 1993 class 3 II, Excepted QuaA.1. UN number:19934.1. UN number:19934.3. Class:314.4	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2	
1 1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 4.3. Class: 9 Road transport ADR Classification code: M11 Imited Quantity: acc. ADR 3.3 Variation code: M11 Imited Quantity: acc. ADR 3.3 Variation code: M11 Antitime transport ICAO 960 AA: 960 AA: 960 AA: 960 Aaritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for VIN 1993 class 3 II, Excepted Quanter A.1 UN number: 1993 4.3 Class: 3 Acad transport ADR Classification code: F1	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II	
11 1 FOLAPOME 0 U 0 1 1 FOL	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 14.4. Road transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3 in transport ICAO PAX: 960 CAO: 960 Maritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for JN 1993 class 3 II, Excepted Qua or 4.1 UN number: 1993 14.2 4.3 Class: 3 14.4 Road transport ADR Classification code: F1 imited Quantity: 1 L	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II Tunnel restriction code: E	
11 11 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 14.4. Road transport ADR Classification code: M11 Imited Quantity: acc. ADR 3.3 Imited Quantity: F-A, S-P Imited Quantity: 1993 Imited Quantity: 1 Imited Quantity: 1 Imited Quantity: 1 Imited Quantity: 1 Imited Quantity: 1	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II	
111 1 FOLAPOME OU 011FOLEAL	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 8.3. Class: 9 14.4. Read transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3 Vir transport ICAO PAX: 960 PAX: 960 AAC: 960 Maritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for JN 1993 class 3 II, Excepted Quantity A1 UN number: 1993 14.2 4.3 Class: 3 14.4 Road transport ADR Classification code: F1 imited Quantity: 1 L Excepted Quantity: 1 L Excepted Quantity: E 2 Vir transport ICAO Junted Quantity: Imited Quantity: L Q 4	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II Tunnel restriction code: E	
1117 117 117 117 117 117 117 117 117 11	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 4.3. Class: 9 4.3. Class: 9 4.4. Road transport ADR Classification code: M11 Imited Quantity: acc. ADR 3.3 Vir transport ICAO 960 AX: 960 AAX: 960 AAX: 960 AAX: 960 AAX: 960 AAX: 960 AAX: 960 Maritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for JN 1993 class 3 II, Excepted Quantr 4.1 UN number: 1993 AA: 3 Aax: 3 Attansport ADR Classification code: F1 Imited Quantity: 1 L Excepted Quantity: E 2 Vir transport ICAO	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra- max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities ($\leq 30 \text{ mL}/\Sigma \leq 500 \text{ mL}$) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II Tunnel restriction code: E Special instructions: 640C	id, n.o.s. (ethanol mixture)
1117FOLAPOME OU 011FOLEALEP	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 8.3. Class: 9 14.4. Read transport ADR Classification code: M11 imited Quantity: acc. ADR 3.3 Vir transport ICAO PAX: 960 PAX: 960 AAC: 960 Maritime transport IMDG EmS: F-A, S-P Or use Alternative declaration for JN 1993 class 3 II, Excepted Quantity A1 UN number: 1993 14.2 4.3 Class: 3 14.4 Road transport ADR Classification code: F1 imited Quantity: 1 L Excepted Quantity: 1 L Excepted Quantity: E 2 Vir transport ICAO Junted Quantity: Imited Quantity: L Q 4	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities (≤30 mL/∑≤500 mL) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II Tunnel restriction code: E Special instructions: 640C	id, n.o.s. (ethanol mixture) AX: 5 L
11116 CLAPCME CUOTIEALEPC	4.1. UN number: 3316 4.2. UN proper shipping name: 4.3. Class: 9 4.4. Road transport ADR Classification code: M11 Imited Quantity: acc. ADR 3.3 Variansport ICAO 960 AAX: 960 CAO: 960 Maritime transport IMDG EmS: F-A, S-P Dr use Alternative declaration for JN 1993 class 3 II, Excepted Quantity: A1 UN number: 1993 Vassification code: F1 Imited Quantity: 1 L Excepted Quantity: LQ 4 Excepted Quantity: LQ 4 Excepted Quantity: E 2 AX: 353	Chemical Kit Packing group: II Tunnel restriction code: E 3.1/251: see LQ in Alternative declaration for tra- max. weight PAX: 10 KG max. weight CAO: 10 KG Storage category: A r transportation: ntities ($\leq 30 \text{ mL}/\Sigma \leq 500 \text{ mL}$) = ADR/ IATA E2 UN proper shipping name: Flammable liqu Packing group: II Tunnel restriction code: E Special instructions: 640C	id, n.o.s. (ethanol mixture) AX: 5 L



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075	VISOCOLOR alpha pH 5-9	Page: 8/10
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017 TRGS 220, National aspects when preparing safety data sheets, Jan 2017 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan

2012 MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version in preparation

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Highly flammable liquid and vapour. H225

16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

Only for professional user

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT leaflets on dangerous working materials

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET

Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

- TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019
- Regulation 878/2020/EU

Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Revisions/Updates

2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary Reason for revision: 2014-04 Adjustment of Regulation 487/2013/EU 2016-03 Adjustment of Regulation 1221/2015/EU

- 2017-08 Adaptation of the new ethanol denaturation 2016/1867/EU
- 2017-11 adaptation of the ECHA registration dossier
- 2022-11 Adjustment of Regulation 878/2020/EU



- DE Tel.: +49 24 21 969-0 info@mn-net.com
- CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 - FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 - US Tel.: +1 888 321 62 24 sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075	VISOCOLOR alpha pH 5-9	Page: 9/10
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

Legenu / F	
acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxigen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitonaeal
ÍSHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus	s: fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchu	
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales p	
PNEC:	Predicted No Effected Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RD: RE:	
	repeated Registration, Evaluation, Authorisation and Restriction of Chemicals
REACh:	
REF:	item number, reference number rRegistration number
Reg.No.:	





according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 935075	VISOCOLOR alpha pH 5-9	Page: 10/10
Printing date: 22.11.2022	Date of issue: 19.04.2022	Version: 2.2.2.2

Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
VDVB.	vory porsistant vory bioaccumulating sub

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



- FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
- US Tel.: +1 888 321 62 24 sales-us@mn-net.com