

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006	VISOCOLOR HE Ammonium	Page: 1/12
Printing date: 22.11.2022	Date of issue: 16.03.2022	Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 920006
 no data available VISOCOLOR HE Ammonium
 REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.
 1 x 16 g NH₄-2 UFI: TWTT-G3J6-520X-JQXV
 2 x 30 mL NH₄-1 UFI: CHST-D3GU-9201-Y8MU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.
Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0
 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service
 DE: Gemeinsames Gif tinformationszentrum (GGIZ)
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

Lieferant / Supplier:
 Carl Roth GmbH + Co KG
 Schoemperlenstr. 3-5
 76105 Karlsruhe, Germany
 +49 721 5606 0
 sicherheit@carlroth.de

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS05 GHS07 GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H314	Skin Corr. 1B
H319	Eye Irrit. 2
H361	Repr. 2
H361f	Repr. 2

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

30 mL NH₄-1



GHS05



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006

VISOCOLOR HE Ammonium

Page: 2/12

Printing date: 22.11.2022

Date of issue: 16.03.2022

Version: 2.2.2.2

Signal word DANGER

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H314	Skin Corr. 1B

16 g NH₄-2



GHS07



GHS08

Signal word WARNING

Hazard identification	Hazard classes/categories
H319	Eye Irrit. 2
H361	Repr. 2
H361f	Repr. 2

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

30 mL NH₄-1



GHS05

Signal word: DANGER
H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

16 g NH₄-2



GHS07



GHS08

Signal word: WARNING
H361f

Suspected of damaging fertility.

P201, P280sh

Obtain special instructions before use. Wear protective gloves/eye protection.

Label elements of the complete product



GHS05



GHS08

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006

VISOCOLOR HE Ammonium

Page: 3/12

Printing date: 22.11.2022

Date of issue: 16.03.2022

Version: 2.2.2.2

Signal word: DANGER

H314, H361f

Causes severe skin burns and eye damage. Suspected of damaging fertility.

P201, P260sh, P280sh, P303+361+353, P305+351+338, P310

Obtain special instructions before use. Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary).

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs. Suspected of damaging fertility.

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

30 mL NH₄-1

Substance name: *sodium hydroxide solution*
CAS No.: 1310-73-2

Substance rating: No criteria for classification or naming of chemical not required.

Formula: NaOH·H₂O

Pseudonym (de): Natronlauge

REACH Reg. No.: 01-2119457892-27-xxxx

EC No.: 215-185-5

Indice No.: 011-002-00-6

Concentration: 2 - <5 %

acc. CLP (GHS): H290, Met. Corr. 1, H314, Skin Corr. 1B

Substance name: *tri-sodium citrate*

CAS No.: 6132-04-3

Substance rating: No criteria for classification or naming of chemical not required.

Formula: C₆H₅Na₃O₇·2H₂O

Pseudonym (de): Na-citrat, E331

REACH Reg. No.: 01-2119457027-40-xxxx

EC No.: 200-675-3

Concentration: 10 - <20 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

16 g NH₄-2

Substance name: *sodium nitroprusside*
CAS No.: 13755-38-9

Substance rating: H301, Acute Tox. 3 oral

Formula: Na₂[Fe(CN)₅NO]₂·2H₂O

Pseudonym (de): Natriumpentacyanonitrosylferrat(II)

EC No.: 238-373-9

Concentration: 0,1 - <1 %

acc. CLP (GHS): The criteria for classification are not fulfilled.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006

VISOCOLOR HE Ammonium

Page: 4/12

Printing date: 22.11.2022

Date of issue: 16.03.2022

Version: 2.2.2.2

Substance name:	<i>sodium salicylate</i>
CAS No.:	54-21-7
Substance rating:	H302, Acute Tox. 4 oral, H319, Eye Irrit. 2, H361, Repr. 2, H361d, Repr. 2
Formula:	C ₇ H ₅ NaO ₃
REACH Reg. No.:	01-2119918289-28-xxxx
EC No.:	200-198-0
Concentration:	10 - <35 %
acc. CLP (GHS):	H319, Eye Irrit. 2, H361, Repr. 2, H361f, Repr. 2
Substance name:	<i>sodium chloride</i>
CAS No.:	7647-14-5
Substance rating:	No criteria for classification or naming of chemical not required.
Formula:	NaCl
Pseudonym (de):	Kochsalz
REACH Reg. No.:	exempt, Annex V
EC No.:	231-598-3
Concentration:	50 - <80 %
acc. CLP (GHS):	The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

Rapid penetration and destruction of the skin. Especially in the heated form.
Causes severe skin burns and eye damage.
CMR Effekte: Suspected of damaging fertility.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESSES ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006

VISOCOLOR HE Ammonium

Page: 5/12

Printing date: 22.11.2022

Date of issue: 16.03.2022

Version: 2.2.2.2

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.

Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 8B

Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

30 mL NH 4 -1

Chemical: sodium hydroxide solution

CAS No.: 1310-73-2

DNEL: [inh] 1 mg/m³

DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): 2 mg/m³
E/e respirable

Short-term exposure factor: (=1=, Y)

skin respersive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 e mg/m³

NIOSH: 2 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 2 mg/m³



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006	VISOCOLOR HE Ammonium	Page: 6/12
Printing date: 22.11.2022	Date of issue: 16.03.2022	Version: 2.2.2.2

Chemical: <i>tri-sodium citrate</i>	CAS No.: 6132-04-3
16 g NH₄-2	
Chemical: <i>sodium nitroprusside</i>	CAS No.: 13755-38-9
Chemical: <i>sodium salicylate</i>	CAS No.: 54-21-7
DNEL: 1,32 mg/m ³ DNEL = Derived No-Effect Level (for workers)	
PNEC (fresh water) : 0,0413 mg/L PNEC = Predicted No Effect Concentration	
Chemical: <i>sodium chloride</i>	CAS No.: 7647-14-5

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

30 mL NH₄-1

a) State of aggregation:	
b) Colour:	colourless
c) Odor:	red
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	12-13
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

16 g NH₄-2



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006

VISOCOLOR HE Ammonium

Page: 7/12

Printing date: 22.11.2022

Date of issue: 16.03.2022

Version: 2.2.2.2

a) State of aggregation:	
b) Colour:	colourless
c) Odor:	red
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Properties relevant to substance groups

Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

30 mL NH₄-1

Chemical:	<i>sodium hydroxide solution</i>	CAS No.: 1310-73-2
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation eyes, skin, mucous membrane; pneumonitis; eye, skin burns; temporary loss of hair	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSC: not listed	
Japan ISHL:	listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-31487	
LD50 orl rat :	[40%] 1250 / [<25%] >2000 mg/kg	
LD50 orl mus :	40 mg/kg	



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006	VISOCOLOR HE Ammonium	Page: 8/12
Printing date: 22.11.2022	Date of issue: 16.03.2022	Version: 2.2.2.2

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
 TSCA Inventory: listed (CAS 68-04-2)
 Korea Exist.Chem.Inventory: KE-20843
 LD50 orl rat : > 8000 mg/kg

16 g NH₄-2
 Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 TSCA Inventory: listed (CAS 14402-89-2)
 Korea Exist.Chem.Inventory: not listed
 LD50 orl rat : 99 mg/kg
 LC_{Low} orl rat : 20 mg/kg

Chemical: *sodium salicylate* CAS No.: 54-21-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-20384
 LD50 orl rat : 1000 mg/kg
 LC_{Low} orl hmn : 700 mg/kg

Carcinogenic Effects: Suspected of damaging fertility or the unborn child. Suspected of damaging fertility.

Chemical: *sodium chloride* CAS No.: 7647-14-5
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-31387
 LD50 orl rat : 3000 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

30 mL NH₄-1
 Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 LC50 leuciscus idus/96h : 35-189 mg/L
 LC50 fish/96h : 45.4 mg/L
 EC50 daphnia/48h : >100 mg/L
 Water hazard class (DE): 1 WGK No.: 142
 Storage class (VCI): 8 B

Chemical: *tri-sodium citrate* CAS No.: 6132-04-3
 LC50 fish/96h : 18-32 g/L
 EC50 daphnia/48h : 5.6-10 g/L
 EC50 chlorella vulgaris/5d : >18-32 g/L
 EC10 pseudomonas putita/16h : EC50 ps. fluorescens/8h : >1.8-3.2 g/L
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

16 g NH₄-2
 Chemical: *sodium nitroprusside* CAS No.: 13755-38-9
 Water hazard class (DE): 3
 Storage class (VCI): 6.1 B

Chemical: *sodium salicylate* CAS No.: 54-21-7
 PNEC (fresh water) : 0,0413 mg/L
 PNEC = Predicted No Effect Concentration
 Water hazard class (DE): 1
 Storage class (VCI): 12-13



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006	VISOCOLOR HE Ammonium	Page: 9/12
Printing date: 22.11.2022	Date of issue: 16.03.2022	Version: 2.2.2.2

Chemical: *sodium chloride* CAS No.: 7647-14-5
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316
14.2. UN proper shipping name: Chemical Kit
14.3. Class: 9 **14.4. Packing group:** II
Road transport ADR
 Classification code: M11 Tunnel restriction code: E
 Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation
Air transport ICAO
 PAX: 960 max. weight PAX: 10 KG
 CAO: 960 max. weight CAO: 10 KG
Maritime transport IMDG
 EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**
 UN No.: (see below) class 8 III, **Excepted Quantities** ($\leq 30 \text{ mL} / \sum \leq 1 \text{ L}$) = ADR/ IATA E1
 or

14.1 UN number: 3266 **14.2 UN proper shipping name:** Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide solution)
14.3 Class: 8 **14.4 Packing group:** III
Road transport ADR
 Classification code: C5
 Limited Quantity: 5 L Tunnel restriction code: E
 Excepted Quantity: E 1
Air transport ICAO
 Limited Quantity: LQ7
 Excepted Quantity: E 1
 PAX: 852 max. weight PAX: 5 L
 CAO: 856 max. weight CAO: 60 L
Maritime transport IMDG
 EmS: F-A, S-B Storage category: A



Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006	VISOCOLOR HE Ammonium	Page: 10/12
Printing date: 22.11.2022	Date of issue: 16.03.2022	Version: 2.2.2.2

- 14.5 Environmental hazards**
none, contains only small quantities of hazardous substances
- 14.6 Special precautions for user**
not necessary
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**
Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
 TRGS 500, Protective measures, Mai 2008
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
 Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.

- 15.2 Chemical safety assessment**
not necessary for these small amounts

SECTION 16: Other information

- 16.1 Changes compared to the last version**
in preparation
- 16.2 List of H and P phrases**
 - 16.2.1 List of relevant H phrases**
 - H290 May be corrosive to metals.
 - H314 Causes severe skin burns and eye damage.
 - H319 Causes serious eye irritation.
 - H361 Suspected of damaging fertility or the unborn child.
 - H361f Suspected of damaging fertility.
 - 16.2.2 List of relevant P phrases**
 - P201 Obtain special instructions before use.
 - P260sh Do not breathe dust/vapours.
 - P280sh Wear protective gloves/eye protection.
 - P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 - P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P310 Immediately call a POISON CENTER/doctor.
- 16.3 Recommended restriction on use**
 Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.
- 16.4 Sources of key data**
 KÜHN, BIRETT leaflets on dangerous working materials
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU Adaptation of the CLP Regulation 1272/2008/EU to technical and scientific progress



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006	VISOCOLOR HE Ammonium	Page: 11/12
Printing date: 22.11.2022	Date of issue: 16.03.2022	Version: 2.2.2.2

Regulation 453/2010/EU REACH – REQUIREMENTS FOR THE PREPARATION OF SAFETY DATA SHEET
 Regulation 487/2013/EU, 4. Adaptation of the CLP regulation to technical and scientific progress
 TRGS 905, German engineering rules for carcinogenic and mutagenic substances, as of March 18, 2016
 Regulation 669/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress
 Regulation 1480/2018/EU, 4. Adaptation of the CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules on limit values in the air at work, as of 03/2019
 Regulation 878/2020/EU
 Regulation 849/2021/EU, 4. Adaptation of the CLP regulation to technical and scientific progress

Revisions/Updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 Adjustment of Regulation 487/2013/EU
 2016-03 Adjustment of Regulation 1221/2015/EU
 2017-11 adaptation of the ECHA registration dossier
 2022-11 Adjustment of Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxigen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal
- dog: dog
- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not spezified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fish, rainbow trout
- orl: oral



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 920006

VISOCOLOR HE Ammonium

Page: 12/12

Printing date: 22.11.2022

Date of issue: 16.03.2022

Version: 2.2.2.2

OSHA: Occupational Safety and Health Administration
 PAX: transport on passenger planes allowed
 PBT: persistent, bioaccumulating, toxic substance
 pH: pH value
 pimephales promelas: fish, fathead minnow
 PNEC: Predicted No Effect Concentration
 PROC 15: Process category 'for laboratory use'
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
 PVC: polyvinyl chloride
 quail: bird, quail
 rat: rat
 rbt: rabbit
 RD: rapidly degradable
 RE: repeated
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 REF: item number, reference number
 Reg.No.: rRegistration number
 Repr: harmful to reproduction
 Resp: respiratory
 RIP: REACH Implementations Projects
 scu: sub cutan
 SDS: safety data sheet
 Sens: sensitisation
 STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year
 TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com