SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Meliseptol HBV Tissues

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Fast acting alcoholic disinfectant for small surfaces

1.3. Details of the supplier of the safety data sheet

Manufacturer	
Company name:	B. Braun Medical AG
Street:	Seesatz 17
Place:	CH-6204 Sempach
Responsible Department:	Zentrale Service-Bereiche / Logistik und Supply Chain Telephone: +49 (0) 5661 / 71-4422 E-Mail: logistics.service@bbraun.com Responsible for the safety data sheet: sds@gbk-ingelheim.de
Supplier	
Company name:	B. Braun Melsungen AG
Street:	Carl-Braun-Straße 1
Place:	D-34212 Melsungen
Responsible Department:	Zentrale Service-Bereiche / Logistik und Supply Chain Telephone: +49 (0) 5661 / 71-4422 E-Mail: logistics.service@bbraun.com
1.4. Emergency telephone number	er: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h 57d/w 365d/a) England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 108454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories: Flammable liquid: Flam. Liq. 3 Serious eye damage/eye irritation: Eye Dam. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: Flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.

2.2. Label elements

Hazard components for labelling

Propan-1-ol Signal word:

Danger





Hazard statements

H226	Flammable liquid and vapour.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

Procautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
smoking.
Do not breathe vapour.
Wear protective gloves/protective clothing/eye protection/face protection.

16185 Karlsruhe

+49 721 5606 0 sicherheit@carlroth.de

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
2.3. Other hazards	
Natives	

Not known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Tissues impregnated with n-propyl alcohol 70%

Hazardous components

Product code: 00056-0024

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
71-23-8	Propan-1-ol			50 %
	200-746-9	603-003-00-0	01-2119486761-29	
	Flam. Liq. 2, Eye Dam. 1, STOT SE 3; H225 H318 H336			
7173-51-5	Didecyldimethylammonium chloride		< 0,25 %	
	230-525-2	612-131-00-6	01-2119945987-15	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10); H302 H314 H400			

Full text of H and EUH statements: see section 16.

Further Information

Informations concern to liquid phase.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

No specific precautions required.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. Seek medical treatment by eye specialist.

After ingestion

Ingestion is not considered a potential route of exposure. Immediately give plenty of water (if possible charcoal slurry). Seek medical treatment immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage. May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Unsuitable extinguishing media

Product code: 00056-0024

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce: Carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Keep away from sources of ignition - No smoking. Vapours are heavier than air and spread along ground. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Use personal protective clothing. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. When using do not eat, drink or smoke. Avoid contact with eyes, skin or mucous membrane.

Advice on protection against fire and explosion

Keep product and empty container away from heat and sources of ignition. Do not smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Incompatible with: Oxidizing agents Alkaline metals and earth alkaline metals.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Fast acting alcoholic disinfectant for small surfaces

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

Product code: 00056-0024

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
71-23-8	Propan-1-ol	200	500		TWA (8 h)	WEL
		250	625		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

Avoid contact with eyes.

Eye/face protection

Tightly fitting goggles (EN 166). Eye wash bottle with pure water (EN 15154).

Hand protection

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Camatril Velours 730> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on pasic physical and chemi	ical properties	
Physical state:	Liquid on inert carrier	
Colour:	White	
Odour:	Alcoholic	
Changes in the physical state		
Initial boiling point and boiling range:	89 °C	
Flash point:	31 °C	DIN 51755
Lower explosion limits:	2,1 vol. %	
Upper explosion limits:		
Ignition temperature:	405 °C	
Vapour pressure: (at 20 °C)	18,7 hPa	
Density (at 20 °C):	0,91 g/cm ³	
Water solubility: (at 20 °C)	Miscible	
9.2. Other information		

Informations concern to liquid phase.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Revision date: 01.06.2015 Revision No: 1,4 Product code: 00056-0024

Reactions with oxidizing agents. Reactions with alkali metals. Reactions with earth alkali metals.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming. Heating can release vapours which can be ignited.

10.5. Incompatible materials

Oxidizing agents Alkaline metals and earth alkaline metals.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Irritation and corrosivity

Causes serious eye damage. Skin irritation: Not classified.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Propan-1-ol)

Severe effects after repeated or prolonged exposure Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

Propan-1-ol

Readily biodegradable (to OECD criteria).

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	·	•	•
7173-51-5	Didecyldimethylammonium chloride			
	modif. Sturm-test	72 %	28	
	Readily biodegradable.			

Product code: 00056-0024

12.3. Bioaccumulative potential

Propan-1-ol

Product has a low bioaccumulating potential.

<u>12.4. Mobility in soil</u>

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Product is not allowed to be discharged into aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products 070604 WASTES FROM ORGANIC CHEMICAL PROCESSE

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-1-ol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II.
Hazard label:	4.1
Classification code:	F1
Limited quantity:	1 kg / 30 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	40
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-1-ol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II
Hazard label:	4.1

Safety Data Sheet according to Regulation (EC) No 1907/2006 B. Braun Medical AG Meliseptol HBV Tissues

Revision date: 01.06.2015 Product code: 00056-0024 Revision No: 1,4

Classification code:	F1
Limited quantity:	1 kg / 30 kg
Excepted quantity:	E2
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-1-ol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II
Hazard label:	4.1
Marine pollutant:	No
Limited quantity:	1 kg / 30 kg
Excepted quantity: EmS:	E2 F-A, S-I
Air transport (ICAO)	
14.1. UN number:	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-1-ol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II
Hazard label:	4.1
Limited quantity Passenger:	5 kg
Passenger LQ: Excepted quantity:	Y441 E2
IATA-packing instructions - Passenger:	445
IATA-max. quantity - Passenger:	15 kg
IATA-packing instructions - Cargo:	448
IATA-max. quantity - Cargo:	50 kg
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user Handle in accordance with good industrial	hygiene and safety practice.
	nex II of MARPOL73/78 and the IBC Code
The transport takes place only in approved	d and appropriate packaging.
SECTION 15: Regulatory information	n
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
EU regulatory information	
2004/42/EC (VOC):	50 % (Informations concern to liquid phase.)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenil protection guideline' (94/33/EC). Observe employment restrictions under

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals REACH = Registration, Evaluation, Authorization and Restriction of Chemicals CAS = Chemical Abstract Service EN = European norm ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)