acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: **6588**Version: **2.0 en**date of compilation: 2020-02-11

Revision: 2022-08-05

Replaces version of: 2020-02-11

Version: (1)



1.1 Product identifier

Identification of the substance Oil of valerian, all-natural

Article number 6588

EC number 232-501-7 CAS number 8057-49-6

Alternative name(s) Oleum Valerianae

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of valerian, all-natural

article number: 6588

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS07, GHS08, GHS09







Hazard statements

H304 May be fatal if swallowed and enters airways

H317 May cause an allergic skin reaction

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P273 Avoid release to the environment

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P331 Do NOT induce vomiting

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

United Kingdom (en) Page 2 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6588



SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance

Oil of valerian

CAS No 8057-49-6 EC No 232-501-7

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Camphene	CAS No 79-92-5	10 - < 25
	EC No 201-234-8	
DL-α-Pinene	CAS No 80-56-8	5 - < 10
	EC No 201-291-9	
DL-Borneol	CAS No 507-70-0	1-<5
	EC No 208-080-0	
ß-Pinene	CAS No 127-91-3	1-<5
	EC No 204-872-5	
DL-Limonene	CAS No 138-86-3	1-<5
	EC No 205-341-0	

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (chronic) = 10	-	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

United Kingdom (en) Page 3 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

United Kingdom (en) Page 4 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 5 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6588



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Camphene	79-92-5	DNEL	110,2 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	110,2 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Camphene	79-92-5	DNEL	0,21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	1,25 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
DL-α-Pinene	80-56-8	DNEL	3,8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0,542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	5,69 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	0,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	54 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
DL-Borneol	507-70-0	DNEL	17,63 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
DL-Borneol	507-70-0	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Camphene	79-92-5	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Camphene	79-92-5	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Camphene	79-92-5	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Camphene	79-92-5	PNEC	0,026 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Camphene	79-92-5	PNEC	0,003 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)

United Kingdom (en) Page 6 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



Relevant PNECs of components of the mixture Name of sub-End-**Threshol Exposure time CAS No Organism Environmental** d level stance point compartment 0,021 ^{mg}/ Camphene 79-92-5 PNEC terrestrial organsoil short-term (single isms instance) kg freshwater DL-α-Pinene 80-56-8 **PNEC** $0,606 \, \mu g/I$ aquatic organshort-term (single instance) isms DL-α-Pinene 80-56-8 **PNEC** $0,061 \, ^{\mu g}/_{I}$ aquatic organmarine water short-term (single isms instance) DL-α-Pinene 80-56-8 **PNEC** $0.2 \frac{mg}{l}$ aquatic organsewage treatment short-term (single plant (STP) instance) isms DL-α-Pinene 80-56-8 **PNEC** $157 \, ^{\mu g}/_{ka}$ aquatic organfreshwater sedishort-term (single isms ment instance) DL-α-Pinene $15,7 \, ^{\mu g}/_{ka}$ short-term (single 80-56-8 **PNEC** aquatic organmarine sediment isms instance) $31,7 \, ^{\mu g}/_{kg}$ DL-α-Pinene terrestrial organshort-term (single 80-56-8 **PNEC** soil instance) isms ß-Pinene 127-91-3 **PNEC** 1,004 ^{µg}/_I aquatic organfreshwater short-term (single isms instance) **ß-Pinene** 127-91-3 **PNEC** $0.1 \, \mu g/_{1}$ marine water short-term (single aquatic organinstance) isms $3,26 \, ^{mg}/_{l}$ **ß-Pinene** 127-91-3 **PNEC** aquatic organsewage treatment short-term (single plant (STP) instance) 0,337 ^{mg}/ **ß-Pinene** 127-91-3 freshwater sedi-PNEC aquatic organshort-term (single isms ment instance) kg 0,034 mg/ ß-Pinene 127-91-3 **PNEC** aquatic organmarine sediment short-term (single isms instance) kg 0,067 mg/ **ß-Pinene** 127-91-3 **PNEC** terrestrial organsoil short-term (single isms instance) kg $1,71 \, \mu g/_{l}$ short-term (single **DL-Borneol** 507-70-0 **PNEC** aquatic organfreshwater isms instance) **DL-Borneol** 507-70-0 $0,171 \, \mu g/I$ **PNEC** aquatic organmarine water short-term (single instance) isms 1 ^{mg}/_I **DL-Borneol** 507-70-0 **PNEC** aquatic organsewage treatment short-term (single isms plant (STP) instance) 0,139 mg/ **DL-Borneol** 507-70-0 **PNEC** aquatic organfreshwater sedishort-term (single isms ment instance) kg 0,017 mg/ short-term (single **DL-Borneol** 507-70-0 **PNEC** aquatic organmarine sediment instance) isms kg 0,013 mg/ **DL-Borneol** 507-70-0 **PNEC** terrestrial organsoil short-term (single isms instance) kg

8.2 Exposure controls

United Kingdom (en) Page 7 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR: acrylonitrile-butadiene rubber

material thickness

≥0,5 mm

breakthrough times of the glove material

>10 minutes (permeation: level 1), >480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 8 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian , all-natural

article number: 6588



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - light yellow - light brown

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 78 °C

Auto-ignition temperature not determined

Decomposition temperature not relevant
pH (value) not determined

Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density $\sim 0.97 \, \mathrm{g/_{cm^3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Refractive index 1,47 – 1,48 (20 °C)

United Kingdom (en) Page 9 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
DL-α-Pinene	80-56-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
DL-α-Pinene	80-56-8	oral	LD50	3.700 ^{mg} / _{kg}	rat
ß-Pinene	127-91-3	oral	LD50	4.700 ^{mg} / _{kg}	rat
DL-Limonene	138-86-3	oral	LD50	5.300 ^{mg} / _{kg}	rat
DL-Borneol	507-70-0	oral	LD50	1.310 ^{mg} / _{kg}	mouse
DL-Borneol	507-70-0	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation


May cause an allergic skin reaction.

United Kingdom (en) Page 10 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian , all-natural

article number: 6588



Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

aspiration hazard

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture Name of sub-**CAS No Endpoint Species** Exposure Value time stance Camphene 79-92-5 LC50 0,72 ^{mg}/_l fish 96 h 0,72 ^{mg}/_l Camphene 79-92-5 EC50 aquatic invertebrates 48 h >1.000 ^{mg}/_I 79-92-5 ErC50 72 h Camphene algae 80-56-8 LC50 0,303 mg/_I fish DL-α-Pinene 96 h

United Kingdom (en) Page 11 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6588



Aquatic toxicity (acute) of components of the mixture Name of sub-**CAS No Endpoint Value Species Exposure** time stance DL-α-Pinene 80-56-8 EC50 0,475 ^{mg}/_l aquatic invertebrates 48 h 0,68 ^{mg}/_I ß-Pinene LC50 rainbow trout (Onco-96 h 127-91-3 rhynchus mykiss) ß-Pinene 127-91-3 EC50 1,09 mg/_I daphnia magna 48 h $0.7 \frac{mg}{I}$ ß-Pinene 127-91-3 ErC50 Pseudokirchneriella 72 h subcapitata 17 ^{mg}/_I DL-Limonene 138-86-3 EC50 daphnia magna 48 h 80 ^{mg}/_l DL-Limonene 138-86-3 LC50 rainbow trout (Onco-96 h rhynchus mykiss) **DL-Borneol** 507-70-0 LC50 33,25 ^{mg}/_I 96 h fish **DL-Borneol** 507-70-0 4,23 ^{mg}/_l EC50 aquatic invertebrates 48 h **DL-Borneol** 507-70-0 ErC50 1,71 ^{mg}/_l algae 72 h

Aquatic toxicity (chronic) of components of the mixture Name of sub-Exposure time **CAS No Endpoint Value Species** stance EC50 >1.000 ^{mg}/_I Camphene 79-92-5 3 h microorganisms **ß-Pinene** 127-91-3 EC50 326 mg/_I microorganisms 3 h >100 ^{mg}/_I **DL-Borneol** 507-70-0 EC50 microorganisms 3 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradabilit	Degradability of components of the mixture							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source		
DL-α-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA		
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA		
DL-Borneol	507-70-0	carbon dioxide generation	85 %	28 d		ECHA		

12.3 Bioaccumulative potential

Data are not available.

United Kingdom (en) Page 12 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 6588



Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Camphene	79-92-5		4,22 (pH value: 7,2, 37 °C)	
DL-α-Pinene	80-56-8		4,83	
DL-Limonene	138-86-3		4,57	
DL-Borneol	507-70-0		3,6 (20 °C)	

12.4 Mobility in soil

Data are not available.

Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 13 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3082
IMDG-Code UN 3082
ICAO-TI UN 3082

14.2 UN proper shipping name

ADRRID ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid,

n.o.s.

Technical name Oil of valerian

14.3 Transport hazard class(es)

ADRRID 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

Particulars in the transport document UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., (Oil of valerian), 9, III, (-)

Classification code M6

Danger label(s) 9, "Fish and tree"



Environmental hazards yes (hazardous to the aquatic environment)

United Kingdom (en) Page 14 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

©

Oil of valerian, all-natural

article number: 6588

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) Hazard identification No 90

Emergency Action Code 3Z

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code M6

Danger label(s) 9

Fish and tree

Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Hazard identification No 90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

Particulars in the shipper's declaration UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., (Oil of valerian), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Oil of valerian)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F


Stowage category A

United Kingdom (en) Page 15 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian , all-natural

article number: 6588



Proper shipping name Environmentally hazardous substance, liquid,

n.o.s.

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance,

liquid, n.o.s., (Oil of valerian), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements					
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)				

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	100 % 970 ⁹ / _I
	•

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	970 ⁹ / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

United Kingdom (en) Page 16 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Oil of valerian	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

Legend

AIIC

Australian Inventory of Industrial Chemicals Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 17 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian, all-natural

article number: 6588



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of watercourses.	yes
2.2	Hazardous ingredients for labelling: DL-α-Pinene, DL-Limonene, ß-Pinene		yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: DL-α-Pinene, DL-Limonene, ß-Pinene		yes
2.3	Other hazards: There is no additional information.	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations		
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)		
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BOD	Biochemical Oxygen Demand		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
COD	Chemical oxygen demand		
DGR	Dangerous Goods Regulations (see IATA/DGR)		

United Kingdom (en) Page 18 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of valerian , all-natural

article number: 6588



Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 19 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of valerian , all-natural

article number: 6588

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20